

Fishery Data Series No. 94-28

Harvest, Catch, and Participation in Alaska Sport Fisheries During 1993

by

Michael J. Mills

September 1994

Alaska Department of Fish and Game

Division of Sport Fish



FISHERY DATA SERIES NO. 94-28

HARVEST, CATCH, AND PARTICIPATION IN ALASKA
SPORT FISHERIES DURING 1993¹

By

Michael J. Mills

Alaska Department of Fish and Game
Division of Sport Fish
Anchorage, Alaska

September 1994

¹ This investigation was partially financed by the Federal Aid in Sport Fish Restoration Act (16 U.S.C. 777-777K) under Project F-10-9, Job No. RT-1.

The Fishery Data Series was established in 1987 for the publication of technically oriented results for a single project or group of closely related projects. Fishery Data Series reports are intended for fishery and other technical professionals. Distribution is to state and local publication distribution centers, libraries and individuals and, on request, to other libraries, agencies, and individuals. This publication has undergone editorial and peer review.

The Alaska Department of Fish and Game administers all programs and activities free from discrimination on the basis of sex, color, race, religion, national origin, age, marital status, pregnancy, parenthood, or disability. For information on alternative formats available for this and other department publications, contact the department ADA Coordinator at (voice) 907-465-4120, or (TDD) 907-465-3646. Any person who believes s/he has been discriminated against should write to: ADF&G, PO Box 25526, Juneau, AK 99802-5526; or O.E.O., U.S. Department of the Interior, Washington, DC 20240.

TABLE OF CONTENTS

	<u>Page</u>
LIST OF APPENDICES.....	ii
ABSTRACT.....	1
INTRODUCTION.....	2
METHODS.....	3
RESULTS.....	5
Participation	5
Harvest	6
Catch	6
DISCUSSION.....	7
ACKNOWLEDGEMENTS.....	8
LITERATURE CITED.....	8
APPENDIX A. TABLES AND FIGURES.....	11
APPENDIX B. QUESTIONNAIRES AND REMINDERS.....	143

LIST OF APPENDICES

<u>Appendix</u>	<u>Page</u>
A1. Map of Alaska sport fishing regions and areas.....	12
A2. List of Alaska sport fishing regions and areas.....	13
A3. List of common names, scientific names, and abbreviations.....	14
A4. Response to the standard Alaska sport fish survey mailing, 1993.....	16
A5. Response to the supplementary Alaska sport fish survey mailing, 1993.....	17
A6. Number and percent of Alaska sport fishing licenses by residency, 1961-1993.....	18
A7. Statewide and regional participation in Alaska sport fishing by residency, 1991-1993.....	19
A8. Anglers who sport fished in Alaska by area of residence, 1983-1993.....	20
A9. Number of anglers who sport fished in Alaska by area of residence, 1983-1993.....	21
A10. Number of Alaska anglers by region and area fished, 1984-1993.....	22
A11. Number of Alaska sport fishing trips by region and area, 1984-1993.....	23
A12. Angler-days fished in Alaska, statewide and by region, 1983-1993.....	24
A13. Number of angler-days fished in Alaska and percentage by region and area, 1983-1993.....	25
A14. Alaska sport fish harvest by species, 1983-1993, and catch by species, 1993.....	27
A15. Alaska saltwater sport fish harvest by species, 1983-1993, and catch by species, 1993.....	28
A16. Alaska freshwater sport fish harvest by species, 1983-1993, and catch by species, 1993.....	29
A17. Southeast Alaska sport fish harvest by species, 1983-1993, and catch by species, 1993.....	30

LIST OF APPENDICES (Continued)

<u>Appendix</u>	<u>Page</u>
A18. Southcentral Alaska sport fish harvest by species, 1983-1993, and catch by species, 1993.....	31
A19. Arctic-Yukon-Kuskokwim Alaska sport fish harvest by species, 1983-1993, and catch by species, 1993.....	32
A20. Alaska sport sea-run salmon harvests, statewide and by region, 1983-1993.....	33
A21. Alaska sport sea-run salmon harvests, 1983-1993, and catch, 1993, by region and area.....	34
A22. Alaska sport sea-run chinook salmon harvests, statewide and by region, 1983-1993.....	35
A23. Alaska sport sea-run chinook salmon harvests, 1983-1993, and catch, 1993, by region and area.....	36
A24. Alaska sport sea-run coho salmon harvests, statewide and by region, 1983-1993.....	37
A25. Alaska sport sea-run coho salmon harvests, 1983-1993, and catch, 1993, by region and area.....	38
A26. Alaska sport sea-run sockeye salmon harvests, statewide and by region, 1983-1993.....	39
A27. Alaska sport sea-run sockeye salmon harvests, 1983-1993, and catch, 1993, by region and area.....	40
A28. Alaska sport pink salmon harvests, statewide and by region, 1983-1993.....	41
A29. Alaska sport pink salmon harvests, 1983-1993, and catch, 1993, by region and area.....	42
A30. Alaska sport chum salmon harvests, statewide and by region, 1983-1993.....	43
A31. Alaska sport chum salmon harvests, 1983-1993, and catch, 1993, by region and area.....	44
A32. Alaska sport landlocked coho salmon and chinook salmon harvests, 1983-1993, and catch, 1993, by region and area...	45
A33. Alaska sport kokanee salmon harvests, 1983-1993, and catch, 1993, by region and area.....	46
A34. Alaska sport steelhead harvests, 1983-1993, and catch, 1993, by region and area.....	47

LIST OF APPENDICES (Continued)

<u>Appendix</u>	<u>Page</u>
A35. Alaska sport rainbow trout harvests, 1983-1993, and catch, 1993, by region and area.....	48
A36. Alaska sport cutthroat trout harvests, 1983-1993, and catch, 1993, by region and area.....	49
A37. Alaska sport brook trout harvests, 1983-1993, and catch, 1993, by region and area.....	50
A38. Alaska sport lake trout harvests, 1983-1993, and catch, 1993, by region and area.....	51
A39. Alaska sport Dolly Varden and Arctic char harvests, 1983-1993, and catch, 1993, by region and area.....	52
A40. Alaska sport Arctic grayling harvests, 1983-1993, and catch, 1993, by region and area.....	53
A41. Alaska sport northern pike harvests, 1983-1993, and catch, 1993, by region and area.....	54
A42. Alaska sport whitefish harvests, 1983-1993, and catch, 1993, by region and area.....	55
A43. Alaska sport burbot harvests, 1983-1993, and catch, 1993, by region and area.....	56
A44. Alaska sport sheefish harvests, 1983-1993, and catch, 1993, by region and area.....	57
A45. Alaska sport smelt harvests, 1983-1993, and catch, 1993, by region and area.....	58
A46. Alaska sport Pacific halibut harvests, 1983-1993, and catch, 1993, by region and area.....	59
A47. Alaska sport rockfish harvests, 1983-1993, and catch, 1993, by region and area.....	60
A48. Alaska sport lingcod harvests, 1991-1993, and catch, 1993, by region and area.....	61
A49. Alaska sport razor clam harvests, 1983-1993, and catch, 1993, by region and area.....	62
A50. Alaska sport harvests, 1983-1993, and catch, 1993, of other fish by region and area.....	63
A51. Ketchikan Area sport fish harvest and effort by fisheries and species, 1993.....	64

LIST OF APPENDICES (Continued)

<u>Appendix</u>	<u>Page</u>
A52. Ketchikan Area sport fish catch and effort by fisheries and species, 1993.....	65
A53. Prince of Wales Island Area sport fish harvest and effort by fisheries and species, 1993.....	66
A54. Prince of Wales Island Area sport fish catch and effort by fisheries and species, 1993.....	67
A55. Kake, Petersburg, Wrangell, Stikine Area sport fish harvest and effort by fisheries and species, 1993.....	68
A56. Kake, Petersburg, Wrangell, Stikine Area sport fish catch and effort by fisheries and species, 1993.....	69
A57. Sitka Area sport fish harvest and effort by fisheries and species, 1993.....	70
A58. Sitka Area sport fish catch and effort by fisheries and species, 1993.....	71
A59. Juneau Area sport fish harvest and effort by fisheries and species, 1993.....	72
A60. Juneau Area sport fish catch and effort by fisheries and species, 1993.....	73
A61. Haines-Skagway Area sport fish harvest and effort by fisheries and species, 1993.....	74
A62. Haines-Skagway Area sport fish catch and effort by fisheries and species, 1993.....	75
A63. Glacier Bay Area sport fish harvest and effort by fisheries and species, 1993.....	76
A64. Glacier Bay Area sport fish catch and effort by fisheries and species, 1993.....	77
A65. Yakutat Area sport fish harvest and effort by fisheries and species, 1993.....	78
A66. Yakutat Area sport fish catch and effort by fisheries and species, 1993.....	79
A67. Glennallen Area sport fish harvest and effort by fisheries and species, 1993.....	80
A68. Glennallen Area sport fish catch and effort by fisheries and species, 1993.....	81

LIST OF APPENDICES (Continued)

<u>Appendix</u>	<u>Page</u>
A69. Prince William Sound Area sport fish harvest and effort by fisheries and species, 1993.....	82
A70. Prince William Sound Area sport fish catch and effort by fisheries and species, 1993.....	83
A71. Knik Arm Drainage Area sport fish harvest and effort by fisheries and species, 1993.....	84
A72. Knik Arm Drainage Area sport fish catch and effort by fisheries and species, 1993.....	85
A73. Knik Arm Drainage Area personal use harvest and effort by fisheries and species, 1993.....	86
A74. Knik Arm Drainage Area personal use catch and effort by fisheries and species, 1993.....	87
A75. Anchorage Area sport fish harvest and effort by fisheries and species, 1993.....	88
A76. Anchorage Area sport fish catch and effort by fisheries and species, 1993.....	89
A77. East Susitna River Drainage sport fish harvest and effort by fisheries and species, 1993.....	90
A78. East Susitna River Drainage sport fish catch and effort by fisheries and species, 1993.....	91
A79. West Cook Inlet-West Susitna River Drainages sport fish harvest and effort by fisheries and species, 1993.....	92
A80. West Cook Inlet-West Susitna River Drainages sport fish catch and effort by fisheries and species, 1993.....	93
A81. Kenai River sport fish freshwater nonguided harvest and effort by fisheries and species, 1993.....	94
A82. Kenai River sport fish freshwater nonguided catch and effort by fisheries and species, 1993.....	95
A83. Kenai River sport fish freshwater guided harvest and effort by fisheries and species, 1993.....	96
A84. Kenai River sport fish freshwater guided catch and effort by fisheries and species, 1993.....	97

LIST OF APPENDICES (Continued)

<u>Appendix</u>	<u>Page</u>
A85. Kenai Peninsula Area sport fish freshwater harvest and effort by fisheries and species, 1993.....	98
A86. Kenai Peninsula Area sport fish freshwater catch and effort by fisheries and species, 1993.....	99
A87. Kenai Peninsula Area sport fish saltwater harvest and effort by fisheries for finfish species, 1993.....	100
A88. Kenai Peninsula Area sport fish saltwater catch and effort by fisheries for finfish species, 1993.....	101
A89. Kenai Peninsula Area sport fish harvest and effort by fisheries for shellfish, 1993.....	102
A90. Kodiak Area sport fish harvest and effort by fisheries and species, 1993.....	104
A91. Kodiak Area sport fish catch and effort by fisheries and species, 1993.....	105
A92. Naknek River Drainage-Alaska Peninsula Area sport fish harvest and effort by fisheries and species, 1993.....	106
A93. Naknek River Drainage-Alaska Peninsula Area sport fish catch and effort by fisheries and species, 1993.....	107
A94. Kvichak River Drainage Area sport fish harvest and effort by fisheries and species, 1993.....	108
A95. Kvichak River Drainage Area sport fish catch and effort by fisheries and species, 1993.....	109
A96. Nushagak Area sport fish harvest and effort by fisheries and species, 1993.....	110
A97. Nushagak Area sport fish catch and effort by fisheries and species, 1993.....	111
A98. Tanana River Drainage Area sport fish harvest and effort by fisheries and species, 1993.....	112
A99. Tanana River Drainage Area sport fish catch and effort by fisheries and species, 1993.....	113
A100. Kuskokwim River Drainage Area sport fish harvest and effort by fisheries and species, 1993.....	114

LIST OF APPENDICES (Continued)

<u>Appendix</u>	<u>Page</u>
A101. Kuskokwim River Drainage Area sport fish catch and effort by fisheries and species, 1993.....	115
A102. Seward Peninsula-Norton Sound Area sport fish harvest and effort by fisheries and species, 1993.....	116
A103. Seward Peninsula-Norton Sound Area sport fish catch and effort by fisheries and species, 1993.....	117
A104. Northwest Alaska Area sport fish harvest and effort by fisheries and species, 1993.....	118
A105. Northwest Alaska Area sport fish catch and effort by fisheries and species, 1993.....	119
A106. Yukon River Drainage Area sport fish harvest and effort by fisheries and species, 1993.....	120
A107. Yukon River Drainage Area sport fish catch and effort by fisheries and species, 1993.....	121
A108. North Slope Brooks Range Area sport fish harvest and effort by fisheries and species, 1993.....	122
A109. North Slope Brooks Range Area sport fish catch and effort by fisheries and species, 1993.....	123
A110. Comparison of 1993 Alaska statewide survey and onsite survey estimates and confidence intervals (CI).....	124
A111. Number of households responding to the 1993 standard and supplementary sport fish surveys by fishery.....	127
B1. Sport fish standard survey questionnaire, 1993.....	145
B2. First reminder standard survey, 1993.....	189
B3. Second reminder standard survey, 1993.....	191
B4. Sport fish supplementary survey questionnaire, 1993.....	193
B5. First reminder supplementary survey, 1993.....	199
B6. Second reminder supplementary survey, 1993.....	201
B7. Sport fish supplementary survey map/site booklet, 1993.....	203

ABSTRACT

Since 1977, the Alaska Department of Fish and Game has conducted an annual mail survey to estimate sport fishing participation and harvests (fish kept) statewide and by Alaska fisheries, areas, regions, and species. Since 1990, catches (fish harvested plus fish released) have also been estimated. Detailed findings are presented for 1993. In 1993, 426,514 anglers took 1,809,419 household trips and fished 2,559,408 days to catch 6,307,062 fish and harvest 2,989,720 fish.

KEY WORDS: Alaska, recreation, sport, fish, fisheries, fishing, catch, harvest, angler, angler-days, survey, salmon, trout, char, Arctic grayling, northern pike, whitefish, burbot, smelt, Pacific halibut, rockfish, lingcod, razor clams.

INTRODUCTION

Meeting public demand for recreational fishing opportunities in Alaska while at the same time maintaining and protecting the fisheries resources has become increasingly complex. In the early years of statehood—before rapid population expansion and industrial development—good, uncrowded sport fishing was accessible; large sport fisheries were few and easily monitored; and sport fishing was considered to be a minor factor in management of commercially exploited species.

Today, along with increasing tourism and continued forest, mineral, petroleum, and associated governmental development has come an avid, recreationally-oriented population. Accessible sport fisheries have become crowded, new fisheries have developed, and pressure from a large mobile angling population is spilling ever farther afield. International treaties, native land allotments, (d)(2) national interest land legislation, federal takeover of subsistence management on federal lands within the state, state and federal land conveyances, habitat degradation, and problems of access have complicated maintenance and expansion of sport fishing opportunities. The State and private corporations have made substantial commitments to aquaculture and hatchery propagation. Also, recreational fishing is now a significant factor in total fisheries management, and vociferous sport-commercial-subsistence user conflicts have developed.

Against this backdrop, a statewide database providing information on where sport fishing occurs, the extent of participation, the preferences of participants, and the species and numbers of major game fishes being caught and harvested is essential for regulation and management of Alaska's sport fisheries and for total regulation, management, and allocation of multiple-use fisheries. In addition, this information is needed for establishing priorities; for formulating policies; for budgeting; for planning and evaluating rehabilitation, enhancement, stocking, habitat protection, and access acquisition projects; for stock assessment; for forecasting; for gauging the economic and social significance of sport fishing; and for satisfying requests for information from individuals, special interest groups, government agencies, and the recreational industry.

Because of Alaska's vastness, meeting all these information requirements statewide by onsite creel surveys would be prohibitively expensive, thus an economical supplementary program has been developed. Described herein are results from the seventeenth year of that program, whose primary objective is to provide statewide estimates of participation, catch, and harvest for major Alaskan sport-caught species by area and fishery.

Species covered are listed in Appendix A3. Alaska sport fishing regulatory and management areas are delineated in Appendix A1 and Appendix A2.

METHODS

Two types of questionnaires were used to estimate participation, catch, and harvest associated with sport fishing in Alaska in 1993. One type, the "standard" type, was a multipage questionnaire similar to those used annually since 1977 (Appendix B1). The other type, the "supplementary" type, was a single fold-out page accompanied by a list of sites (Appendix B4). The standard type was mailed to a stratified random sample of 29,999 households containing one or more individuals who purchased 1993 sport fishing licenses. The supplementary type was mailed to a stratified random sample of 15,000 such households. Stratification for both types was by household residence: Alaska, other United States, Canada, other foreign. Reminder letters and questionnaires were mailed to first-time and second-time nonrespondents to both types.

For both types each household was asked for information for 1993 on number of licensees, on participation (number of anglers, trips, and days fished), and number of fish caught and number of fish kept (harvested) by species and site. Information from both types was pooled and catch or harvest for each species or participation for each site was estimated by:

$$\hat{Y}_{hk} = \frac{\sum_{i=1}^3 \sum_{j=1}^{n_{hi}} y_{hijk}}{\sum_{i=1}^3 n_{hi}} \quad (1)$$

where

y_{hijk} = harvest, catch, or participation at the k^{th} site by the j^{th} household responding to the i^{th} mailing for the h^{th} residential stratum;

n_{hi} = number of households responding to the i^{th} mailing for the h^{th} residential stratum;

\hat{N}_h = estimated number of households with at least one fishing license holder in 1993 for the h^{th} residential stratum

$$= \hat{M}_h / \hat{m}_h ; \quad (2)$$

M_h = number of license holders residing in stratum h in 1993;

\hat{m}_h = mean number of license holders per responding household for residential stratum h ; and

R_h = nonresponse ratio for residential stratum h .

The R_h were obtained by simulation based on the following exponential regression models developed for responding households:

$$\ln(n_{hi}) = \alpha_{nh} + \beta_{nh} i + \epsilon_{nhi}, \text{ for } i = 1, 2, 3; \quad (3)$$

$$\ln(r_{hi} + 10^{-7}) = \alpha_{rh} + \beta_{rh} i + \epsilon_{rhi}, \text{ for } i = 1, 2, 3; \quad (4)$$

where

r_{hi} = mean participation or catch, for a species, over all sites by respondents to the i^{th} mailing for residential stratum h ;

and ϵ_{nhi} and ϵ_{rhi} are normal variates with mean 0 and variance σ^2 .

Parameters α_{nh} , α_{rh} , β_{nh} , and β_{rh} were estimated using the method of least squares (Draper and Smith 1981). The set $\{n_4, n_5, \dots, n_I\}$ was estimated from regression (3), and the set $\{r_4, r_5, \dots, r_I\}$ was estimated from regression (4), where I was the simulated mailing for which:

$$\left\{ \begin{array}{l} \sum_{i=1}^3 n_{hi} + \sum_{i=4}^I \hat{n}_{hi} = n_h \\ \end{array} \right\} \quad \text{or} \quad \left\{ \begin{array}{l} \hat{n}_{h(i+1)} < 10^{-7} \\ \end{array} \right\}; \quad (5)$$

and where

\hat{n}_{hi} = estimated number of households responding to the i^{th} simulated mailing, for $i = 4, 5, \dots, I$, for residential stratum h

$$= e^{(\alpha_{nh} + \beta_{nh} i)}; \text{ and} \quad (6)$$

n_h = the number of households sampled in residential stratum h .

The R_h were then calculated as follows:

$$R_h = \frac{Y_{rsh}}{(Y_{rsh} + Y_{nrh})}; \quad (7)$$

where

$$Y_{rsh} = \theta_h \frac{\sum_{i=1}^3 \sum_{j=1}^{n_{hi}} y_{hij}}{\sum_{i=1}^3 n_{hi}}; \quad (8)$$

y_{hij} = reported participation or catch, for a species, over all sites for residential stratum h;

θ_h = proportion of sampled households that responded for residential stratum h;

$$\hat{Y}_{nrh} = (1-\theta) \frac{\sum_{i=4}^I n_{hi} \hat{r}_{hi}}{n_h - \sum_{i=1}^3 n_{hi}} ; \text{ and} \quad (9)$$

\hat{r}_{hi} = simulated mean participation or catch, for a species, over all sites for nonresponding households, $i = 4, 5, \dots, I$ for residential stratum h

$$= e^{(\alpha_{rh} + \beta_{rh} i)} - 10^{-7}. \quad (10)$$

Confidence intervals were calculated using the percentile method of bootstrap resampling (Efron and Tibshirani 1993) with 1,000 replications.

RESULTS

In 1993, 426,514 anglers took 1,809,419 household trips and fished 2,559,408 days to catch 6,307,062 fish and harvest 2,989,720 fish.

Participation

Of the 426,514 anglers who fished in 1993, 237,452 (56%) were Alaska residents and 189,062 (44%) were nonresidents (Appendix A9). Of the 2,559,408 angler-days fished in 1993, 1,867,233 (73%) were expended in the Southcentral region of Alaska, 471,203 (18%) were expended in the Southeast region, and 220,972 (9%) were expended in the Arctic-Yukon-Kuskokwim region (Appendix A13). The Cook Inlet area had 1,365,894 days, 53% of the state's total sport fishing. The Kenai Peninsula had 946,252 angler-days or 37% of the state total. The Kenai River had 324,120 angler-days, 13% of the state total. An estimated 920,710 days, 36% of all sport fishing, were in saltwater; 1,638,698 days, 64% of all sport fishing, were in freshwater.

Residents of Alaska fished 1,748,152 days, 68% of all fishing; nonresidents fished 811,256 days, 32% of all fishing. In Southeast Alaska, residents fished 258,612 days, 55% of all Southeast fishing; and nonresidents fished 212,591 days, 45% of Southeast fishing. In Southcentral Alaska, residents fished 1,301,567 days, 70% of all Southcentral fishing; and nonresidents fished 565,666 days, 30% of Southcentral fishing. In the Arctic-Yukon-Kuskokwim Region of Alaska, residents fished 187,973 days, 85% of that region's fishing; and nonresidents fished 32,999 days, 15% of the regional total.

Harvest

The 2,989,720 fish harvested in 1993 (Appendix A14) included 1,011,959 razor clams *Siliqua patula* and 61,495 smelt and capelin Osmeridae. Of the remaining 1,916,266 harvested fish, 1,052,082 (55%) were anadromous (sea-run) salmon *Oncorhynchus*, 313,147 (16%) were Pacific halibut *Hippoglossus stenolepis*, 136,681 (7%) were rainbow trout *Oncorhynchus mykiss*, 100,428 (5%) were Dolly Varden *Salvelinus malma* and Arctic char *Salvelinus alpinus*, 82,625 (4%) were rockfish *Sebastodes*, 58,385 (3%) were landlocked salmon (chinook salmon *Oncorhynchus tshawytscha*, coho salmon *Oncorhynchus kisutch*, and kokanee *Oncorhynchus nerka*), and 49,740 (3%) were Arctic grayling *Thymallus arcticus*. Also harvested were 22,857 lingcod *Ophiodon elongatus*, 19,366 northern pike *Esox lucius*, 16,291 cutthroat trout *Oncorhynchus clarki*, 13,094 lake trout *Salvelinus namaycush*, 9,858 burbot *Lota lota*, 4,223 whitefish *Coregonus* and *Prosopium*, 3,818 steelhead *Oncorhynchus mykiss*, 1,619 sheefish *Stenodus leucichthys*, and 762 brook trout *Salvelinus fontinalis*.

The 1993 total anadromous salmon harvest of 1,052,082 included 210,833 chinook salmon, 412,487 coho salmon, 283,661 sockeye salmon, 124,582 pink salmon *Oncorhynchus gorbuscha*, and 20,519 chum salmon *Oncorhynchus keta* (Appendix A14). The marine salmon harvest total of 408,354 included 82,064 chinook salmon, 195,361 coho salmon, 20,340 sockeye salmon, 98,419 pink salmon, and 12,170 chum salmon (Appendix A15). The freshwater total of 643,728 anadromous salmon included 128,769 chinook salmon, 217,126 coho salmon, 263,321 sockeye salmon, 26,163 pink salmon, and 8,349 chum salmon (Appendix A16). Regionally, 249,355 anadromous salmon were harvested in Southeast Alaska (Appendix A17), 786,570 in Southcentral (Appendix A18), and 16,157 in the Arctic-Yukon-Kuskokwim area (Appendix A19).

Except for razor clams, shell fisheries are not included in the 2,989,720 total fish harvest reported above. For the Kenai Peninsula, however, these fisheries were surveyed for dungeness crab *Cancer magister*, tanner crab *Chionoecetes bairdi*, shrimp Pandalidae, and hardshell clams. Harvest and participation for these species are reported in Appendix A89. Also not included in the total fish harvests are personal use fisheries. However, harvests and catches for the China Poot, Fox Creek, and Kenai River personal use dipnet fisheries are in Appendices A85 and A86; and harvests and catches for the Fish Creek personal use dipnet fisheries are in Appendices A73 and A74.

Catch

The catch of 6,307,062 fish in 1993 (Appendix A14) included 1,011,959 razor clams and 63,429 smelt. Of the remaining 5,231,674 fish caught, 732,004 (14%) were rainbow trout, 601,091 (11%) were coho salmon, 589,189 (11%) were Pacific halibut, 577,943 (11%) were sockeye salmon, 526,524 (10%) were Dolly Varden and Arctic char, 502,201 (10%) were chinook salmon, 489,539 (9%) were Arctic grayling, 361,619 (7%) were pink salmon, and 194,870 (4%) were rockfish. Also caught were 121,717 northern pike, 114,293 landlocked salmon (chinook, coho, and kokanee), 97,581 chum salmon, 75,067 cutthroat trout, 53,578 lake trout, 48,575 lingcod, 30,832 steelhead, 13,206 burbot, 12,506 whitefish, 6,666 sheefish, and 1,631 brook trout.

Harvest, catch, and participation for 1993 are tabulated by region, area, fishery, and species in Appendix A. Detailed tabulations for harvest and participation for 1977 through 1992 may be found in Mills (1979, 1980, 1981a, 1981b, 1982, 1983, 1984, 1985, 1986, 1987, 1988, 1989, 1990, 1991, 1992, 1993).

DISCUSSION

The estimated number of anglers who sport fished in Alaska in 1993 decreased slightly, 0.5% from 1992 (Appendix A9). The number of resident anglers decreased 4%, but the number of nonresident anglers increased by 4%. Since 1983, the number of anglers fishing in Alaska has increased 38%, 3% per year. Resident angler participation since 1983 has increased 6%, 1% per year; nonresident participation has increased 121%, 8% per year.

Anglers-days fished in Alaska in 1993 was a record high, up 1% from 1992 (Appendix A13). Regionally, days fished increased 1% in Southeast, decreased 1% in Southcentral, and increased 22% in the Arctic-Yukon-Kuskokwim region (days fished was unusually low in 1992 in the Arctic-Yukon-Kuskokwim region). Since 1983, days fished statewide has increased 48%, 4% per year. Regional increases since 1983 were 47% for Southeast, 4% per year; 54% for Southcentral, 4% per year; and 11% for the Arctic-Yukon-Kuskokwim region, 1% per year.

The statewide harvest of anadromous salmon was the second highest on record, exceeded only by the 1989 harvest. It was up 1% from 1992 and was 24% above the 1983-1992 mean (Appendices A20 and A21). The chinook and coho salmon harvests were record highs. The chinook salmon harvest was 81% above the previous ten-year mean and was up 37%, nearly 57,000 fish, above 1992 (Appendix A23). Approximately 35,000 of the 57,000 increase in chinook salmon harvest was generated by Kenai Peninsula fisheries; approximately 20,000 of the 35,000 Kenai Peninsula increase was generated by the Kenai River. The coho salmon harvest was up 19% from 1992 and 49% above the previous ten-year mean (Appendix A25). Also a record high was halibut, up 18% from 1992 and 64% above the previous 10-year mean. In contrast, the statewide harvest of whitefish and smelt were the lowest on record.

Estimated statewide catches were up 5% from 5,993,865 in 1992 to 6,307,062 in 1993. Regionally, catches were up 7% in Southeast Alaska, 1% in the Southcentral Region, and 39% in the Arctic-Yukon-Kuskokwim Region. Major contributors to statewide increases were increases in chinook salmon, coho salmon, halibut, rainbow trout, Dolly Varden/Arctic char, and Arctic grayling.

Over the past seventeen years the statewide sport fish survey has proved effectual in economically meeting management needs for estimates of participation and harvest for Alaska's sport fisheries. The survey has been well received by the angling public. For the larger fisheries harvest results have been consistent with onsite creel surveys (Appendix A110, Mills and Howe 1992), and sport fish biologists report that statewide survey harvest estimates for areas not creel surveyed are generally in accordance with their own knowledge and observations.

Thus, in the interest of economic efficiency, the statewide survey has replaced onsite creel surveys in cases where creel surveys are not required for inseason management or ensuring compliance with regulatory and management policies, quotas, and guidelines. It is planned that in 1994 surveys similar to this year's will be undertaken.

ACKNOWLEDGEMENTS

I thank Dora Sigurdsson and Allen Howe for questionnaire development; Carol Hepler for preparation of cover art and maps; Gail Heineman for obtaining the sport license file, developing software to prepare the sample, generating mail labels, and updating bar code software; Gary Fidler for drawing the sample; Dora Sigurdsson and Allen Howe for survey implementation and supervision; Ardys Armstrong, Sean Broghammer, Kari Corkran, and Paula Kottre for processing returned questionnaires; Donna Buchholz, Marlyn Cowan, and Katheryn Kush for editing sport license records and coding and key entering of survey data; Cynthia Olnes for updating data entry forms and editing programs and for developing and computer-based editing of survey response files; Gary Fidler for updating login software, for generating site-specific estimates and databases, and for supervising programming and editing activities; Cynthia Olnes for generating summary estimates and for production and formatting of tables; Allen Howe for production of graphics; Dora Sigurdsson for reviewing edited data and assembling auxiliary data; Gail Heineman for generating confidence intervals; Cynthia Olnes for preparation of the manuscript for publication; Allen Bingham for technical consultation and review; and Gwyn Alexander for review of the manuscript for style and format and for coordinating its publication. I also thank the angling public for participating in the survey and for its funding (through payment of state license fees and through payment of excise taxes collected pursuant to the Federal Aid in Sport Fish Restoration Act).

LITERATURE CITED

- Draper, N. R. and H. Smith. 1981. Applied regression analysis, second edition. John Wiley and Sons, New York, New York.
- Efron, B., and R. J. Tibshirani. 1993. An introduction to the bootstrap. Chapman and Hall, New York.
- Mills, M. J. 1979. Alaska statewide sport fish harvest studies. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Performance Report, 1978-1979, Project F-9-11, 20 (SW-I-A), Juneau.
- _____. 1980. Alaska statewide sport fish harvest studies. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Performance Report, 1979-1980, Project F-9-12, 21 (SW-I-A), Juneau.
- _____. 1981a. Alaska statewide sport fish harvest studies (1979). Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Performance Report, 1980-1981, Project F-9-13, 22 (SW-I-A), Juneau.


LITERATURE CITED (Continued)

- _____. 1981b. Alaska statewide sport fish harvest studies (1980). Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Performance Report, 1980-1981, Project F-9-13, 22 (SW-I-A), Juneau.
- _____. 1982. Alaska statewide sport fish harvest studies (1981). Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Performance Report, 1981-1982, Project F-9-14, 23 (SW-I-A), Juneau.
- _____. 1983. Alaska statewide sport fish harvest studies (1982). Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Performance Report, 1982-1983, Project F-9-15, 24 (SW-I-A), Juneau.
- _____. 1984. Alaska statewide sport fish harvest studies (1983). Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Performance Report, 1983-1984, Project F-9-16, 25 (SW-I-A), Juneau.
- _____. 1985. Alaska statewide sport fish harvest studies (1984). Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Performance Report, 1984-1985, Project F-9-17, 26 (SW-I-A), Juneau.
- _____. 1986. Alaska statewide sport fish harvest studies (1985). Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Performance Report, 1985-1986, Project F-10-1, 27 (RT-2), Juneau.
- _____. 1987. Alaska statewide sport fisheries harvest report (1986). Alaska Department of Fish and Game, Fishery Data Series No. 2, Anchorage.
- _____. 1988. Alaska statewide sport fisheries harvest report (1987). Alaska Department of Fish and Game, Fishery Data Series No. 52, Anchorage.
- _____. 1989. Alaska statewide sport fisheries harvest report (1988). Alaska Department of Fish and Game, Fishery Data Series No. 122, Anchorage.
- _____. 1990. Harvest and participation in Alaska sport fisheries during 1989. Alaska Department of Fish and Game, Fishery Data Series No. 90-44, Anchorage.
- _____. 1991. Harvest, catch, and participation in Alaska sport fisheries during 1990. Alaska Department of Fish and Game, Fishery Data Series No. 91-58, Anchorage.
- _____. 1992. Harvest, catch, and participation in Alaska sport fisheries during 1991. Alaska Department of Fish and Game, Fishery Data Series No. 92-40, Anchorage.
- _____. 1993. Harvest, catch, and participation in Alaska sport fisheries during 1992. Alaska Department of Fish and Game, Fishery Data Series No. 93-42, Anchorage.

Mills, M. J. and A. Howe. 1992. An evaluation of estimates of sport fish harvest from the Alaska statewide mail survey. Alaska Department of Fish and Game, Special Publication No. 92-2, Anchorage.

APPENDIX A

TABLES AND FIGURES



Appendix Al. Map of Alaska sport fishing regions and areas.

Appendix A2. List of Alaska sport fishing regions and areas.

Regions

- I Southeast Alaska
- II Southcentral Alaska
- III Arctic-Yukon-Kuskokwim

Areas

Southeast Alaska

- A Ketchikan
- B Prince of Wales Island
- C Kake, Petersburg, Wrangell, Stikine
- D Sitka
- E Juneau
- F Haines-Skagway
- G Glacier Bay
- H Yakutat

Southcentral Alaska

- I Glennallen
- J Prince William Sound
- K Knik Arm Drainage
- L Anchorage
- M East Susitna River Drainage
- N West Cook Inlet-West Susitna River Drainages
- P Kenai Peninsula
- Q Kodiak
- R Naknek River Drainage-Alaska Peninsula
- S Kvichak River Drainage
- T Nushagak

Arctic-Yukon-Kuskokwim

- U Tanana River Drainage
 - V Kuskokwim River Drainage
 - W Seward Peninsula-Norton Sound
 - X Northwest Alaska
 - Y Yukon River Drainage
 - Z North Slope Brooks Range
-

Appendix A3. List of common names, scientific names, and abbreviations.

Common Name	Scientific Name	Abbreviation
Chinook salmon	<i>Oncorhynchus tshawytscha</i>	KS
Small chinook salmon	<i>Oncorhynchus tshawytscha</i>	KI
Coho salmon	<i>Oncorhynchus kisutch</i>	SS
Landlocked salmon coho chinook	<i>Oncorhynchus kisutch</i> <i>Oncorhynchus tshawytscha</i>	LL
Sockeye salmon	<i>Oncorhynchus nerka</i>	RS
Kokanee salmon	<i>Oncorhynchus nerka</i>	KO
Pink salmon	<i>Oncorhynchus gorbuscha</i>	PS
Chum salmon	<i>Oncorhynchus keta</i>	CS
Steelhead	<i>Oncorhynchus mykiss</i>	SH
Rainbow trout	<i>Oncorhynchus mykiss</i>	RT
Cutthroat trout	<i>Oncorhynchus clarki</i>	CT
Brook trout	<i>Salvelinus fontinalis</i>	BT
Lake trout	<i>Salvelinus namaycush</i>	LT
Dolly Varden	<i>Salvelinus malma</i>	DV
Arctic char	<i>Salvelinus alpinus</i>	AC
Arctic grayling	<i>Thymallus arcticus</i>	GR
Northern pike	<i>Esox lucius</i>	NP
Whitefish	<i>Coregonus</i> spp. and <i>Prosopium</i> spp.	WF
Burbot	<i>Lota lota</i>	BB

-continued-

Appendix A3. (Page 2 of 2).

Common Name	Scientific Name	Abbreviation
Inconnu (Sheefish)	<i>Stenodus leucichthys</i>	SF
Pacific halibut	<i>Hippoglossus stenolepis</i>	HA
Rockfish	<i>Sebastes</i> spp.	RF
Lingcod	<i>Ophiodon elongatus</i>	LC
Smelt	<i>Osmeridae</i>	SM
Capelin	<i>Mallotus villosus</i>	SM
King crab	<i>Paralithodes camtschatica</i>	KC
Dungeness crab	<i>Cancer magister</i>	DC
Tanner crab	<i>Chionoecetes bairdi</i>	TC
Shrimp	<i>Pandalidae</i>	SHR
Razor clam	<i>Siliqua patula</i>	RCL
Hardshell clams		HCL
Butter clam	<i>Saxidomus giganteus</i>	
Littleneck clam	<i>Protothaca staminea</i>	
Cockle	<i>Clinocardium nuttallii</i>	
Gaper clam	<i>Tresus capax</i>	
Eastern softshell clam	<i>Mya arenaria</i>	
Truncated mya	<i>Mya truncata</i>	
Alaska surf clam	<i>Spisula polynyma</i>	

Appendix A4. Response to the standard Alaska sport fish survey mailing,
1993.

	Mailing 1	Mailing 2	Mailing 3	Total
Date of Mailing	10/20/93	12/3/93	1/19/94	
Number Mailed	29,999	25,627	17,880	73,506
Number Returned Nondeliverable ^a	1,289	314	183	1,786
Number not Returned ^a	20,011	16,070	13,383	49,464
Responses				
Number ^a	8,699	3,745	2,567	15,011
Percent of 1st Mailing not Returned as Nondeliverable	30.3	13.0	8.9	52.3
Cumulative Responses				
Number	8,699	12,444	15,011	
Percent of 1st Mailing not Returned as Nondeliverable	30.3	43.3	52.3	

^a Does not include returns after April 1, 1994.

Appendix A5. Response to the supplementary Alaska sport fish survey mailing, 1993.

	Mailing 1	Mailing 2	Mailing 3	Total
Date of Mailing	10/20/93	12/3/93	1/19/94	
Number Mailed	15,000	13,195	9,879	38,074
Number Returned Nondeliverable ^a	709	179	104	992
Number not Returned ^a	10,702	8,748	7,493	26,943
Responses				
Number ^a	3,589	1,781	1,159	6,529
Percent of 1st Mailing not Returned as Nondeliverable	25.1	12.5	8.1	45.7
Cumulative Responses				
Number	3,589	5,370	6,529	
Percent of 1st Mailing not Returned as Nondeliverable	25.1	37.6	45.7	

^a Does not include returns after April 1, 1994.

Appendix A6. Number and percent of Alaska sport fishing licenses by residency, 1961-1993.

Year	Resident		Nonresident		Total
	Number	Percent	Number	Percent	
1961	41,120	74.0	14,444	26.0	55,564
1962	42,015	74.0	14,783	26.0	56,798
1963	46,160	73.1	16,977	26.9	63,137
1964	45,355	74.5	15,527	25.5	60,882
1965	48,421	71.3	19,483	28.7	67,904
1966	50,287	70.3	21,256	29.7	71,543
1967	50,357	65.4	26,594	34.6	76,951
1968	58,344	64.4	32,221	35.6	90,565
1969	62,546	63.0	36,777	37.0	99,323
1970	71,711	63.2	41,683	36.8	113,394
1971	75,952	65.8	39,543	34.2	115,495
1972	82,088	66.0	42,347	34.0	124,435
1973	89,823	70.2	38,179	29.8	128,002
1974	95,485	70.8	39,415	29.2	134,900
1975	101,900	69.0	45,821	31.0	147,721
1976	118,679	70.7	49,194	29.3	167,873
1977	121,913	68.6	55,821	31.4	177,734
1978	129,750	66.5	65,481	33.5	195,231
1979	130,458	64.4	72,090	35.6	202,548
1980	132,103	63.9	74,699	36.1	206,802
1981	138,784	61.4	87,407	38.6	226,191
1982	156,324	59.8	105,014	40.2	261,338
1983	169,761	62.4	102,481	37.6	272,242
1984	177,949	60.7	115,127	39.3	293,076
1985	176,725	58.2	127,077	41.8	303,802
1986	180,936	57.6	133,051	42.4	313,987
1987	181,721	56.3	140,773	43.7	322,494
1988	177,383	54.0	151,308	46.0	328,691
1989	174,942	51.8	163,098	48.2	338,040
1990	180,214	49.6	182,779	50.4	362,993
1991	184,813	50.5	181,182	49.5	365,995
1992	182,245	46.6	208,516	53.4	390,761
1993	181,843	46.9	205,720	53.1	387,563


Appendix A7. Statewide and regional participation in Alaska sport fishing by residency, 1991-1993.

Region	1991						1992						1993					
	Residents of Alaska		Nonresidents of Alaska		Total	Residents of Alaska		Nonresidents of Alaska		Total	Residents of Alaska		Nonresidents of Alaska		Total			
	Number	Percent	Number	Percent		Number	Percent	Number	Percent		Number	Percent	Number	Percent				
Anglers																		
SEA ^a	37,018	39.8	55,896	60.2	92,914	36,835	37.8	60,616	62.2	97,451	35,320	36.6	61,152	63.4	96,472			
SCB ^b	199,225	62.5	119,639	37.5	318,864	198,034	62.0	121,316	38.0	319,350	194,313	59.5	132,405	40.5	326,718			
AYK ^c	38,237	82.4	8,189	17.6	46,426	34,328	80.6	8,264	19.4	42,592	33,802	76.8	10,202	23.2	44,004			
TOTAL	252,116	59.3	172,909	40.7	425,025	246,108	57.4	182,660	42.6	428,768	237,452	55.7	189,062	44.3	426,514			
Days Fished																		
SEA ^a	251,954	55.5	202,397	44.5	454,351	247,014	52.7	221,578	47.3	468,592	258,612	54.9	212,591	45.1	471,203			
SCB ^b	1,270,319	71.3	511,736	28.7	1,782,055	1,364,454	72.2	525,476	27.8	1,889,930	1,301,567	69.7	565,666	30.3	1,867,233			
AYK ^c	190,772	86.7	29,150	13.3	219,922	156,924	86.3	24,928	13.7	181,852	187,973	85.1	32,999	14.9	220,972			
TOTAL	1,713,045	69.7	743,283	30.3	2,456,328	1,768,392	69.6	771,982	30.4	2,540,374	1,748,152	68.3	811,256	31.7	2,559,408			

^a Southeast

^b Southcentral

^c Arctic-Yukon-Kuskokwim



Appendix A8. Anglers who sport fished in Alaska by area of residence, 1983-1993.

Appendix A9. Number of anglers who sport fished in Alaska by area of residence, 1983-1993.

	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993
Alaska											
Southeast	31,671	34,252	35,267	36,426	37,297	36,798	37,435	38,851	35,389	35,837	33,132
Upper Copper-Susitna River	1,600	1,353	1,470	1,539	1,622	1,701	1,320	1,528	1,490	1,589	1,339
Prince William Sound	3,044	3,632	4,149	4,313	4,558	4,248	3,731	4,237	3,836	3,944	4,177
Kenai Peninsula	20,789	21,693	21,332	22,058	24,025	24,180	24,211	24,316	24,869	24,402	24,646
West Cook Inlet-Lower Susitna Drainage	116,914	125,464	129,335	133,715	135,476	134,465	124,257	126,049	131,266	127,214	122,916
Kodiak	6,354	6,995	7,509	7,767	8,342	7,005	7,110	8,711	7,792	6,957	6,854
Bristol Bay	2,825	2,518	3,115	3,356	2,922	3,233	3,825	4,133	5,735	5,131	4,847
Arctic-Yukon-Kuskokwim	41,072	41,474	38,958	40,455	39,961	38,656	39,722	43,247	41,739	41,034	39,541
Total Residents	224,269	237,381	241,135	249,629	254,203	250,286	241,611	251,072	252,116	246,108	237,452
Other Than Alaska											
Other United States	77,432	88,784	98,262	100,120	105,380	118,372	136,573	160,265	158,182	168,741	172,700
Foreign	8,297	9,443	9,370	9,634	10,755	8,346	13,124	13,536	14,727	13,919	16,362
Total Nonresidents	85,729	98,227	107,632	109,754	116,135	126,718	149,697	173,801	172,909	182,660	189,062
Percent	27.7	29.3	30.9	30.5	31.4	33.6	38.3	40.9	40.7	42.6	44.3
TOTAL	309,998	335,608	348,767	359,383	370,338	377,004	391,308	424,873	425,025	428,768	426,514


Appendix A10. Number of Alaska anglers by region and area fished, 1984-1993.

Area Fished	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993
Southeast										
Ketchikan	14,339	16,171	16,366	17,934	21,306	19,810	26,158	21,854	22,711	20,464
Prince of Wales Island	5,750	6,576	5,109	6,686	5,787	8,873	10,498	9,634	10,446	14,355
Kake, Petersburg										
Wrangell, Stikine	7,973	7,998	8,248	8,716	9,022	9,753	12,452	9,830	12,241	10,238
Sitka	8,085	7,935	10,373	8,286	12,171	12,506	16,706	18,567	21,465	20,931
Juneau	19,642	25,492	22,427	24,388	22,586	26,280	26,830	28,415	30,315	25,749
Haines-Skagway	7,941	12,931	11,213	10,484	10,798	8,680	13,720	8,615	4,861	8,754
Glacier Bay	908	1,942	2,209	2,369	2,444	3,548	3,069	4,929	4,113	5,184
Yakutat	2,376	3,482	3,493	3,622	3,496	3,068	3,440	3,206	3,552	3,588
Total	59,530 ^a	71,326 ^a	73,670 ^a	78,270 ^a	80,599 ^a	82,111 ^a	101,499 ^a	92,914 ^a	97,451 ^a	96,472 ^a
Southcentral										
Glennallen	34,850	24,033	29,371	25,270	31,590	24,535	26,302	28,373	26,276	29,312
Prince William Sound	18,955	27,116	26,689	30,503	30,383	26,238	37,464	37,380	33,817	33,600
Knik Arm Drainage	48,039	41,972	48,155	47,186	60,735	51,951	50,887	50,186	48,065	40,797
Anchorage	30,297	26,234	36,734	31,673	33,817	32,286	32,976	31,612	37,993	35,307
East Susitna River Drainage	37,122	35,014	35,552	36,136	52,196	46,833	47,998	47,561	57,762	50,615
West Cook Inlet-										
West Susitna River Drainages	29,418	35,854	37,522	36,043	41,862	39,187	41,005	41,440	39,564	40,641
Kenai Peninsula	151,039	165,309	161,909	175,477	192,292	197,352	209,376	210,295	210,021	219,913
Kodiak	13,131	12,163	12,468	11,481	12,345	12,849	13,714	13,994	13,362	15,323
Naknek River Drainage-										
Alaska Peninsula	7,140	8,098	5,414	8,145	7,797	8,313	10,896	11,521	10,446	9,160
Kvichak River Drainage	6,519	5,810	5,097	8,380	3,558	6,190	6,931	9,287	8,588	10,075
Nushagak	5,975	4,706	4,205	5,541	3,868	4,833	5,312	6,921	5,771	6,097
Total	235,514 ^a	237,986 ^a	246,310 ^a	254,212 ^a	285,360 ^a	292,524 ^a	309,770 ^a	318,864 ^a	319,350 ^a	326,718 ^a
Arctic-Yukon-Kuskokwim										
Tanana River Drainage	33,726	32,939	34,805	35,699	36,911	38,731	38,031	34,672	31,586	33,343
Kuskokwim River Drainage	4,059	2,689	2,397	3,775	3,310	3,688	2,691	3,146	3,041	3,257
Seward Peninsula-										
Norton Sound	4,421	3,399	3,381	2,697	3,001	3,052	3,233	3,776	3,540	3,134
Northwest Alaska	1,262	1,922	1,649	2,191	990	1,063	1,008	1,795	1,421	1,575
Yukon River Drainage	2,607	3,076	2,706	2,644	3,063	3,989	4,162	4,047	4,313	3,800
North Slope Brooks Range	1,230	2,357	1,854	1,551	1,052	1,423	1,158	1,556	1,758	1,362
Total	44,455 ^a	43,574 ^a	45,248 ^a	45,542 ^a	45,606 ^a	48,705 ^a	47,799 ^a	46,426 ^a	42,592 ^a	44,004 ^a
Alaska Total	335,608 ^a	348,767 ^a	359,383 ^a	370,338 ^a	377,004 ^a	391,308 ^a	424,873 ^a	425,025 ^a	428,768 ^a	426,514 ^a

^a Statewide and regional angler totals do not equal regional or area sums because some anglers fished in more than one area and in more than one region.

Appendix All. Number of Alaska sport fishing trips by region and area, 1984-1993.

Area Fished	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993
Southeast										
Ketchikan	54,713	61,397	62,029	64,321	79,032	60,937	71,338	57,043	61,790	55,221
Prince of Wales Island	21,002	22,027	23,113	26,418	24,505	33,555	36,648	29,452	30,655	39,226
Kake, Petersburg										
Wrangell, Stikine	28,187	29,114	24,906	31,218	33,610	34,154	50,101	33,879	44,836	35,267
Sitka	31,653	37,320	36,728	43,708	40,140	48,841	50,453	48,282	61,044	58,500
Juneau	95,372	98,080	101,712	111,498	98,490	100,382	93,184	91,035	122,282	97,322
Haines-Skagway	19,165	27,598	34,359	38,800	33,017	28,128	41,182	24,269	20,925	27,428
Glacier Bay	1,840	4,154	3,778	4,696	8,571	6,635	5,826	14,140	10,778	11,034
Yakutat	6,885	6,924	6,581	7,613	10,985	8,038	8,208	9,476	9,722	11,995
Total	258,817	286,614	293,206	328,272	328,350	320,670	356,940	307,576	362,032	335,993
Southcentral										
Glennallen	38,709	35,338	35,907	35,351	34,071	36,765	32,760	39,559	39,600	47,561
Prince William Sound	42,331	49,157	47,735	54,516	64,486	59,777	76,491	70,309	71,914	66,463
Knik Arm Drainage	117,256	108,322	119,599	122,815	161,172	127,650	121,973	114,089	110,233	93,841
Anchorage	115,686	87,177	105,281	113,490	120,108	102,826	118,977	103,157	132,220	133,643
East Susitna River Drainage	70,043	58,061	65,880	66,239	94,709	77,813	85,044	80,540	111,536	97,101
West Cook Inlet-										
West Susitna River Drainages	51,977	59,026	72,058	67,937	70,920	72,349	67,789	65,589	66,737	68,174
Kenai Peninsula	494,773	564,214	647,493	645,867	727,254	631,869	696,988	616,247	684,519	660,941
Kodiak	70,800	75,971	64,873	58,424	67,642	74,170	69,821	70,115	64,700	69,747
Naknek River Drainage-										
Alaska Peninsula	37,671	28,039	38,626	29,753	50,125	35,393	54,401	51,239	41,209	33,273
Kvichak River Drainage	12,545	16,412	12,184	12,366	7,954	12,034	16,983	18,912	18,308	23,726
Nushagak	9,613	9,395	8,850	6,916	8,108	10,335	13,034	17,000	15,080	17,548
Total	1,061,404	1,091,112	1,218,486	1,213,674	1,406,549	1,240,981	1,354,261	1,246,756	1,356,056	1,312,018
Arctic-Yukon-Kuskokwim										
Tanana River Drainage	124,355	116,580	113,536	141,436	150,869	135,400	131,831	113,247	94,265	126,733
Kuskokwim River Drainage	6,261	4,508	4,926	7,419	6,035	7,946	5,263	6,731	6,078	6,046
Seward Peninsula-										
Norton Sound	15,007	9,932	9,065	7,666	14,078	13,289	12,986	18,091	14,843	14,044
Northwest Alaska	6,581	3,811	3,161	4,181	3,713	2,124	1,464	3,741	3,361	3,279
Yukon River Drainage	4,591	6,122	3,987	7,083	6,596	7,640	9,487	6,332	7,604	7,911
North Slope Brooks Range	5,996	5,764	3,932	4,098	3,096	3,152	2,521	4,084	3,783	3,395
Total	162,791	146,717	138,607	171,883	184,387	169,551	163,552	152,226	129,934	161,408
Alaska Total	1,483,012	1,524,443	1,650,299	1,713,829	1,919,286	1,731,202	1,874,753	1,706,558	1,848,022	1,809,419



Appendix A12. Angler-days fished in Alaska, statewide and by region, 1983-1993.

Appendix A13. Number of angler-days fished in Alaska and percentage by region and area, 1983-1993.

Area Fished	1983		1984		1985		1986		1987		1988	
	Number	Percent										
Southeast												
Ketchikan	68,141	3.9	72,112	3.9	81,303	4.2	82,914	4.0	83,697	3.9	98,166	4.2
Prince of Wales Island	28,896	1.7	24,986	1.3	24,208	1.2	25,002	1.2	30,845	1.4	35,571	1.5
Kake, Petersburg												
Wrangell, Stikine	27,754	1.6	34,699	1.9	29,849	1.5	30,502	1.5	37,181	1.7	39,004	1.7
Sitka	44,158	2.5	40,049	2.1	36,615	1.9	39,760	1.9	45,583	2.1	48,680	2.1
Juneau	108,173	6.2	108,012	5.8	122,781	6.3	121,055	5.8	114,756	5.3	108,860	4.7
Haines-Skagway	30,181	1.7	32,702	1.8	40,412	2.1	43,870	2.1	46,011	2.1	40,169	1.7
Glacier Bay	3,490	0.2	3,383	0.2	3,901	0.2	3,864	0.2	7,178	0.3	9,276	0.4
Yakutat	9,694	0.6	10,195	0.5	10,698	0.6	11,020	0.5	14,476	0.7	18,067	0.8
Total	320,487	18.5	326,138	17.5	349,767	18.0	357,987	17.3	379,727	17.6	397,793	17.2
Southcentral												
Glennallen	51,512	3.0	51,964	2.8	48,707	2.5	51,563	2.5	52,324	2.4	45,867	2.0
Prince William Sound	47,614	2.7	57,548	3.1	72,662	3.7	64,280	3.1	81,221	3.8	84,971	3.7
Knik Arm Drainage	138,389	8.0	130,727	7.0	122,626	6.3	131,606	6.4	140,167	6.5	183,029	7.9
Anchorage	74,972	4.3	119,972	6.4	96,760	5.0	103,152	5.0	115,145	5.3	114,823	5.0
East Susitna River Drainage	67,471	3.9	81,758	4.4	67,764	3.5	92,289	4.5	77,817	3.6	107,977	4.7
West Cook Inlet-												
West Susitna River Drainages	74,652	4.3	73,876	4.0	95,887	4.9	104,768	5.1	103,350	4.8	111,585	4.8
Kenai Peninsula	592,846	34.2	668,161	35.8	743,455	38.3	808,450	39.0	829,267	38.5	878,292	38.0
Kodiak	86,454	5.0	82,660	4.4	84,841	4.4	77,166	3.7	75,650	3.5	69,325	3.0
Naknek River Drainage-												
Alaska Peninsula	38,465	2.2	39,476	2.1	34,731	1.8	46,611	2.3	47,961	2.2	52,505	2.3
Kvichak River Drainage	22,263	1.3	18,384	1.0	25,459	1.3	25,426	1.2	18,578	0.9	10,788	0.5
Nushagak	18,278	1.1	17,132	0.9	13,527	0.7	13,401	0.6	14,570	0.7	20,777	0.9
Total	1,212,916	70.0	1,341,658	71.9	1,406,419	72.4	1,518,712	73.3	1,556,050	72.3	1,679,939	72.7
Arctic-Yukon-Kuskokwim												
Tanana River Drainage	144,981	8.4	145,142	7.8	135,745	7.0	144,814	7.0	155,346	7.2	173,706	7.5
Kuskokwim River Drainage	12,429	0.7	13,970	0.7	11,358	0.6	11,319	0.5	17,856	0.8	23,494	1.0
Seward Peninsula-												
Norton Sound	16,944	1.0	17,436	0.9	19,919	1.0	18,107	0.9	21,413	1.0	20,278	0.9
Northwest Alaska	7,963	0.5	7,791	0.4	6,701	0.3	6,313	0.3	10,221	0.5	5,279	0.2
Yukon River Drainage	11,070	0.6	6,358	0.3	8,670	0.4	9,381	0.5	7,017	0.3	8,261	0.4
North Slope Brooks Range	5,738	0.3	8,344	0.4	4,490	0.2	4,779	0.2	5,256	0.2	2,541	0.1
Total	199,125	11.5	199,041	10.7	186,883	9.6	194,713	9.4	217,109	10.1	233,559	10.1
Alaska Total	1,732,528	100.0	1,866,837	100.0	1,943,069	100.0	2,071,412	100.0	2,152,886	100.0	2,311,291	100.0

-continued-

Appendix A13. (Page 2 of 2).

Area Fished	1989		1990		1991		1992		1993	
	Number	Percent								
Southeast										
Ketchikan	92,647	4.1	91,127	3.7	98,284	4.0	84,482	3.3	77,145	3.0
Prince of Wales Island	50,659	2.2	50,214	2.0	47,297	1.9	44,470	1.8	62,544	2.4
Kake, Petersburg										
Wrangell, Stikine	53,955	2.4	59,965	2.4	48,013	2.0	56,306	2.2	47,382	1.9
Sitka	59,230	2.6	61,906	2.5	68,193	2.8	78,281	3.1	74,944	2.9
Juneau	115,360	5.1	122,045	5.0	113,913	4.6	149,382	5.9	133,896	5.2
Haines-Skagway	48,018	2.1	56,746	2.3	39,624	1.6	25,896	1.0	41,655	1.6
Glacier Bay	8,895	0.4	7,857	0.3	21,965	0.9	15,279	0.6	15,054	0.6
Yakutat	12,142	0.5	12,685	0.5	17,062	0.7	14,496	0.6	18,583	0.7
Total	440,906	19.5	462,545	18.9	454,351	18.5	468,592	18.4	471,203	18.4
Southcentral										
Glenallen	52,262	2.3	50,791	2.1	64,207	2.6	72,052	2.8	77,870	3.0
Prince William Sound	95,295	4.2	105,739	4.3	113,115	4.6	113,443	4.5	104,601	4.1
Knik Arm Drainage	146,912	6.5	142,884	5.8	146,605	6.0	141,825	5.6	118,214	4.6
Anchorage	107,613	4.8	125,849	5.1	117,780	4.8	141,571	5.6	143,492	5.6
East Susitna River Drainage	96,864	4.3	101,917	4.2	113,178	4.6	149,484	5.9	128,382	5.0
West Cook Inlet-										
West Susitna River Drainages	115,054	5.1	110,927	4.5	121,505	4.9	116,360	4.6	129,165	5.0
Kenai Peninsula	799,409	35.3	896,360	36.5	869,715	35.4	945,272	37.2	946,252	37.0
Kodiak	86,342	3.8	81,603	3.3	96,481	3.9	84,777	3.3	93,320	3.6
Naknek River Drainage-										
Alaska Peninsula	45,114	2.0	67,192	2.7	69,010	2.8	61,415	2.4	51,132	2.0
Kvichak River Drainage	17,854	0.8	30,857	1.3	28,553	1.2	34,876	1.4	41,697	1.6
Nushagak	20,828	0.9	30,991	1.3	41,906	1.7	28,855	1.1	33,108	1.3
Total	1,583,547	69.9	1,745,110	71.1	1,782,055	72.5	1,889,930	74.4	1,867,233	73.0
Arctic-Yukon-Kuskokwim										
Tanana River Drainage	185,715	8.2	184,887	7.5	155,662	6.3	120,848	4.8	160,117	6.3
Kuskokwim River Drainage	16,457	0.7	15,858	0.6	13,055	0.5	14,404	0.6	14,505	0.6
Seward Peninsula-										
Norton Sound	17,692	0.8	21,799	0.9	23,622	1.0	22,684	0.9	18,930	0.7
Northwest Alaska	4,932	0.2	3,782	0.2	9,543	0.4	6,145	0.2	7,809	0.3
Yukon River Drainage	10,712	0.5	15,539	0.6	10,749	0.4	12,831	0.5	14,011	0.5
North Slope Brooks Range	4,118	0.2	3,764	0.2	7,291	0.3	4,940	0.2	5,600	0.2
Total	239,626	10.6	245,629	10.0	219,922	9.0	181,852	7.2	220,972	8.6
Alaska Total	2,264,079	100.0	2,453,284	100.0	2,456,328	100.0	2,540,374	100.0	2,559,408	100.0

Appendix A14. Alaska sport fish harvest by species, 1983-1993, and catch by species, 1993.

Species	Harvest											Catch 1993
	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	
SALMON SPECIES:												
Chinook	83,112	85,010	90,718	105,482	116,402	134,452	122,737	123,908	150,420	153,919	210,833	502,201
Sea-run Coho	149,270	238,536	200,773	255,887	235,435	281,450	338,195	325,936	389,569	345,513	412,487	601,091
Landlocked												
Coho/Chinook	69,038	49,937	60,795	43,562	46,754	57,679	46,697	37,831	51,799	46,843	54,182	107,833
Sockeye	176,761	124,443	172,630	186,448	478,243	291,067	436,871	239,118	327,047	372,752	283,661	577,943
Kokanee	1,972	925	3,762	2,620	2,966	2,461	2,727	2,071	6,276	2,478	4,203	6,460
Pink	104,365	153,841	138,297	145,960	119,070	156,759	164,778	205,602	151,316	149,372	124,582	361,619
Chum	19,011	24,016	16,539	26,725	20,787	44,029	34,647	14,525	18,209	17,299	20,519	97,581
OTHER SPECIES:												
Steelhead	5,364	6,539	4,723	5,850	5,914	6,288	6,387	5,645	5,109	3,149	3,818	30,832
Rainbow Trout	168,677	170,117	181,991	152,855	138,698	241,831	209,961	191,809	205,642	139,973	136,681	732,004
Cutthroat Trout	20,429	19,536	21,394	16,230	15,605	16,936	20,372	16,183	10,088	13,972	16,291	75,067
Brook Trout	1,606	636	1,058	526	298	1,273	887	450	477	1,026	762	1,631
Lake Trout	20,304	16,925	18,473	21,463	15,209	17,193	17,070	12,602	13,772	12,525	13,094	53,578
Dolly Varden/ Arctic Char	221,977	169,777	166,680	165,165	129,495	150,502	136,127	132,553	142,594	97,071	100,428	526,524
Arctic Grayling	181,006	147,348	139,171	117,637	110,714	116,379	105,469	64,814	82,831	45,073	49,740	489,539
Northern Pike	21,476	18,641	17,943	21,890	19,079	23,440	21,659	15,985	29,611	18,616	19,366	121,717
Whitefish	16,872	16,719	30,337	39,718	32,602	20,312	24,337	15,595	6,828	6,738	4,223	12,506
Burbot	14,465	19,164	27,230	18,849	13,543	9,478	9,268	10,577	4,882	7,245	9,858	13,206
Sheefish	3,323	3,947	2,520	3,721	2,597	3,221	2,306	750	2,256	2,933	1,619	6,666
Smelt	360,856	408,323	334,775	182,620	264,696	210,145	207,826	194,068	111,834	148,540	61,495	63,429
Halibut	117,042	124,970	127,634	160,885	145,829	225,106	229,016	247,202	266,523	264,943	313,147	589,189
Rockfish	82,796	80,724	67,610	101,258	73,525	128,121	86,776	62,572	67,263	86,523	82,625	194,870
Lingcod										23,049	28,894	22,857
Razor Clams	1,186,751	1,197,475	1,206,660	1,299,248	1,125,589	1,261,819	917,963	1,037,941	1,207,520	1,237,140	1,011,959	1,011,959
Other Fish	59,807	38,417	64,331	88,834	94,088	83,365	71,791	75,564	36,598	31,511	31,290	81,042
Total	3,086,280	3,115,966	3,096,044	3,163,433	3,207,138	3,483,306	3,213,867	3,033,301	3,311,513	3,234,048	2,989,720	6,307,062

Appendix A15. Alaska saltwater sport fish harvest by species, 1983-1993, and catch by species, 1993.

Species	Harvest											Catch 1993
	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	
SALMON SPECIES:												
Chinook	29,594	29,773	32,859	28,942	33,510	44,647	44,366	63,997	73,662	62,290	82,064	160,777
Sea-run Coho	72,651	76,786	80,928	88,309	96,338	77,498	129,884	165,104	176,056	146,620	195,361	240,243
Landlocked												
Coho/Chinook	0	0	0	0	0	0	0	0	0	0	0	0
Sockeye	19,409	11,787	10,263	6,711	9,507	11,475	18,131	11,216	12,460	17,047	20,340	29,983
Kokanees	0	0	0	0	0	0	0	0	0	0	0	0
Pink	76,066	75,214	109,100	71,942	89,142	88,440	124,537	126,946	119,591	94,213	98,419	217,894
Chum	6,158	8,981	6,543	9,015	7,945	19,403	13,134	6,287	7,378	7,759	12,170	31,280
OTHER SPECIES:												
Steelhead	191	439	731	914	1,031	2,006	2,125	1,420	1,058	1,083	923	2,459
Rainbow Trout	0	0	122	0	0	0	0	0	0	0	0	0
Cutthroat Trout	2,062	2,726	1,317	1,993	2,122	1,962	1,897	1,128	1,410	2,259	2,662	7,021
Brook Trout	0	0	0	0	0	0	0	0	0	0	0	0
Lake Trout	0	0	0	0	0	0	0	0	0	0	0	0
Dolly Varden/												
Arctic Char	40,529	31,674	28,103	32,654	25,102	39,948	32,273	32,929	30,481	19,896	19,618	60,063
Arctic Grayling	0	0	0	472	0	55	116	0	0	0	0	467
Northern Pike	0	0	0	0	0	0	0	0	0	0	0	0
Whitefish	0	0	0	0	61	36	408	17	0	18	9	9
Burbot	0	0	0	0	0	0	0	0	0	0	0	0
Sheefish	0	1,012	315	168	813	0	568	0	0	779	398	879
Smelt	160,985	128,835	43,190	34,191	89,974	42,265	39,424	16,561	10,444	22,435	9,381	10,501
Halibut	117,042	124,970	127,634	160,885	145,829	225,106	229,016	247,202	266,523	264,943	313,147	589,189
Rockfish	82,796	80,724	67,610	101,258	73,525	128,121	86,776	62,572	67,263	86,523	82,625	194,870
Lingcod										23,049	28,894	22,857
Razor Clams	1,186,751	1,197,475	1,206,660	1,299,248	1,125,589	1,261,819	917,963	1,037,941	1,207,520	1,237,140	1,011,959	1,011,959
Other Fish	49,115	34,944	63,117	81,351	90,749	82,591	71,086	74,378	32,077	28,531	30,117	77,641
Total	1,843,349	1,805,340	1,778,492	1,918,053	1,791,237	2,025,372	1,711,704	1,847,698	2,028,972	2,020,430	1,902,069	2,683,810

Appendix A16. Alaska freshwater sport fish harvest by species, 1983-1993, and catch by species, 1993.

Species	Harvest										Catch 1993
	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	
SALMON SPECIES:											
Chinook	53,518	55,237	57,859	76,540	82,892	89,805	78,371	59,911	76,758	91,629	128,769
Sea-run Coho	76,619	161,750	119,845	167,578	139,097	203,952	208,311	160,832	213,513	198,893	217,126
Landlocked											341,424
Coho/Chinook	69,038	49,937	60,795	43,562	46,754	57,679	46,697	37,831	51,799	46,843	54,182
Sockeye	157,352	112,656	162,367	179,737	468,736	279,592	418,740	227,902	314,587	355,705	263,321
Kokanee	1,972	925	3,762	2,620	2,966	2,461	2,727	2,071	6,276	2,478	4,203
Pink	28,299	78,627	29,197	74,018	29,928	68,319	40,241	78,656	31,725	55,159	26,163
Chum	12,853	15,035	9,996	17,710	12,842	24,626	21,513	8,238	10,831	9,540	8,349
											66,301
OTHER SPECIES:											
Steelhead	5,173	6,100	3,992	4,936	4,883	4,282	4,262	4,225	4,051	2,066	2,895
Rainbow Trout	168,677	170,117	181,869	152,855	138,698	241,831	209,961	191,809	205,642	139,973	136,681
Cutthroat Trout	18,367	16,810	20,077	14,237	13,483	14,974	18,475	15,055	8,678	11,713	13,629
Brook Trout	1,606	636	1,058	526	298	1,273	887	450	477	1,026	762
Lake Trout	20,304	16,925	18,473	21,463	15,209	17,193	17,070	12,602	13,772	12,525	13,094
Dolly Varden/ Arctic Char	181,448	138,103	138,577	132,511	104,393	110,554	103,854	99,624	112,113	77,175	80,810
Arctic Grayling	181,006	147,348	139,171	117,165	110,714	116,324	105,353	64,814	82,831	45,073	49,721
Northern Pike	21,476	18,641	17,943	21,890	19,079	23,440	21,659	15,985	29,611	18,616	19,366
Whitefish	16,872	16,719	30,337	39,718	32,541	20,276	23,929	15,578	6,828	6,720	4,214
Burbot	14,465	19,164	27,230	18,849	13,543	9,478	9,268	10,577	4,882	7,245	9,858
Sheefish	3,323	2,935	2,205	3,553	1,784	3,221	1,738	750	2,256	2,154	1,221
Smelt	199,871	279,488	291,585	148,429	174,722	167,880	168,402	177,507	101,390	126,105	52,114
Halibut	0	0	0	0	0	0	0	0	0	0	0
Rockfish	0	0	0	0	0	0	0	0	0	0	0
Lingcod									0	0	0
Razor Clams	0	0	0	0	0	0	0	0	0	0	0
Other Fish	10,692	3,473	1,214	7,483	3,339	774	705	1,186	4,521	2,980	1,173
Total	1,242,931	1,310,626	1,317,552	1,245,380	1,415,901	1,457,934	1,502,163	1,185,603	1,282,541	1,213,618	1,087,651
											3,623,252

Appendix A17. Southeast Alaska sport fish harvest by species, 1983-1993, and catch by species, 1993.





Species	Harvest										Catch 1993
	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	
SALMON SPECIES:											
Chinook	22,321	22,050	24,858	22,551	24,324	26,160	31,071	51,218	60,492	42,892	49,246
Sea-run Coho	55,403	59,812	59,910	58,322	50,284	43,688	90,789	105,212	123,946	99,939	121,874
Landlocked											112,526
Coho/Chinook	1,301	568	69	56	0	728	528	413	1,222	1,536	1,454
Sockeye	5,701	4,695	4,250	6,300	9,374	7,711	13,114	9,848	9,715	9,318	17,419
Kokanee	73	139	433	257	385	474	520	99	362	769	206
Pink	51,815	44,197	69,253	33,483	57,060	45,023	70,822	65,208	57,859	54,101	51,436
Chum	3,270	4,936	5,608	5,032	5,207	9,913	8,932	4,962	5,593	6,041	9,380
OTHER SPECIES:											
Steelhead	3,469	4,160	3,088	4,722	4,677	4,309	5,409	4,274	4,632	2,439	1,249
Rainbow Trout	4,672	5,991	5,584	6,244	4,885	5,927	7,085	4,204	5,352	4,292	4,190
Cutthroat Trout	18,605	16,994	20,479	14,610	14,247	16,317	18,861	15,660	9,672	12,957	15,351
Brook Trout	1,606	636	1,058	526	298	1,273	887	450	477	1,026	762
Lake Trout	0	0	0	0	0	0	0	0	0	0	0
Dolly Varden/											0
Arctic Char	49,752	46,066	60,675	61,139	46,721	59,371	51,636	48,300	45,954	26,238	26,893
Arctic Grayling	947	381	225	447	742	527	214	368	81	512	95
Northern Pike	0	0	0	0	18	18	42	0	136	0	0
Whitefish	31	21	140	34	0	91	61	16	60	18	0
Burbot	0	0	0	0	0	0	0	0	0	0	0
Sheefish	0	0	0	0	0	0	0	0	0	0	0
Smelt	62,708	37,670	11,410	8,952	60,412	6,869	4,564	3,678	6,202	36,940	2,374
Halibut	41,995	46,925	46,114	45,028	44,347	56,580	74,304	66,490	74,038	71,861	87,779
Rockfish	50,268	36,899	34,039	41,568	42,261	56,839	39,504	25,959	26,828	31,213	32,030
Lingcod										9,758	13,193
Razor Clams	8,791	2,543	11,830	8,422	2,149	3,284	5,104	4,428	618	2,445	1,001
Other Fish	19,590	19,015	26,076	19,610	53,650	32,800	17,579	20,167	14,204	8,892	13,237
Total	402,318	353,698	385,099	337,303	421,041	377,902	441,026	430,954	457,201	426,622	450,945
											953,428

Appendix A18. Southcentral Alaska sport fish harvest by species, 1983-1993, and catch by species, 1993.

Species	Harvest										Catch 1993
	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	
SALMON SPECIES:											
Chinook	57,094	61,141	63,173	80,071	89,885	104,474	88,253	70,885	87,965	109,338	157,623
Sea-run Coho	87,935	166,688	137,671	188,872	176,710	225,812	237,155	214,114	254,961	237,204	283,868
Landlocked											416,490
Coho/Chinook	33,482	20,124	19,684	19,445	20,130	24,609	27,555	23,475	28,452	31,288	36,994
Sockeye	170,799	119,098	168,211	179,709	467,505	281,828	423,301	228,452	316,701	363,056	265,517
Kokanee	1,899	786	3,329	2,363	2,581	1,987	2,207	1,972	5,729	1,525	3,997
Pink	47,264	100,932	67,838	109,073	60,688	107,877	90,191	132,400	91,592	86,837	70,869
Chum	11,043	15,806	7,895	17,357	12,812	30,424	19,833	7,417	9,458	8,265	8,693
											55,141
OTHER SPECIES:											
Steelhead	1,895	2,379	1,635	1,128	1,237	1,979	978	1,371	477	710	2,569
Rainbow Trout	141,705	128,649	142,316	114,837	101,397	155,960	127,444	122,987	127,492	97,730	82,312
Cutthroat Trout	1,824	2,542	915	1,620	1,358	619	1,511	523	416	1,015	940
Brook Trout	0	0	0	0	0	0	0	0	0	0	0
Lake Trout	16,241	13,301	13,119	18,213	14,096	14,463	13,465	10,859	10,739	10,334	10,496
Dolly Varden/											43,795
Arctic Char	151,503	110,479	91,345	93,653	70,405	78,984	70,219	75,992	76,869	63,371	59,722
Arctic Grayling	57,158	47,825	57,720	51,465	52,016	46,891	33,618	26,940	30,396	22,257	23,786
Northern Pike	2,642	4,424	2,240	2,894	4,839	3,598	4,434	3,655	8,704	7,314	7,131
Whitefish	3,784	4,806	9,337	7,914	5,443	6,591	5,344	7,878	3,832	2,867	2,480
Burbot	8,870	13,231	22,015	13,238	9,526	5,600	4,374	5,094	1,827	2,992	3,392
Sheefish	0	0	0	0	0	0	0	0	0	0	0
Smelt	298,148	370,653	314,615	173,204	197,204	200,800	200,838	188,681	103,814	109,599	55,421
Halibut	75,047	78,045	81,458	115,857	101,446	168,526	154,712	180,568	192,485	193,049	225,314
Rockfish	32,528	43,825	33,571	59,690	31,264	71,282	47,272	36,613	40,435	55,310	50,595
Lingcod									13,291	15,701	7,888
Razor Clams	1,177,960	1,194,932	1,194,830	1,290,826	1,123,440	1,258,535	912,859	1,033,513	1,206,902	1,234,695	1,010,958
Other Fish	31,390	17,519	36,919	67,875	40,438	50,194	53,841	54,783	20,611	21,483	16,659
Total	2,410,211	2,517,185	2,469,836	2,609,304	2,584,420	2,841,033	2,519,404	2,428,172	2,633,148	2,675,940	2,387,224
											4,648,104

Appendix A19. Arctic-Yukon-Kuskokwim Alaska sport fish harvest by species, 1983-1993, and catch by species, 1993.





Species	Harvest										Catch 1993	
	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992		
SALMON SPECIES:												
Chinook	3,697	1,819	2,687	2,860	2,193	3,818	3,413	1,805	1,963	1,689	3,864	18,648
Sea-run Coho	5,932	12,036	3,192	8,693	8,441	11,950	10,251	6,610	10,662	8,370	6,745	19,488
Landlocked												
Coho/Chinook	34,255	29,245	41,042	24,061	26,624	32,342	18,614	13,943	22,125	14,019	15,734	31,017
Sockeye	261	650	169	439	1,364	1,528	456	818	631	378	725	3,762
Kokanee	0	0	0	0	0	0	0	0	185	184	0	0
Pink	5,286	8,712	1,206	3,404	1,322	3,859	3,765	7,994	1,865	8,434	2,277	7,559
Chum	4,698	3,274	3,036	4,336	2,768	3,692	5,882	2,146	3,158	2,993	2,446	17,302
OTHER SPECIES:												
Steelhead	0	0	0	0	0	0	0	0	0	0	0	0
Rainbow Trout	22,300	35,477	34,091	31,774	32,416	79,944	75,432	64,618	72,798	37,951	50,179	157,345
Cutthroat Trout	0	0	0	0	0	0	0	0	0	0	0	0
Brook Trout	0	0	0	0	0	0	0	0	0	0	0	0
Lake Trout	4,063	3,624	5,354	3,250	1,113	2,730	3,605	1,743	3,033	2,191	2,598	9,783
Dolly Varden/ Arctic Char	20,722	13,232	14,660	10,373	12,369	12,147	14,272	8,261	19,771	7,462	13,813	84,460
Arctic Grayling	122,901	99,142	81,226	65,725	57,956	68,961	71,637	37,506	52,354	22,304	25,859	260,900
Northern Pike	18,834	14,217	15,703	18,996	14,222	19,824	17,183	12,330	20,771	11,302	12,235	72,956
Whitefish	13,057	11,892	20,860	31,770	27,159	13,630	18,932	7,701	2,936	3,853	1,743	2,832
Burbot	5,595	5,933	5,215	5,611	4,017	3,878	4,894	5,483	3,055	4,253	6,466	7,491
Sheefish	3,323	3,947	2,520	3,721	2,597	3,221	2,306	750	2,256	2,933	1,619	6,666
Smelt	0	0	8,750	464	7,080	2,476	2,424	1,709	1,818	2,001	3,700	3,700
Halibut	0	0	62	0	36	0	0	144	0	33	54	71
Rockfish	0	0	0	0	0	0	0	0	0	0	0	0
Lingcod	0	0	0	0	0	0	0	0	0	0	0	0
Razor Clams	0	0	0	0	0	0	0	0	0	0	0	0
Other Fish	8,827	1,883	1,336	1,349	0	371	371	614	1,783	1,136	1,394	1,550
Total	273,751	245,083	241,109	216,826	201,677	264,371	253,437	174,175	221,164	131,486	151,551	705,530



Appendix A20. Alaska sport sea-run salmon harvests, statewide and by region, 1983-1993.

Appendix A21. Alaska sport sea-run salmon harvests, 1983-1993, and catch, 1993, by region and area.





Area Fished	Harvest										Catch 1993
	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	
Southeast											
Ketchikan	36,712	44,059	41,481	44,388	35,550	30,594	49,120	65,233	64,338	51,117	48,077
Prince of Wales Island	18,185	13,830	11,870	14,709	14,651	9,344	32,008	29,096	38,123	23,446	68,302
Kake, Petersburg											
Wrangell, Stikine	8,726	9,487	8,553	6,878	8,862	8,176	11,339	19,664	15,836	14,225	12,676
Sitka	15,769	13,329	14,675	10,634	9,301	13,452	21,243	21,038	30,376	23,898	34,522
Juneau	47,157	35,154	61,765	30,435	57,453	51,411	75,647	71,887	75,939	77,599	58,745
Haines-Skagway	7,309	11,283	16,363	10,061	12,357	11,084	8,373	22,368	9,220	8,708	5,600
Glacier Bay	1,111	762	1,255	775	2,544	3,456	6,015	2,822	13,788	4,939	6,474
Yakutat	3,541	7,786	7,917	7,808	5,531	4,978	10,983	4,340	9,985	8,359	14,959
Total	138,510	135,690	163,879	125,688	146,249	132,495	214,728	236,448	257,605	212,291	249,355
Southcentral											
Glenallen	5,282	6,550	7,101	8,002	7,507	4,891	6,883	5,871	10,464	9,085	13,754
Prince William Sound	32,154	31,246	49,187	49,608	55,710	63,195	72,292	81,710	77,964	67,708	66,159
Knik Arm Drainage	23,343	39,501	23,141	25,464	40,508	58,177	43,025	28,768	31,456	36,686	46,406
Anchorage	3,271	7,644	5,184	16,565	7,692	13,540	8,864	8,436	8,657	18,659	25,663
East Susitna River Drainage	20,185	35,751	17,501	44,071	26,928	42,247	36,254	29,501	35,410	66,508	58,309
West Cook Inlet-											
West Susitna River Drainages	24,632	34,031	37,591	42,559	38,546	49,540	53,873	44,000	57,015	49,052	55,547
Kenai Peninsula	215,633	241,253	244,063	305,647	557,213	422,275	512,243	362,912	450,156	482,681	423,540
Kodiak	21,454	35,018	36,211	41,497	33,681	47,185	46,103	28,435	38,539	28,654	47,010
Naknek River Drainage-											
Alaska Peninsula	14,696	18,478	13,085	21,938	20,795	35,928	34,262	42,404	23,294	21,220	15,541
Kvichak River Drainage	5,253	7,956	7,272	5,201	11,348	5,573	29,285	13,382	16,730	14,886	23,906
Nushagak	8,232	6,237	4,452	14,530	7,672	7,864	15,649	7,849	10,992	9,561	10,735
Total	374,135	463,665	444,788	575,082	807,600	750,415	858,733	653,268	760,677	804,700	786,570
Arctic-Yukon-Kuskokwim											
Tanana River Drainage	1,844	1,754	3,407	2,848	2,353	3,581	3,693	2,213	3,563	1,923	2,222
Kuskokwim River Drainage	5,748	6,312	2,808	5,684	6,893	9,422	9,124	3,971	3,770	4,414	5,203
Seward Peninsula-											
Norton Sound	11,135	17,983	3,610	9,913	5,976	10,715	9,587	12,439	9,594	13,406	7,329
Northwest Alaska	463	351	429	811	529	254	51	0	150	521	452
Yukon River Drainage	401	91	36	476	287	820	1,312	750	1,202	1,567	934
North Slope Brooks Range	283	0	0	0	50	55	0	0	0	33	17
Total	19,874	26,491	10,290	19,732	16,088	24,847	23,767	19,373	18,279	21,864	16,157
Alaska Total	532,519	625,846	618,957	720,502	969,937	907,757	1,097,228	909,089	1,036,561	1,038,855	1,052,082
											2,140,435



Appendix A22. Alaska sport sea-run chinook salmon harvests, statewide and by region, 1983-1993.

Appendix A23. Alaska sport sea-run chinook salmon harvests, 1983-1993, and catch, 1993, by region and area.





Area Fished	Harvest										Catch 1993
	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	
Southeast											
Ketchikan	7,968	5,063	6,170	6,197	5,826	7,422	7,642	12,784	11,887	8,010	6,028
Prince of Wales Island	1,543	1,095	534	987	649	1,135	2,599	5,564	6,749	4,381	8,367
Kake, Petersburg											20,797
Wrangell, Stikine	3,332	3,067	4,060	3,906	3,534	4,668	4,702	10,185	8,011	5,746	6,132
Sitka	2,108	2,251	1,430	1,902	2,537	3,539	5,569	8,041	13,243	11,139	13,464
Juneau	5,431	8,948	10,376	7,213	9,857	7,884	9,375	12,349	16,914	11,886	13,118
Haines-Skagway	1,426	1,313	2,041	2,054	1,419	789	758	1,809	679	181	844
Glacier Bay	157	129	186	183	258	438	344	369	2,385	1,071	716
Yakutat	356	184	61	109	244	285	82	117	624	478	577
Total	22,321	22,050	24,858	22,551	24,324	26,160	31,071	51,218	60,492	42,892	49,246
											112,526
Southcentral											
Glennallen	2,579	2,787	1,939	3,663	2,301	1,562	2,356	2,302	4,884	4,412	8,217
Prince William Sound	576	411	348	502	865	443	1,093	418	477	1,116	1,344
Knik Arm Drainage	1,255	2,057	1,889	1,524	2,476	2,916	4,341	2,022	2,277	3,969	3,602
Anchorage	2	74	61	33	485	663	950	457	1,169	2,448	3,041
East Susitna River Drainage	2,852	4,428	4,342	8,569	8,603	9,139	9,783	9,423	9,083	21,307	22,688
West Cook Inlet-											54,268
West Susitna River Drainages	10,888	14,051	15,785	15,892	15,186	17,940	22,415	19,568	22,762	20,035	23,354
Kenai Peninsula	29,886	28,056	29,378	36,417	42,336	60,033	34,934	27,314	33,622	43,519	78,407
Kodiak	729	921	762	520	379	1,564	1,087	996	2,508	2,217	5,092
Naknek River Drainage-											18,725
Alaska Peninsula	4,541	5,016	5,634	6,650	10,227	6,654	4,706	3,736	3,546	3,728	3,471
Kvichak River Drainage	672	835	837	782	2,214	93	2,143	683	900	1,249	1,906
Nushagak	3,114	2,505	2,198	5,519	4,813	3,467	4,445	3,966	6,737	5,338	6,501
Total	57,094	61,141	63,173	80,071	89,885	104,474	88,253	70,885	87,965	109,338	157,623
											371,027
Arctic-Yukon-Kuskokwim											
Tanana River Drainage	1,048	338	1,356	781	502	853	963	439	630	118	1,573
Kuskokwim River Drainage	1,962	1,221	1,080	987	981	2,456	2,147	897	786	1,046	1,674
Seward Peninsula-											9,684
Norton Sound	687	247	239	1,077	615	400	203	364	404	204	595
Northwest Alaska	0	0	0	0	95	18	0	0	0	8	0
Yukon River Drainage	0	13	12	15	0	91	100	105	143	313	122
North Slope Brooks Range	0	0	0	0	0	0	0	0	0	0	0
Total	3,697	1,819	2,687	2,860	2,193	3,818	3,413	1,805	1,963	1,689	3,964
Alaska Total	83,112	85,010	90,718	105,482	116,402	134,452	122,737	123,908	150,420	153,919	210,833
											502,201



Appendix A24. Alaska sport sea-run coho salmon harvests, statewide and by region, 1983-1993.

Appendix A25. Alaska sport sea-run coho salmon harvests, 1983-1993, and catch, 1993, by region and area.





Area Fished	Harvest										Catch 1993
	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	
Southeast											
Ketchikan	14,181	21,296	17,751	21,191	13,435	7,785	13,328	35,197	26,839	22,016	19,459
Prince of Wales Island	8,374	7,487	7,360	8,639	6,557	3,094	15,099	17,049	24,964	13,419	40,566
Kake, Petersburg											54,924
Wrangell, Stikine	4,133	4,046	1,580	2,215	2,540	2,581	2,602	5,387	5,117	4,967	4,241
Sitka	4,648	2,644	3,680	4,077	2,715	2,745	8,291	7,808	11,474	9,167	14,518
Juneau	18,861	15,677	19,744	12,959	19,485	20,862	39,063	33,961	40,269	40,170	30,428
Haines-Skagway	2,259	1,616	2,888	2,420	1,521	1,673	2,047	1,498	3,678	3,067	3,133
Glacier Bay	619	371	336	391	1,044	1,345	2,376	1,746	5,653	1,507	2,720
Yakutat	2,328	6,675	6,571	6,430	2,987	3,603	7,983	2,566	5,952	5,626	6,809
Total	55,403	59,812	59,910	58,322	50,284	43,688	90,789	105,212	123,946	99,939	121,874
											165,113
Southcentral											
Glennallen	84	496	410	202	330	291	18	0	69	113	249
Prince William Sound	10,405	10,363	11,633	16,098	16,680	19,262	25,631	26,639	19,783	25,259	21,793
Knik Arm Drainage	6,139	23,429	14,339	12,361	25,787	40,037	23,846	18,762	22,186	25,814	35,763
Anchorage	1,538	2,768	2,002	3,419	2,915	6,639	4,734	2,488	4,393	5,698	16,387
East Susitna River Drainage	5,176	13,916	7,042	16,190	11,028	19,518	17,078	11,743	19,479	33,790	26,063
West Cook Inlet-											39,888
West Susitna River Drainages	8,182	12,828	17,714	17,998	17,982	23,740	26,725	20,219	29,518	23,748	28,712
Kenai Peninsula	42,959	81,067	66,485	86,263	76,106	87,238	104,026	107,519	132,765	100,848	130,207
Kodiak	7,823	14,612	13,625	20,873	16,915	18,809	19,802	13,728	17,506	13,668	21,241
Naknek River Drainage-											41,408
Alaska Peninsula	3,512	4,609	2,737	6,940	5,670	7,089	7,850	10,276	6,025	6,124	3,253
Kvichak River Drainage	189	861	744	2,991	1,695	1,022	2,142	1,162	1,510	655	1,519
Nushagak	1,928	1,739	940	5,537	1,602	2,167	5,303	1,578	1,727	1,487	681
Total	87,935	166,688	137,671	188,872	176,710	225,812	237,155	214,114	254,961	237,204	283,868
											416,490
Arctic-Yukon-Kuskokwim											
Tanana River Drainage	147	831	796	1,374	1,231	2,237	1,596	1,719	2,345	1,115	278
Kuskokwim River Drainage	1,910	3,623	1,156	3,232	4,819	4,492	4,282	1,358	2,087	2,033	2,056
Seward Peninsula-											8,390
Norton Sound	3,823	7,582	1,177	3,926	2,319	5,038	4,158	3,305	5,800	4,671	3,783
Northwest Alaska	0	0	51	0	11	0	0	0	0	0	9
Yukon River Drainage	52	0	12	161	61	183	215	228	430	551	619
North Slope Brooks Range	0	0	0	0	0	0	0	0	0	0	0
Total	5,932	12,036	3,192	8,693	8,441	11,950	10,251	6,610	10,662	8,370	6,745
Alaska Total	149,270	238,536	200,773	255,887	235,435	281,450	338,195	325,936	389,569	345,513	412,487
											601,091



Appendix A26. Alaska sport sea-run sockeye salmon harvests, statewide and by region, 1983-1993.

Appendix A27. Alaska sport sockeye salmon harvests, 1983-1993, and catch, 1993, by region and area.





Area Fished	Harvest											Catch
	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	
Southeast												
Ketchikan	314	355	384	648	1,135	327	1,010	1,134	2,480	1,313	1,057	1,618
Prince of Wales Island	2,040	790	970	963	2,333	1,729	3,332	1,402	1,021	1,740	3,591	5,731
Kake, Petersburg												
Wrangell, Stikine	428	544	118	153	111	163	1,001	488	612	1,133	1,208	1,615
Sitka	382	635	210	366	447	3,147	2,148	1,344	810	434	1,126	2,346
Juneau	604	627	859	480	321	436	1,461	974	1,017	985	2,530	3,799
Haines-Skagway	1,413	1,257	1,648	3,135	2,970	672	1,692	3,062	1,272	1,436	538	1,404
Glacier Bay	41	78	0	11	264	510	216	21	132	379	314	366
Yakutat	479	409	61	544	1,793	727	2,254	1,423	2,371	1,898	7,055	15,201
Total	5,701	4,695	4,250	6,300	9,374	7,711	13,114	9,848	9,715	9,318	17,419	32,080
Southcentral												
Glenallen	2,619	3,267	4,752	4,137	4,876	3,038	4,509	3,569	5,511	4,560	5,288	10,813
Prince William Sound	5,124	4,077	2,908	4,878	4,889	4,783	3,939	3,562	3,792	8,358	5,269	7,625
Knik Arm Drainage	14,297	9,240	5,612	6,009	8,785	8,076	9,040	6,588	4,968	5,349	5,926	8,964
Anchorage	589	598	621	603	1,431	472	564	244	749	1,315	3,085	6,052
East Susitna River Drainage	3,221	2,705	1,465	4,029	2,046	2,857	2,527	2,677	2,897	3,468	4,137	8,007
West Cook Inlet-												
West Susitna River Drainages	4,358	3,751	2,924	4,165	2,916	3,640	3,009	2,634	3,887	3,367	4,577	10,578
Kenai Peninsula	128,145	82,034	133,329	144,930	427,856	242,557	354,981	185,711	270,424	312,302	201,909	340,972
Kodiak	3,150	5,385	7,536	5,259	4,165	6,222	6,789	6,056	4,937	6,240	7,849	27,111
Naknek River Drainage-												
Alaska Peninsula	2,521	2,119	2,501	1,769	2,391	4,920	9,515	4,754	4,225	4,699	5,060	22,095
Kvichak River Drainage	4,392	4,826	5,638	1,156	7,193	4,334	24,295	11,002	13,341	11,746	19,671	79,817
Nushagak	2,383	1,096	925	2,774	957	929	4,133	1,655	1,970	1,652	2,746	20,067
Total	170,799	119,098	168,211	179,709	467,505	281,828	423,301	228,452	316,701	363,056	265,517	542,101
Arctic-Yukon-Kuskokwim												
Tanana River Drainage	0	0	0	0	0	0	0	0	0	0	0	0
Kuskokwim River Drainage	261	299	149	420	419	746	291	620	214	189	715	3,637
Seward Peninsula-												
Norton Sound	0	351	20	19	924	782	165	198	237	131	10	116
Northwest Alaska	0	0	0	0	21	0	0	0	0	0	0	0
Yukon River Drainage	0	0	0	0	0	0	0	0	180	58	0	9
North Slope Brooks Range	0	0	0	0	0	0	0	0	0	0	0	0
Total	261	650	169	439	1,364	1,528	456	818	631	378	725	3,762
Alaska Total	176,761	124,443	172,630	186,448	478,243	291,067	436,871	239,118	327,047	372,752	283,661	577,943



Appendix A28. Alaska sport pink salmon harvests, statewide and by region, 1983-1993.

Appendix A29. Alaska sport pink salmon harvests, 1983-1993, and catch, 1993, by region and area.

Area Fished	Harvest										Catch 1993
	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	
Southeast											
Ketchikan	13,600	16,861	16,469	14,958	14,765	12,896	25,174	15,246	21,964	18,510	19,651
Prince of Wales Island	5,578	4,363	2,808	3,424	5,064	2,567	10,338	4,847	5,063	3,699	14,817
Kake, Petersburg											
Wrangell, Stikine	810	1,699	2,619	488	2,533	601	2,420	3,426	1,889	2,058	955
Sitka	8,319	7,428	9,057	3,676	3,235	2,709	3,694	3,083	4,476	2,699	3,376
Juneau	20,950	8,487	28,448	8,487	25,543	18,082	22,488	22,385	14,998	21,411	9,216
Haines-Skagway	1,886	4,743	7,919	1,568	4,764	7,096	3,201	15,362	3,171	3,811	360
Glacier Bay	294	144	709	168	703	1,000	2,913	637	5,358	1,556	2,612
Yakutat	378	472	1,224	714	453	72	594	222	940	357	449
Total	51,815	44,197	69,253	33,483	57,060	45,023	70,822	65,208	57,859	54,101	51,436
											120,415
Southcentral											
Glennallen	0	0	0	0	0	0	0	0	0	0	0
Prince William Sound	14,696	14,488	32,670	25,272	31,382	31,470	37,994	49,146	52,290	32,011	35,735
Knik Arm Drainage	1,009	2,743	787	1,800	886	1,927	1,321	650	926	1,044	230
Anchorage	1,132	4,042	1,866	11,528	2,282	5,075	1,631	4,932	1,986	8,901	2,767
East Susitna River Drainage	3,954	9,491	2,510	10,527	2,209	4,129	2,715	4,093	2,001	5,899	3,941
West Cook Inlet-											
West Susitna River Drainages	796	2,529	721	3,676	1,684	2,637	1,255	1,298	623	1,446	725
Kenai Peninsula	12,797	47,316	13,791	35,398	8,581	26,980	15,377	41,257	12,280	24,407	11,601
Kodiak	8,936	12,779	13,423	14,509	11,662	19,044	17,794	7,464	12,071	5,904	12,324
Naknek River Drainage-											
Alaska Peninsula	3,934	6,447	2,027	5,926	1,893	16,336	11,359	23,178	8,891	6,137	3,331
Kvichak River Drainage	0	960	0	204	0	62	277	235	423	750	215
Nushagak	10	137	43	233	109	217	468	147	101	338	0
Total	47,264	100,932	67,838	109,073	60,688	107,877	90,191	132,400	91,592	86,837	70,869
											233,645
Arctic-Yukon-Kuskokwim											
Tanana River Drainage	0	0	0	0	0	0	0	0	0	0	0
Kuskokwim River Drainage	420	273	0	72	18	892	191	347	36	219	27
Seward Peninsula-											
Norton Sound	4,583	8,322	1,138	3,172	1,304	2,912	3,564	7,647	1,738	7,877	2,250
Northwest Alaska	0	39	68	62	0	0	10	0	91	293	0
Yukon River Drainage	0	78	0	98	0	0	0	0	0	27	0
North Slope Brooks Range	283	0	0	0	0	55	0	0	0	18	0
Total	5,286	8,712	1,206	3,404	1,322	3,859	3,765	7,994	1,865	8,434	2,277
Alaska Total	104,365	153,841	138,297	145,960	119,070	156,759	164,778	205,602	151,316	149,372	124,582
											361,619



Appendix A30. Alaska sport chum salmon harvests, statewide and by region, 1983-1993.

Appendix A31. Alaska sport chum salmon harvests, 1983-1993, and catch, 1993, by region and area.

Area Fished	Harvest											Catch 1993
	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	
Southeast												
Ketchikan	649	484	707	1,394	389	2,164	1,966	872	1,168	1,268	1,882	4,051
Prince of Wales Island	650	95	198	696	48	819	640	234	326	207	961	2,273
Kake, Petersburg												
Wrangell, Stikine	23	131	176	116	144	163	614	178	207	321	140	383
Sitka	312	371	298	613	367	1,312	1,541	762	373	459	2,038	5,058
Juneau	1,311	1,415	2,338	1,296	2,247	4,147	3,260	2,218	2,741	3,147	3,453	11,060
Haines-Skagway	325	2,354	1,867	884	1,683	854	675	637	420	213	725	1,404
Glacier Bay	0	40	24	22	275	163	166	49	260	426	112	495
Yakutat	0	46	0	11	54	291	70	12	98	0	69	414
Total	3,270	4,936	5,608	5,032	5,207	9,913	8,932	4,962	5,593	6,041	9,380	25,138
Southcentral												
Glenallen	0	0	0	0	0	0	0	0	0	0	0	0
Prince William Sound	1,353	1,907	1,628	2,858	1,894	7,237	3,635	1,945	1,622	964	2,018	5,805
Knik Arm Drainage	643	2,032	514	3,770	2,574	5,221	4,477	746	1,099	510	885	4,098
Anchorage	10	162	634	982	579	691	985	315	360	297	383	1,359
East Susitna River Drainage	4,982	5,211	2,142	4,756	3,042	6,604	4,151	1,565	1,950	2,044	1,480	9,192
West Cook Inlet-												
West Susitna River Drainages	408	872	447	828	778	1,583	469	281	225	456	179	4,916
Kenai Peninsula	1,846	2,780	1,080	2,639	2,334	5,467	2,925	1,111	1,065	1,605	1,416	4,429
Kodiak	816	1,321	865	336	560	1,546	631	191	1,517	625	504	3,547
Naknek River Drainage-												
Alaska Peninsula	188	287	186	653	614	929	832	460	607	532	426	1,854
Kvichak River Drainage	0	474	53	68	246	62	428	300	556	486	595	11,658
Nushagak	797	760	346	467	191	1,084	1,300	503	457	746	807	8,283
Total	11,043	15,806	7,895	17,357	12,812	30,424	19,833	7,417	9,458	8,265	8,693	55,141
Arctic-Yukon-Kuskokwim												
Tanana River Drainage	649	585	1,255	693	620	491	1,134	55	588	690	371	2,330
Kuskokwim River Drainage	1,195	896	423	973	656	836	2,213	749	647	927	731	10,741
Seward Peninsula-												
Norton Sound	2,042	1,481	1,036	1,719	814	1,583	1,497	925	1,415	523	691	2,219
Northwest Alaska	463	312	310	749	402	236	41	0	59	220	443	771
Yukon River Drainage	349	0	12	202	226	546	997	417	449	618	193	1,224
North Slope Brooks Range	0	0	0	0	50	0	0	0	0	15	17	17
Total	4,698	3,274	3,036	4,336	2,768	3,692	5,882	2,146	3,158	2,993	2,446	17,302
Alaska Total	19,011	24,016	16,539	26,725	20,787	44,029	34,647	14,525	18,209	17,299	20,519	97,581

Appendix A32. Alaska sport landlocked coho salmon and chinook salmon harvests, 1983-1993, and catch, 1993, by region and area.

Area Fished	Harvest											Catch 1993
	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	
Southeast												
Ketchikan	0	0	0	0	0	0	0	0	0	0	0	0
Prince of Wales Island	0	0	0	0	0	0	0	0	0	0	0	0
Kake, Petersburg												
Wrangell, Stikine	0	0	0	0	0	0	0	0	0	0	0	0
Sitka	0	0	0	0	0	0	0	0	0	0	0	0
Juneau	1,301	568	69	56	0	728	528	413	1,222	1,536	1,454	2,958
Haines-Skagway	0	0	0	0	0	0	0	0	0	0	0	0
Glacier Bay	0	0	0	0	0	0	0	0	0	0	0	0
Yakutat	0	0	0	0	0	0	0	0	0	0	0	0
Total	1,301	568	69	56	0	728	528	413	1,222	1,536	1,454	2,958
Southcentral												
Glenallen	4,175	992	2,238	89	0	109	281	17	111	433	56	145
Prince William Sound	0	0	0	0	0	0	0	0	0	0	0	0
Knik Arm Drainage	22,805	14,768	14,461	14,299	14,887	16,588	11,041	15,950	15,740	11,875	13,829	29,125
Anchorage	524	997	399	749	2,263	4,364	14,483	6,775	10,817	13,985	17,489	36,072
East Susitna River Drainage	1,049	660	884	2,106	145	619	536	151	14	86	738	1,263
West Cook Inlet-												
West Susitna River Drainages	0	0	0	0	0	0	0	0	0	0	0	0
Kenai Peninsula	3,975	1,160	1,596	2,202	2,401	2,929	1,154	530	1,770	4,758	4,882	7,253
Kodiak	954	1,547	106	0	434	0	60	52	0	151	0	0
Naknek River Drainage-												
Alaska Peninsula	0	0	0	0	0	0	0	0	0	0	0	0
Kvichak River Drainage	0	0	0	0	0	0	0	0	0	0	0	0
Nushagak	0	0	0	0	0	0	0	0	0	0	0	0
Total	33,482	20,124	19,684	19,445	20,130	24,609	27,555	23,475	28,452	31,288	36,994	73,858
Arctic-Yukon-Kuskokwim												
Tanana River Drainage	34,255	29,245	41,042	24,061	26,566	32,342	18,614	13,943	22,125	14,019	15,734	31,017
Kuskokwim River Drainage	0	0	0	0	58	0	0	0	0	0	0	0
Seward Peninsula-												
Norton Sound	0	0	0	0	0	0	0	0	0	0	0	0
Northwest Alaska	0	0	0	0	0	0	0	0	0	0	0	0
Yukon River Drainage	0	0	0	0	0	0	0	0	0	0	0	0
North Slope Brooks Range	0	0	0	0	0	0	0	0	0	0	0	0
Total	34,255	29,245	41,042	24,061	26,624	32,342	18,614	13,943	22,125	14,019	15,734	31,017
Alaska Total	69,038	49,937	60,795	43,562	46,754	57,679	46,697	37,831	51,799	46,843	54,182	107,833

Appendix A33. Alaska sport kokanee salmon harvests, 1983-1993, and catch, 1993, by region and area.

Area Fished	Harvest											Catch 1993
	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	
Southeast												
Ketchikan	0	47	104	56	18	0	26	16	279	0	15	56
Prince of Wales Island	0	0	0	0	0	0	42	0	0	0	0	8
Kake, Petersburg												
Wrangell, Stikine	0	0	0	0	0	0	0	0	0	22	0	0
Sitka	0	0	0	31	0	55	0	17	0	0	0	98
Juneau	73	92	329	78	349	364	239	0	47	379	191	1,309
Haines-Skagway	0	0	0	92	18	55	213	66	36	368	0	7
Glacier Bay	0	0	0	0	0	0	0	0	0	0	0	0
Yakutat	0	0	0	0	0	0	0	0	0	0	0	16
Total	73	139	433	257	385	474	520	99	362	769	206	1,494
Southcentral												
Glenallen			104	0	75	637	169	153	0	0	98	261
Prince William Sound	0	0	0	0	0	0	0	0	0	0	0	0
Knik Arm Drainage	0	0	0	0	0	0	227	0	170	22	0	0
Anchorage			347	827	561	186	122	0	0	0	0	0
East Susitna River Drainage	0	0	0	0	0	0	0	0	0	0	0	0
West Cook Inlet-												
West Susitna River Drainages	0	0	0	0	0	0	0	0	0	0	0	0
Kenai Peninsula	1,899	786	971	810	1,263	1,146	162	541	1,577	767	396	567
Kodiak	0	0	0	0	0	0	0	0	0	0	0	0
Naknek River Drainage-												
Alaska Peninsula			1,907	726	682	18	1,527	1,278	3,982	736	3,503	4,138
Kvichak River Drainage	0	0	0	0	0	0	0	0	0	0	0	0
Nushagak	0	0	0	0	0	0	0	0	0	0	0	0
Total	1,899	786	3,329	2,363	2,581	1,987	2,207	1,972	5,729	1,525	3,997	4,966
Arctic-Yukon-Kuskokwim												
Tanana River Drainage	0	0	0	0	0	0	0	0	185	184	0	0
Kuskokwim River Drainage	0	0	0	0	0	0	0	0	0	0	0	0
Seward Peninsula-												
Norton Sound	0	0	0	0	0	0	0	0	0	0	0	0
Northwest Alaska	0	0	0	0	0	0	0	0	0	0	0	0
Yukon River Drainage	0	0	0	0	0	0	0	0	0	0	0	0
North Slope Brooks Range	0	0	0	0	0	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	0	0	185	184	0	0
Alaska Total	1,972	925	3,762	2,620	2,966	2,461	2,727	2,071	6,276	2,478	4,203	6,460

Appendix A34. Alaska sport steelhead harvests, 1983-1993, and catch, 1993, by region and area.

Area Fished	Harvest											Catch 1993
	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	
Southeast												
Ketchikan	634	791	907	1,002	737	1,400	1,654	1,423	793	786	69	1,809
Prince of Wales Island	1,115	1,698	1,108	1,834	1,950	831	1,277	789	1,666	739	260	2,077
Kake, Petersburg												
Wrangell, Stikine	475	826	305	865	848	756	609	1,046	394	390	351	1,386
Sitka	176	109	156	145	270	64	193	153	388	156	243	1,847
Juneau	209	33	111	206	382	265	280	240	400	258	258	1,051
Haines-Skagway	0	7	153	168	36	123	142	32	253	24	28	123
Glacier Bay	0	0	0	8	0	0	42	0	173	31	19	134
Yakutat	860	696	348	494	454	870	1,212	591	565	55	21	4,515
Total	3,469	4,160	3,088	4,722	4,677	4,309	5,409	4,274	4,632	2,439	1,249	12,942
Southcentral												
Glenallen	21	137	162	58	134	91	84	34	114	8	0	102
Prince William Sound			0	15	0	18	39	0	0	0	0	0
Knik Arm Drainage	0	0	0	0	0	0	0	0	0	0	0	0
Anchorage	0	0	0	0	0	0	0	0	0	0	0	0
East Susitna River Drainage	0	0	0	0	0	0	0	0	0	0	0	0
West Cook Inlet-												
West Susitna River Drainages	0	0	0	0	0	0	0	0	0	0	0	0
Kenai Peninsula	1,572	1,546	683	734	850	1,017	67	217	36	606	2,237	12,678
Kodiak	302	696	790	321	253	853	788	1,120	327	96	332	5,110
Naknek River Drainage-												
Alaska Peninsula	0	0	0	0	0	0	0	0	0	0	0	0
Kvichak River Drainage	0	0	0	0	0	0	0	0	0	0	0	0
Nushagak	0	0	0	0	0	0	0	0	0	0	0	0
Total	1,895	2,379	1,635	1,128	1,237	1,979	978	1,371	477	710	2,569	17,890
Arctic-Yukon-Kuskokwim												
Tanana River Drainage	0	0	0	0	0	0	0	0	0	0	0	0
Kuskokwim River Drainage	0	0	0	0	0	0	0	0	0	0	0	0
Seward Peninsula-												
Norton Sound	0	0	0	0	0	0	0	0	0	0	0	0
Northwest Alaska	0	0	0	0	0	0	0	0	0	0	0	0
Yukon River Drainage	0	0	0	0	0	0	0	0	0	0	0	0
North Slope Brooks Range	0	0	0	0	0	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	0	0	0	0	0	0
Alaska Total	5,364	6,539	4,723	5,850	5,914	6,288	6,387	5,645	5,109	3,149	3,818	30,832

Appendix A35. Alaska sport rainbow trout harvests, 1983-1993, and catch, 1993, by region and area.

Area Fished	Harvest											Catch 1993
	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	
Southeast												
Ketchikan	1,244	2,572	1,560	1,353	923	1,710	2,201	1,199	962	641	1,346	7,714
Prince of Wales Island	1,551	1,274	1,561	1,061	1,271	1,145	2,963	707	1,958	667	703	2,925
Kake, Petersburg												
Wrangell, Stikine	398	850	365	1,069	1,026	782	197	1,014	583	601	417	1,871
Sitka	1,123	787	1,473	1,198	1,284	1,363	1,282	970	1,596	1,932	1,288	7,142
Juneau	209	245	330	213	298	491	229	241	46	372	167	492
Haines-Skagway	0	118	295	1,267	0	200	182	32	34	79	192	453
Glacier Bay	0	0	0	69	11	36	0	17	22	0	0	53
Yakutat	147	145	0	14	72	200	31	24	151	0	77	890
Total	4,672	5,991	5,584	6,244	4,885	5,927	7,085	4,204	5,352	4,292	4,190	21,540
Southcentral												
Glennallen	2,460	8,926	8,149	8,510	7,838	6,695	5,835	3,924	6,868	9,373	7,245	23,300
Prince William Sound	1,185	523	277	107	126	109	677	392	627	318	136	592
Knik Arm Drainage	26,421	26,418	46,431	27,690	24,663	58,609	44,518	30,699	39,636	27,995	21,565	69,635
Anchorage	44,678	49,592	43,020	39,864	35,259	59,864	53,197	58,435	49,303	33,317	29,112	107,465
East Susitna River Drainage	9,639	7,656	7,872	8,061	6,647	7,622	4,972	5,008	7,854	3,948	3,713	24,240
West Cook Inlet-												
West Susitna River Drainages	10,124	8,827	9,016	6,891	8,599	8,731	5,472	4,432	5,054	2,218	2,672	32,053
Kenai Peninsula	32,387	16,708	18,267	16,923	10,495	10,313	7,793	14,881	12,541	16,356	14,652	123,353
Kodiak	4,296	2,592	2,564	841	1,448	855	1,534	1,484	1,296	1,179	374	5,790
Naknek River Drainage-												
Alaska Peninsula	4,193	3,579	3,138	3,311	1,969	1,491	1,109	897	1,664	1,102	1,068	44,973
Kvichak River Drainage	1,498	1,246	2,280	1,326	2,247	344	977	1,462	1,590	562	898	93,747
Nushagak	4,824	2,582	1,302	1,313	2,106	1,327	1,360	1,373	1,059	1,362	877	27,971
Total	141,705	128,649	142,316	114,837	101,397	155,960	127,444	122,987	127,492	97,730	82,312	553,119
Arctic-Yukon-Kuskokwim												
Tanana River Drainage	20,622	34,022	33,432	31,270	31,824	78,345	74,675	64,143	72,024	37,547	49,693	144,699
Kuskokwim River Drainage	1,678	1,442	659	504	592	1,599	757	475	774	404	486	12,646
Seward Peninsula-												
Norton Sound	0	0	0	0	0	0	0	0	0	0	0	0
Northwest Alaska	0	0	0	0	0	0	0	0	0	0	0	0
Yukon River Drainage	0	0	0	0	0	0	0	0	0	0	0	0
North Slope Brooks Range	0	13	0	0	0	0	0	0	0	0	0	0
Total	22,300	35,477	34,091	31,774	32,416	79,944	75,432	64,618	72,798	37,951	50,179	157,345
Alaska Total	168,677	170,117	181,991	152,855	138,698	241,831	209,961	191,809	205,642	139,973	136,681	732,004

Appendix A36. Alaska sport cutthroat trout harvests, 1983-1993, and catch, 1993, by region and area.

Area Fished	Harvest											Catch
	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	
Southeast												
Ketchikan	3,186	3,951	7,960	3,263	1,503	4,909	3,780	3,739	2,456	1,721	2,480	16,341
Prince of Wales Island	4,599	3,951	4,457	2,592	3,631	2,130	4,553	2,535	1,292	1,987	987	8,745
Kake, Petersburg												
Wrangell, Stikine	2,949	4,613	1,473	2,924	2,450	2,475	3,555	3,725	1,823	3,746	3,357	10,671
Sitka	710	1,221	1,179	954	1,269	1,327	2,167	1,532	1,058	1,784	2,263	14,375
Juneau	3,891	2,091	4,318	2,838	3,930	4,402	3,057	2,873	1,774	2,564	5,516	18,674
Haines-Skagway	2,850	990	1,057	1,775	1,340	801	1,531	1,130	817	944	530	1,045
Glacier Bay	210	104	35	253	88	36	218	67	65	193	95	161
Yakutat	210	73	0	11	36	237	0	59	387	18	123	414
Total	18,605	16,994	20,479	14,610	14,247	16,317	18,861	15,660	9,672	12,957	15,351	70,426
Southcentral												
Glenallen	0	0	0	0	0	0	0	0	0	0	0	0
Prince William Sound	1,824	2,542	915	1,620	1,358	619	1,511	523	416	1,015	940	4,641
Knik Arm Drainage	0	0	0	0	0	0	0	0	0	0	0	0
Anchorage	0	0	0	0	0	0	0	0	0	0	0	0
East Susitna River Drainage	0	0	0	0	0	0	0	0	0	0	0	0
West Cook Inlet-												
West Susitna River Drainages	0	0	0	0	0	0	0	0	0	0	0	0
Kenai Peninsula	0	0	0	0	0	0	0	0	0	0	0	0
Kodiak	0	0	0	0	0	0	0	0	0	0	0	0
Naknek River Drainage-												
Alaska Peninsula	0	0	0	0	0	0	0	0	0	0	0	0
Kvichak River Drainage	0	0	0	0	0	0	0	0	0	0	0	0
Nushagak	0	0	0	0	0	0	0	0	0	0	0	0
Total	1,824	2,542	915	1,620	1,358	619	1,511	523	416	1,015	940	4,641
Arctic-Yukon-Kuskokwim												
Tanana River Drainage	0	0	0	0	0	0	0	0	0	0	0	0
Kuskokwim River Drainage	0	0	0	0	0	0	0	0	0	0	0	0
Seward Peninsula-												
Norton Sound	0	0	0	0	0	0	0	0	0	0	0	0
Northwest Alaska	0	0	0	0	0	0	0	0	0	0	0	0
Yukon River Drainage	0	0	0	0	0	0	0	0	0	0	0	0
North Slope Brooks Range	0	0	0	0	0	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	0	0	0	0	0	0
Alaska Total	20,429	19,536	21,394	16,230	15,605	16,936	20,372	16,183	10,088	13,972	16,291	75,067

Appendix A37. Alaska sport brook trout harvests, 1983-1993, and catch, 1993, by region and area.

Area Fished	Harvest											Catch 1993
	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	
Southeast												
Ketchikan	405	48	382	190	0	109	195	16	25	97	67	353
Prince of Wales Island	0	0	0	0	0	0	0	0	0	0	0	0
Kake, Petersburg												
Wrangell, Stikine	99	0	520	0	0	0	59	16	178	0	22	22
Sitka	389	34	52	46	0	655	352	307	66	118	134	612
Juneau	493	534	87	290	298	436	169	17	114	292	182	192
Haines-Skagway	220	20	17	0	0	73	112	94	94	519	357	452
Glacier Bay	0	0	0	0	0	0	0	0	0	0	0	0
Yakutat	0	0	0	0	0	0	0	0	0	0	0	0
Total	1,606	636	1,058	526	298	1,273	887	450	477	1,026	762	1,631
Southcentral												
Glennallen	0	0	0	0	0	0	0	0	0	0	0	0
Prince William Sound	0	0	0	0	0	0	0	0	0	0	0	0
Knik Arm Drainage	0	0	0	0	0	0	0	0	0	0	0	0
Anchorage	0	0	0	0	0	0	0	0	0	0	0	0
East Susitna River Drainage	0	0	0	0	0	0	0	0	0	0	0	0
West Cook Inlet-												
West Susitna River Drainages	0	0	0	0	0	0	0	0	0	0	0	0
Kenai Peninsula	0	0	0	0	0	0	0	0	0	0	0	0
Kodiak	0	0	0	0	0	0	0	0	0	0	0	0
Naknek River Drainage-												
Alaska Peninsula	0	0	0	0	0	0	0	0	0	0	0	0
Kvichak River Drainage	0	0	0	0	0	0	0	0	0	0	0	0
Nushagak	0	0	0	0	0	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	0	0	0	0	0	0
Arctic-Yukon-Kuskokwim												
Tanana River Drainage	0	0	0	0	0	0	0	0	0	0	0	0
Kuskokwim River Drainage	0	0	0	0	0	0	0	0	0	0	0	0
Seward Peninsula-												
Norton Sound	0	0	0	0	0	0	0	0	0	0	0	0
Northwest Alaska	0	0	0	0	0	0	0	0	0	0	0	0
Yukon River Drainage	0	0	0	0	0	0	0	0	0	0	0	0
North Slope Brooks Range	0	0	0	0	0	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	0	0	0	0	0	0
Alaska Total	1,606	636	1,058	526	298	1,273	887	450	477	1,026	762	1,631

Appendix A38. Alaska sport lake trout harvests, 1983-1993, and catch, 1993, by region and area.

Area Fished	Harvest											Catch 1993
	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	
Southeast												
Ketchikan	0	0	0	0	0	0	0	0	0	0	0	0
Prince of Wales Island	0	0	0	0	0	0	0	0	0	0	0	0
Kake, Petersburg												
Wrangell, Stikine	0	0	0	0	0	0	0	0	0	0	0	0
Sitka	0	0	0	0	0	0	0	0	0	0	0	0
Juneau	0	0	0	0	0	0	0	0	0	0	0	0
Haines-Skagway	0	0	0	0	0	0	0	0	0	0	0	0
Glacier Bay	0	0	0	0	0	0	0	0	0	0	0	0
Yakutat	0	0	0	0	0	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	0	0	0	0	0	0
Southcentral												
Glenallen	7,246	6,311	8,686	6,779	6,721	6,277	7,147	5,503	4,864	4,251	4,569	17,728
Prince William Sound				0	259	0	73	310	49	154	0	126
Knik Arm Drainage	1,279	1,919	277	313	906	1,911	835	1,067	512	840	201	1,135
Anchorage	0	0	0	0	0	0	0	0	0	0	0	0
East Susitna River Drainage	1,404	362	17	1,816	343	291	1,210	387	726	495	288	2,513
West Cook Inlet-												
West Susitna River Drainages	849	562	328	157	797	327	352	202	289	363	296	1,604
Kenai Peninsula	3,419	2,441	2,724	6,292	3,301	4,113	2,002	2,566	3,443	3,378	3,805	8,089
Kodiak	0	0	0	0	0	0	0	0	0	0	0	0
Naknek River Drainage-												
Alaska Peninsula	355	659	467	412	836	326	320	143	272	264	325	3,284
Kvichak River Drainage	367	898	533	2,039	504	254	696	656	324	642	575	6,819
Nushagak	1,322	149	87	146	688	891	593	286	155	101	311	2,097
Total	16,241	13,301	13,119	18,213	14,096	14,463	13,465	10,859	10,739	10,334	10,496	43,795
Arctic-Yukon-Kuskokwim												
Tanana River Drainage	2,749	2,000	2,984	713	652	2,221	1,650	896	1,978	993	1,939	7,414
Kuskokwim River Drainage	419	662	34	1,110	28	181	1,086	72	272	356	218	1,314
Seward Peninsula-												
Norton Sound	0	0	0	0	0	0	0	0	0	0	0	0
Northwest Alaska	223	338	144	504	159	255	115	387	173	270	234	593
Yukon River Drainage	305	143	485	508	0	0	272	220	434	193	101	196
North Slope Brooks Range	367	481	1,707	415	274	73	482	168	176	379	106	266
Total	4,063	3,624	5,354	3,250	1,113	2,730	3,605	1,743	3,033	2,191	2,598	9,783
Alaska Total	20,304	16,925	18,473	21,463	15,209	17,193	17,070	12,602	13,772	12,525	13,094	53,578

Appendix A39. Alaska sport Dolly Varden and Arctic char harvests, 1983-1993, and catch, 1993, by region and area.

Area Fished	Harvest											Catch 1993
	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	
Southeast												
Ketchikan	1,761	2,160	3,432	3,832	2,914	3,256	2,098	2,269	2,143	928	2,366	5,577
Prince of Wales Island	5,012	2,232	3,571	3,721	5,377	2,946	6,007	1,611	1,646	1,318	1,872	9,705
Kake, Petersburg												
Wrangell, Stikine	3,681	4,623	1,109	3,405	2,527	4,166	4,458	5,013	2,365	2,948	1,265	6,366
Sitka	7,152	5,567	6,710	5,428	6,672	9,950	5,713	5,465	3,539	4,093	2,808	18,357
Juneau	11,602	8,597	12,574	10,723	8,204	15,878	13,987	12,233	11,929	7,201	7,923	29,124
Haines-Skagway	18,372	21,067	30,951	31,993	19,123	20,082	16,116	18,885	21,867	7,185	8,639	23,821
Glacier Bay	420	924	1,075	1,590	1,109	1,801	2,067	747	1,209	1,434	1,028	2,268
Yakutat	1,752	896	1,253	447	795	1,292	1,190	2,077	1,256	1,131	992	5,304
Total	49,752	46,066	60,675	61,139	46,721	59,371	51,636	48,300	45,954	26,238	26,893	100,522
Southcentral												
Glenallen	4,509	5,200	6,001	5,205	2,023	5,185	3,979	3,159	2,140	1,997	3,173	7,903
Prince William Sound	4,697	11,707	6,504	7,295	4,598	2,619	4,336	2,698	3,354	3,382	3,156	9,439
Knik Arm Drainage	13,391	9,103	13,336	13,048	11,425	11,314	8,161	8,746	9,138	4,186	3,686	9,910
Anchorage	2,884	6,981	2,339	2,425	1,811	3,636	2,646	2,208	2,539	3,269	1,793	7,661
East Susitna River Drainage	4,205	4,004	3,138	4,213	3,946	4,748	3,040	3,613	2,140	2,394	1,413	8,498
West Cook Inlet-												
West Susitna River Drainages	2,923	1,433	2,533	3,241	1,141	1,656	1,829	1,500	2,809	1,015	915	9,089
Kenai Peninsula	81,430	33,925	28,228	26,709	22,840	24,235	23,070	28,084	28,018	30,131	30,130	146,344
Kodiak	19,439	23,092	17,516	20,657	8,763	18,663	14,266	14,235	12,794	7,389	6,299	52,111
Naknek River Drainage-												
Alaska Peninsula	11,958	10,062	8,079	8,282	8,589	5,056	5,256	8,313	10,364	5,988	5,752	42,362
Kvichak River Drainage	584	1,184	2,370	680	1,238	526	615	952	1,183	868	866	17,013
Nushagak	5,483	3,788	1,301	1,898	4,031	1,346	3,021	2,484	2,390	2,752	2,539	31,212
Total	151,503	110,479	91,345	93,653	70,405	78,984	70,219	75,992	76,869	63,371	59,722	341,542
Arctic-Yukon-Kuskokwim												
Tanana River Drainage	293	350	1,230	200	36	909	913	830	2,891	2,088	3,873	11,084
Kuskokwim River Drainage	4,562	1,883	2,168	1,849	2,090	3,764	3,545	1,797	2,924	802	1,499	35,825
Seward Peninsula-												
Norton Sound	9,853	4,507	5,834	5,721	5,506	4,855	7,058	3,948	10,365	2,382	5,907	22,166
Northwest Alaska	2,192	4,842	1,557	1,529	1,520	983	999	806	1,717	682	914	7,190
Yukon River Drainage	856	143	382	91	541	618	726	391	675	672	528	4,249
North Slope Brooks Range	2,966	1,507	3,489	983	2,676	1,018	1,031	489	1,199	836	1,092	3,946
Total	20,722	13,232	14,660	10,373	12,369	12,147	14,272	8,261	19,771	7,462	13,813	84,460
Alaska Total	221,977	169,777	166,680	165,165	129,495	150,502	136,127	132,553	142,594	97,071	100,428	526,524

Appendix A40. Alaska sport Arctic grayling harvests, 1983-1993, and catch, 1993, by region and area.

Area Fished	Harvest											Catch 1993
	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	
Southeast												
Ketchikan	703	201	139	201	670	36	182	224	0	91	0	512
Prince of Wales Island	0	0	69	0	0	0	0	0	0	0	0	0
Kake, Petersburg												
Wrangell, Stikine	161	0	0	0	0	73	0	81	0	98	0	0
Sitka	0	0	0	0	0	418	11	0	18	8	95	149
Juneau	0	50	0	0	0	0	0	0	0	0	0	0
Haines-Skagway	83	130	17	246	72	0	0	63	63	225	0	0
Glacier Bay	0	0	0	0	0	0	0	0	0	0	0	0
Yakutat	0	0	0	0	0	0	21	0	0	90	0	0
Total	947	381	225	447	742	527	214	368	81	512	95	661
Southcentral												
Glenallen	27,094	19,272	32,511	24,185	27,359	21,937	16,629	13,775	13,278	11,125	12,504	80,497
Prince William Sound	0	0	52	352	54	182	368	294	497	77	283	614
Knik Arm Drainage	4,425	2,480	4,768	4,233	3,893	8,367	5,429	3,068	2,846	2,511	1,343	6,349
Anchorage	0	262	0	168	18	1,001	66	576	238	413	233	1,362
East Susitna River Drainage	7,478	11,222	7,822	10,346	7,568	6,020	4,562	2,910	3,875	2,189	2,401	14,367
West Cook Inlet-												
West Susitna River Drainages	9,324	7,446	5,895	5,530	4,944	4,275	2,247	2,192	3,393	1,647	1,422	19,044
Kenai Peninsula	1,644	1,049	1,352	1,878	1,006	1,273	1,133	913	1,472	775	1,268	10,712
Kodiak	126	286	820	15	72	182	189	86	98	120	16	210
Naknek River Drainage-												
Alaska Peninsula	1,300	2,131	764	749	640	708	1,089	416	649	482	682	9,913
Kvichak River Drainage	1,288	1,869	2,695	2,549	3,163	599	1,068	998	1,146	1,519	1,459	35,343
Nushagak	4,479	1,808	1,041	1,460	3,299	2,347	838	1,712	2,904	1,399	2,175	49,567
Total	57,158	47,825	57,720	51,465	52,016	46,891	33,618	26,940	30,396	22,257	23,786	227,978
Arctic-Yukon-Kuskokwim												
Tanana River Drainage	91,682	82,548	62,433	45,780	38,230	51,803	53,791	28,414	33,778	14,983	17,658	193,088
Kuskokwim River Drainage	7,365	2,195	1,787	1,117	2,019	2,440	2,622	1,340	2,603	545	739	16,596
Seward Peninsula-												
Norton Sound	8,241	2,349	4,501	4,042	4,600	4,928	4,205	1,378	5,121	492	1,584	13,223
Northwest Alaska	4,715	2,753	2,943	5,121	2,121	2,692	1,415	622	1,981	968	916	7,228
Yukon River Drainage	8,014	6,856	4,180	5,566	9,054	6,115	7,491	4,961	5,570	4,171	3,330	21,420
North Slope Brooks Range	2,884	2,441	5,382	4,099	1,932	983	2,113	791	3,301	1,145	1,632	9,345
Total	122,901	99,142	81,226	65,725	57,956	68,961	71,637	37,506	52,354	22,304	25,859	260,900
Alaska Total	181,006	147,348	139,171	117,637	110,714	116,379	105,469	64,814	82,831	45,073	49,740	489,539

Appendix A41. Alaska sport northern pike harvests, 1983-1993, and catch, 1993, by region and area.

Area Fished	Harvest											Catch 1993
	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	
Southeast												
Ketchikan	0	0	0	0	0	0	0	0	0	0	0	0
Prince of Wales Island	0	0	0	0	0	0	0	0	0	0	0	0
Kake, Petersburg												
Wrangell, Stikine	0	0	0	0	0	0	0	0	0	0	0	0
Sitka	0	0	0	0	0	0	0	0	0	0	0	0
Juneau	0	0	0	0	0	0	0	0	0	0	0	0
Haines-Skagway	0	0	0	0	0	0	0	0	0	0	0	0
Glacier Bay	0	0	0	0	0	0	0	0	0	0	0	0
Yakutat	0	0	0	0	18	18	42	0	136	0	0	0
Total	0	0	0	0	18	18	42	0	136	0	0	0
Southcentral												
Glenallen	0	0	0	0	0	0	0	0	0	0	0	0
Prince William Sound	0	0	0	0	0	0	0	0	0	0	0	0
Knik Arm Drainage		156	458	924	364	863	754	2,709	2,605	2,102	10,141	
Anchorage	0	0	0	0	0	0	0	0	0	0	0	0
East Susitna River Drainage	0	0	0	0	0	0	0	0	0	0	0	0
West Cook Inlet-												
West Susitna River Drainages	944	1,821	1,248	1,519	1,540	2,818	2,257	2,088	3,931	2,777	3,619	24,155
Kenai Peninsula	294	187	121	0	12	36	67	40	86	239	242	552
Kodiak	0	0	0	0	0	0	0	0	0	0	0	0
Naknek River Drainage-												
Alaska Peninsula	73	1,458	294	222	256	36	154	208	93	256	130	4,321
Kvichak River Drainage	272	559	119	374	458	18	211	191	635	658	291	4,003
Nushagak	1,059	399	302	321	1,649	326	882	374	1,250	779	747	5,589
Total	2,642	4,424	2,240	2,894	4,839	3,598	4,434	3,655	8,704	7,314	7,131	48,761
Arctic-Yukon-Kuskokwim												
Tanana River Drainage	10,225	9,490	12,055	11,934	9,405	11,823	11,170	7,348	12,476	6,148	7,712	51,272
Kuskokwim River Drainage	3,231	1,247	1,040	122	606	2,346	1,785	231	2,018	752	995	3,721
Seward Peninsula-												
Norton Sound	798	208	56	699	906	564	648	1,957	1,429	479	537	2,117
Northwest Alaska	1,262	312	383	2,752	813	1,565	64	320	394	333	559	2,209
Yukon River Drainage	3,318	2,960	2,132	3,470	2,492	3,526	3,516	2,474	4,454	3,590	2,347	13,502
North Slope Brooks Range	0	0	37	19	0	0	0	0	0	0	85	135
Total	18,834	14,217	15,703	18,996	14,222	19,824	17,183	12,330	20,771	11,302	12,235	72,956
Alaska Total	21,476	18,641	17,943	21,890	19,079	23,440	21,659	15,985	29,611	18,616	19,366	121,717

Appendix A42. Alaska sport whitefish harvests, 1983-1993, and catch, 1993, by region and area.

Area Fished	Harvest											Catch 1993
	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	
Southeast												
Ketchikan	0	0	0	0	0	0	0	0	0	0	0	0
Prince of Wales Island	0	0	0	0	0	0	0	0	0	0	0	0
Kake, Petersburg												
Wrangell, Stikine	0	0	0	0	0	0	0	0	0	0	0	9
Sitka	0	0	0	0	0	0	0	0	0	0	0	0
Juneau	0	0	0	0	0	0	0	0	0	0	0	0
Haines-Skagway	31	21	140	34	0	91	61	16	60	18	0	0
Glacier Bay	0	0	0	0	0	0	0	0	0	0	0	0
Yakutat	0	0	0	0	0	0	0	0	0	0	0	0
Total	31	21	140	34	0	91	61	16	60	18	0	9
Southcentral												
Glenallen	2,810	3,010	3,745	3,915	2,096	2,474	2,991	1,784	717	1,150	815	2,670
Prince William Sound	63	0	0	15	72	0	0	0	0	46	0	0
Knik Arm Drainage			587	580	380	1,163	844	622	900	257	227	454
Anchorage	0	0	0	0	0	0	0	181	7	0	0	0
East Susitna River Drainage		1,058	1,365	1,090	796	546	442	1,378	626	265	87	757
West Cook Inlet-												
West Susitna River Drainages			525	435	1,685	1,419	430	1,516	531	340	564	2,096
Kenai Peninsula	733	464	1,960	955	216	863	415	912	560	432	396	1,941
Kodiak	0	0	0	0	0	0	0	0	0	0	0	0
Naknek River Drainage-												
Alaska Peninsula	10	12	0	122	106	18	30	17	40	55	0	530
Kvichak River Drainage	168	125	1,155	714	46	54	60	618	136	221	95	649
Nushagak	0	137	0	88	46	54	132	850	315	101	296	568
Total	3,784	4,806	9,337	7,914	5,443	6,591	5,344	7,878	3,832	2,867	2,480	9,665
Arctic-Yukon-Kuskokwim												
Tanana River Drainage	8,311	11,632	20,230	26,810	26,303	11,620	16,935	6,891	739	3,246	984	1,363
Kuskokwim River Drainage	3,178	26	175	147	91	473	571	88	158	286	253	395
Seward Peninsula-												
Norton Sound	148	39	70	510	272	673	453	299	1,357	46	95	196
Northwest Alaska	1,243	0	70	199	212	236	619	84	260	9	238	302
Yukon River Drainage	52	182	315	328	206	610	245	322	422	248	173	384
North Slope Brooks Range	125	13	0	3,776	75	18	109	17	0	18	0	192
Total	13,057	11,892	20,860	31,770	27,159	13,630	18,932	7,701	2,936	3,853	1,743	2,832
Alaska Total	16,872	16,719	30,337	39,718	32,602	20,312	24,337	15,595	6,828	6,738	4,223	12,506

Appendix A43. Alaska sport burbot harvests, 1983-1993, and catch, 1993, by region and area.

Area Fished	Harvest											Catch 1993
	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	
Southeast												
Ketchikan	0	0	0	0	0	0	0	0	0	0	0	0
Prince of Wales Island	0	0	0	0	0	0	0	0	0	0	0	0
Kake, Petersburg												
Wrangell, Stikine	0	0	0	0	0	0	0	0	0	0	0	0
Sitka	0	0	0	0	0	0	0	0	0	0	0	0
Juneau	0	0	0	0	0	0	0	0	0	0	0	0
Haines-Skagway	0	0	0	0	0	0	0	0	0	0	0	0
Glacier Bay	0	0	0	0	0	0	0	0	0	0	0	0
Yakutat	0	0	0	0	0	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	0	0	0	0	0	0
Southcentral												
Glenallen	6,555	10,329	19,355	10,030	4,386	3,747	3,396	1,836	793	1,495	1,694	2,471
Prince William Sound	0	0	0	0	0	0	0	0	0	0	0	0
Knik Arm Drainage	597	336	210	804	325	291	372	262	477	500	482	771
Anchorage	0	0	0	0	0	0	0	0	0	0	0	0
East Susitna River Drainage	901	1,133	1,085	1,380	1,175	600	395	1,345	407	608	909	1,458
West Cook Inlet-												
West Susitna River Drainages	807	1,309	560	715	3,640	944	211	1,534	97	304	264	865
Kenai Peninsula	0	0	0	0	0	0	0	0	0	85	43	43
Kodiak	0	0	0	0	0	0	0	0	0	0	0	0
Naknek River Drainage-												
Alaska Peninsula	10	0	0	76	0	0	0	0	0	0	0	0
Kvichak River Drainage	0	124	805	204	0	18	0	100	53	0	0	107
Nushagak	0	0	0	29	0	0	0	17	0	0	0	0
Total	8,870	13,231	22,015	13,238	9,526	5,600	4,374	5,094	1,827	2,992	3,392	5,715
Arctic-Yukon-Kuskokwim												
Tanana River Drainage	5,040	5,556	4,795	5,142	3,855	3,733	4,357	3,799	2,739	3,620	5,717	6,657
Kuskokwim River Drainage	462	0	35	146	119	91	12	1,125	40	169	214	214
Seward Peninsula-												
Norton Sound	0	13	175	0	0	36	10	33	116	0	96	107
Northwest Alaska	0	312	0	107	11	0	0	0	0	17	139	150
Yukon River Drainage	10	52	210	122	32	18	367	509	160	422	279	342
North Slope Brooks Range	83	0	0	94	0	0	148	17	0	25	21	21
Total	5,595	5,933	5,215	5,611	4,017	3,878	4,894	5,483	3,055	4,253	6,466	7,491
Alaska Total	14,465	19,164	27,230	18,849	13,543	9,478	9,268	10,577	4,882	7,245	9,858	13,206

Appendix A44. Alaska sport sheefish harvests, 1983-1993, and catch, 1993, by region and area.

Area Fished	Harvest											Catch 1993
	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	
Southeast												
Ketchikan	0	0	0	0	0	0	0	0	0	0	0	0
Prince of Wales Island	0	0	0	0	0	0	0	0	0	0	0	0
Kake, Petersburg												
Wrangell, Stikine	0	0	0	0	0	0	0	0	0	0	0	0
Sitka	0	0	0	0	0	0	0	0	0	0	0	0
Juneau	0	0	0	0	0	0	0	0	0	0	0	0
Haines-Skagway	0	0	0	0	0	0	0	0	0	0	0	0
Glacier Bay	0	0	0	0	0	0	0	0	0	0	0	0
Yakutat	0	0	0	0	0	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	0	0	0	0	0	0
Southcentral												
Glennallen	0	0	0	0	0	0	0	0	0	0	0	0
Prince William Sound	0	0	0	0	0	0	0	0	0	0	0	0
Knik Arm Drainage	0	0	0	0	0	0	0	0	0	0	0	0
Anchorage	0	0	0	0	0	0	0	0	0	0	0	0
East Susitna River Drainage	0	0	0	0	0	0	0	0	0	0	0	0
West Cook Inlet-												
West Susitna River Drainages	0	0	0	0	0	0	0	0	0	0	0	0
Kenai Peninsula	0	0	0	0	0	0	0	0	0	0	0	0
Kodiak	0	0	0	0	0	0	0	0	0	0	0	0
Naknek River Drainage-												
Alaska Peninsula	0	0	0	0	0	0	0	0	0	0	0	0
Kvichak River Drainage	0	0	0	0	0	0	0	0	0	0	0	0
Nushagak	0	0	0	0	0	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	0	0	0	0	0	0
Arctic-Yukon-Kuskokwim												
Tanana River Drainage	157	325	420	72	235	964	554	169	158	184	100	314
Kuskokwim River Drainage	828	468	175	72	398	637	296	107	154	292	54	1,952
Seward Peninsula-												
Norton Sound	0	0	35	0	0	0	0	0	0	0	0	0
Northwest Alaska	2,079	3,050	1,645	3,363	1,836	964	629	151	603	1,904	1,029	2,273
Yukon River Drainage	259	104	245	214	128	656	757	323	1,341	553	436	2,127
North Slope Brooks Range	0	0	0	0	0	0	70	0	0	0	0	0
Total	3,323	3,947	2,520	3,721	2,597	3,221	2,306	750	2,256	2,933	1,619	6,666
Alaska Total	3,323	3,947	2,520	3,721	2,597	3,221	2,306	750	2,256	2,933	1,619	6,666

Appendix A45. Alaska sport smelt harvests, 1983-1993, and catch, 1993, by region and area.

Area Fished	Harvest											Catch 1993
	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	
Southeast												
Ketchikan	6,265	0	0	0	0	0	0	0	0	0	0	0
Prince of Wales Island	153	0	0	0	0	0	0	82	0	87	60	60
Kake, Petersburg												
Wrangell, Stikine	2,063	1,831	0	1,549	49,527	1,702	2,257	0	0	54	131	211
Sitka	2,369	12,712	35	1,153	7,355	681	1,052	1,721	564	1,709	385	395
Juneau	2,098	0	0	692	723	0	294	172	24	1,558	0	22
Haines-Skagway	46,508	19,425	11,375	5,097	34	1,392	586	0	5,584	33,532	1,677	1,677
Glacier Bay	0	0	0	0	0	0	375	0	0	0	0	0
Yakutat	3,252	3,702	0	461	2,773	3,094	0	1,703	30	0	121	121
Total	62,708	37,670	11,410	8,952	60,412	6,869	4,564	3,678	6,202	36,940	2,374	2,486
Southcentral												
Glennallen	0	0	0	0	0	0	0	0	0	0	0	0
Prince William Sound	8,393	2,370	0	15	1,908	3,713	64	3,386	273	4,123	1,453	1,493
Knik Arm Drainage			560	3,351	0	0	0	0	0	0	0	0
Anchorage	95,606	301,545	268,135	123,954	131,584	139,508	103,881	133,027	69,257	42,964	29,865	30,334
East Susitna River Drainage	0	0	0	0	0	0	0	0	0	0	0	0
West Cook Inlet-												
West Susitna River Drainages				1,680	7,300	9,265	8,849	2,324	5,810	6,132	15,523	6,596
Kenai Peninsula	190,247	58,783	27,860	37,300	53,897	18,378	33,140	41,029	6,987	24,068	8,227	9,421
Kodiak	0	0	35	0	462	0	0	0	0	140	67	67
Naknek River Drainage-												
Alaska Peninsula	3,902	7,955	16,345	1,284	42	30,321	4,456	3,172	15,249	15,858	5,423	5,542
Kvichak River Drainage	0	0	0	0	0	0	0	0	0	0	0	0
Nushagak	0	0	0	0	46	31	56,973	2,257	5,916	6,923	3,790	3,790
Total	298,148	370,653	314,615	173,204	197,204	200,800	200,838	188,681	103,814	109,599	55,421	57,243
Arctic-Yukon-Kuskokwim												
Tanana River Drainage	0	0	0	0	0	0	0	0	0	0	0	0
Kuskokwim River Drainage			1,750	0	0	248	1,324	211	0	1,136	3,343	3,343
Seward Peninsula-												
Norton Sound			7,000	189	2,023	2,228	410	995	1,699	865	335	335
Northwest Alaska	0	0	0	275	5,057	0	261	0	119	0	22	22
Yukon River Drainage	0	0	0	0	0	0	0	0	0	0	0	0
North Slope Brooks Range			0	0	0	429	503	0	0	0	0	0
Total	0	0	8,750	464	7,080	2,476	2,424	1,709	1,818	2,001	3,700	3,700
Alaska Total	360,856	408,323	334,775	182,620	264,696	210,145	207,826	194,068	111,834	148,540	61,495	63,429

Appendix A46. Alaska sport Pacific halibut harvests, 1983-1993, and catch, 1993, by region and area.

Area Fished	Harvest											Catch 1993
	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	
Southeast												
Ketchikan	6,760	11,719	12,600	11,014	9,676	11,544	13,699	9,872	9,733	9,455	12,763	17,909
Prince of Wales Island	1,849	2,724	3,073	2,902	2,760	2,778	9,213	10,264	11,875	11,661	22,501	35,095
Kake, Petersburg												
Wrangell, Stikine	4,147	5,649	4,757	3,624	3,039	3,877	5,548	5,768	6,433	6,153	5,984	11,304
Sitka	7,945	8,197	6,091	6,617	7,545	10,572	17,727	17,492	20,283	22,092	19,366	31,694
Juneau	18,651	15,618	16,695	16,574	14,382	18,697	20,273	16,248	13,637	14,850	16,340	25,270
Haines-Skagway	1,426	2,029	1,023	2,189	3,567	3,201	2,588	1,972	1,199	926	2,195	3,283
Glacier Bay	535	748	1,355	1,331	2,184	4,238	4,484	3,415	8,766	4,863	5,878	10,149
Yakutat	682	241	520	777	1,194	1,673	772	1,459	2,112	1,861	2,752	3,710
Total	41,995	46,925	46,114	45,028	44,347	56,580	74,304	66,490	74,038	71,861	87,779	138,414
Southcentral												
Glenallen	0	0	0	0	0	0	0	0	0	0	0	0
Prince William Sound	3,493	4,428	4,527	8,331	4,379	9,845	8,697	10,851	12,733	17,855	19,716	36,136
Knik Arm Drainage	0	0	0	0	0	0	0	0	0	0	0	0
Anchorage	0	0	0	0	0	0	0	0	0	0	0	0
East Susitna River Drainage	0	0	0	0	0	0	0	0	0	0	0	0
West Cook Inlet-												
West Susitna River Drainages			510	1,072	869	1,192	1,224	1,685	1,576	984	2,507	5,630
Kenai Peninsula	62,745	64,469	68,582	94,479	84,733	147,756	132,944	156,353	160,888	160,705	185,431	368,142
Kodiak	8,545	8,179	7,303	10,960	9,869	7,749	10,435	9,134	12,089	10,860	14,169	29,212
Naknek River Drainage-												
Alaska Peninsula	264	969	536	1,015	1,596	1,984	1,412	2,545	5,199	2,645	3,491	11,584
Kvichak River Drainage	0	0	0	0	0	0	0	0	0	0	0	0
Nushagak	0	0	0	0	0	0	0	0	0	0	0	0
Total	75,047	78,045	81,458	115,857	101,446	168,526	154,712	180,568	192,485	193,049	225,314	450,704
Arctic-Yukon-Kuskokwim												
Tanana River Drainage	0	0	0	0	0	0	0	0	0	0	0	0
Kuskokwim River Drainage			62	0	36	0	0	144	0	33	54	71
Seward Peninsula-												
Norton Sound	0	0	0	0	0	0	0	0	0	0	0	0
Northwest Alaska	0	0	0	0	0	0	0	0	0	0	0	0
Yukon River Drainage	0	0	0	0	0	0	0	0	0	0	0	0
North Slope Brooks Range	0	0	0	0	0	0	0	0	0	0	0	0
Total	0	0	62	0	36	0	0	144	0	33	54	71
Alaska Total	117,042	124,970	127,634	160,885	145,829	225,106	229,016	247,202	266,523	264,943	313,147	589,189

Appendix A47. Alaska sport rockfish harvests, 1983-1993, and catch, 1993, by region and area.

Area Fished	Harvest										Catch 1993
	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	
Southeast											
Ketchikan	18,824	16,295	16,632	17,861	18,231	26,378	17,159	9,043	8,504	9,927	6,764
Prince of Wales Island	12,040	5,197	4,168	9,841	9,984	8,692	8,955	9,062	7,200	7,968	9,589
Kake, Petersburg											
Wrangell, Stikine	1,008	2,265	2,663	2,106	2,525	480	1,726	1,150	1,222	1,838	2,070
Sitka	9,855	6,375	5,085	5,997	5,944	9,319	6,196	3,948	4,879	6,852	6,622
Juneau	7,859	5,978	4,704	4,847	4,709	10,224	4,638	1,881	3,408	3,532	5,717
Haines-Skagway	168	558	315	794	289	854	465	488	415	181	569
Glacier Bay	409	85	472	78	307	801	357	306	936	501	448
Yakutat	105	146	0	44	272	91	8	81	264	414	251
Total	50,268	36,899	34,039	41,568	42,261	56,839	39,504	25,959	26,828	31,213	32,030
											98,635
Southcentral											
Glenallen	0	0	0	0	0	0	0	0	0	0	0
Prince William Sound	6,514	7,993	8,853	9,762	6,563	12,711	12,919	8,157	8,733	15,478	12,274
Knik Arm Drainage	0	0	0	0	0	0	0	0	0	0	0
Anchorage	0	0	0	0	0	0	0	0	0	0	0
East Susitna River Drainage	0	0	0	0	0	0	0	0	0	0	0
West Cook Inlet-											
West Susitna River Drainages	0	0	0	0	0	0	0	0	0	0	0
Kenai Peninsula	22,700	26,485	19,828	44,763	16,154	45,327	29,028	21,937	22,622	33,266	29,971
Kodiak	3,252	8,231	4,691	4,479	6,501	11,369	5,070	3,842	8,036	5,652	7,569
Naknek River Drainage-											
Alaska Peninsula	62	1,116	199	686	2,046	1,875	255	2,677	1,044	914	781
Kvichak River Drainage	0	0	0	0	0	0	0	0	0	0	0
Nushagak	0	0	0	0	0	0	0	0	0	0	0
Total	32,528	43,825	33,571	59,690	31,264	71,282	47,272	36,613	40,435	55,310	50,595
											96,235
Arctic-Yukon-Kuskokwim											
Tanana River Drainage	0	0	0	0	0	0	0	0	0	0	0
Kuskokwim River Drainage	0	0	0	0	0	0	0	0	0	0	0
Seward Peninsula-											
Norton Sound	0	0	0	0	0	0	0	0	0	0	0
Northwest Alaska	0	0	0	0	0	0	0	0	0	0	0
Yukon River Drainage	0	0	0	0	0	0	0	0	0	0	0
North Slope Brooks Range	0	0	0	0	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	0	0	0	0	0
Alaska Total	82,796	80,724	67,610	101,258	73,525	128,121	86,776	62,572	67,263	86,523	82,625
											194,870

Appendix A48. Alaska sport lingcod harvests, 1991-1993, and catch,
1993, by region and area.

Area Fished	Harvest			Catch
	1991	1992	1993	1993
Southeast				
Ketchikan	1,977	2,381	2,171	3,398
Prince of Wales Island	3,245	4,048	6,422	8,566
Kake, Petersburg				
Wrangell, Stikine	201	486	653	782
Sitka	2,448	4,683	3,901	5,375
Juneau	1,047	1,129	840	2,829
Haines-Skagway	353	102	268	471
Glacier Bay	327	56	216	541
Yakutat	160	308	498	881
Total	9,758	13,193	14,969	22,843
Southcentral				
Glenallen	0	0	0	0
Prince William Sound	1,979	2,575	2,008	6,867
Knik Arm Drainage	0	0	0	0
Anchorage	0	93	0	0
East Susitna River Drainage	0	0	0	0
West Cook Inlet-				
West Susitna River Drainages	35	0	45	170
Kenai Peninsula	8,932	11,280	4,715	15,530
Kodiak	1,352	1,454	922	2,404
Naknek River Drainage-				
Alaska Peninsula	993	299	198	761
Kvichak River Drainage	0	0	0	0
Nushagak	0	0	0	0
Total	13,291	15,701	7,888	25,732
Arctic-Yukon-Kuskokwim				
Tanana River Drainage	0	0	0	0
Kuskokwim River Drainage	0	0	0	0
Seward Peninsula-				
Norton Sound	0	0	0	0
Northwest Alaska	0	0	0	0
Yukon River Drainage	0	0	0	0
North Slope Brooks Range	0	0	0	0
Total	0	0	0	0
Alaska Total	23,049	28,894	22,857	48,575

Appendix A49. Alaska sport razor clam harvests, 1983-1993, and catch, 1993, by region and area.

Area Fished	Harvest										Catch 1993	
	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992		
Southeast												
Ketchikan	0	0	0	0	0	0	0	0	0	0	0	
Prince of Wales Island	0	0	0	0	0	0	0	0	0	0	0	
Kake, Petersburg												
Wrangell, Stikine	0	0	0	0	0	0	0	0	0	0	0	
Sitka	8,791	2,543	11,830	8,422	2,149	3,284	5,104	4,428	618	2,445	1,001	
Juneau	0	0	0	0	0	0	0	0	0	0	0	
Haines-Skagway	0	0	0	0	0	0	0	0	0	0	0	
Glacier Bay	0	0	0	0	0	0	0	0	0	0	0	
Yakutat	0	0	0	0	0	0	0	0	0	0	0	
Total	8,791	2,543	11,830	8,422	2,149	3,284	5,104	4,428	618	2,445	1,001	
Southcentral												
Glennallen	0	0	0	0	0	0	0	0	0	0	0	
Prince William Sound	16,640	36,003	1,680	7,049	9,388	5,455	4,243	5,235	2,692	26,307	6,629	
Knik Arm Drainage	0	0	0	0	0	0	0	0	0	0	0	
Anchorage	0	0	0	0	0	0	0	0	0	0	0	
East Susitna River Drainage	0	0	0	0	0	0	0	0	0	0	0	
West Cook Inlet-												
W Susitna River Drainages	180,600	67,116	101,710	111,048	107,022	58,784	57,603	48,752	27,658	31,066	39,989	
Kenai Peninsula	978,720	1,084,453	1,086,470	1,165,665	1,004,875	1,189,682	849,536	979,353	1,176,433	1,176,349	963,054	963,054
Kodiak	2,000	7,360	4,970	7,064	2,155	4,614	1,477	173	119	973	1,286	
Naknek River Drainage-												
Alaska Peninsula	0	0	0	0	0	0	0	0	0	0	0	
Kvichak River Drainage	0	0	0	0	0	0	0	0	0	0	0	
Nushagak	0	0	0	0	0	0	0	0	0	0	0	
Total	1,177,960	1,194,932	1,194,830	1,290,826	1,123,440	1,258,535	912,859	1,033,513	1,206,902	1,234,695	1,010,958	
Arctic-Yukon-Kuskokwim												
Tanana River Drainage	0	0	0	0	0	0	0	0	0	0	0	
Kuskokwim River Drainage	0	0	0	0	0	0	0	0	0	0	0	
Seward Peninsula-												
Norton Sound	0	0	0	0	0	0	0	0	0	0	0	
Northwest Alaska	0	0	0	0	0	0	0	0	0	0	0	
Yukon River Drainage	0	0	0	0	0	0	0	0	0	0	0	
North Slope Brooks Range	0	0	0	0	0	0	0	0	0	0	0	
Total	0	0	0	0	0	0	0	0	0	0	0	
Alaska Total	1,186,751	1,197,475	1,206,660	1,299,248	1,125,589	1,261,819	917,963	1,037,941	1,207,520	1,237,140	1,011,959	1,011,959

Appendix A50. Alaska sport harvests, 1983-1993, and catch, 1993, of other fish by region and area.

Area Fished	Harvest											Catch 1993
	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	
Southeast												
Ketchikan	3,270	1,958	11,876	5,230	4,450	10,891	3,312	2,571	2,515	477	2,285	3,682
Prince of Wales Island	1,238	354	312	2,903	6,638	1,610	447	2,653	518	876	2,438	3,001
Kake, Petersburg												
Wrangell, Stikine	595	708	242	7,606	5,971	9,128	3,997	4,080	1,217	1,050	1,819	2,471
Sitka	7,785	6,740	1,873	1,015	20,156	4,642	1,983	7,850	2,691	2,488	1,979	4,031
Juneau	6,105	8,285	11,063	1,734	13,260	4,827	5,952	1,754	3,860	3,050	2,046	5,047
Haines-Skagway	566	768	641	918	1,113	1,331	728	838	3,335	508	2,463	3,862
Glacier Bay	31	79	69	0	2,062	0	1,040	200	68	292	197	259
Yakutat	0	123	0	204	0	371	120	221	0	151	10	241
Total	19,590	19,015	26,076	19,610	53,650	32,800	17,579	20,167	14,204	8,892	13,237	22,594
Southcentral												
Glenallen	63	256	417	178	76	0	0	0	47	11	9	53
Prince William Sound	7,573	3,055	22,784	21,315	17,945	10,303	20,466	6,444	4,992	7,445	7,964	14,301
Knik Arm Drainage	429	449	209	24	462	0	0	99	0	790	176	226
Anchorage	2,350	98	69	555	93	31	248	0	297	649	392	906
East Susitna River Drainage	469	225	0	0	0	0	15	67	16	76	49	294
West Cook Inlet-												
West Susitna River Drainages	471	772	104	87	93	0	47	51	1,351	22	87	657
Kenai Peninsula	17,958	5,005	10,976	25,974	11,208	31,073	31,069	43,691	9,277	10,021	5,275	26,146
Kodiak	1,836	2,181	1,911	10,922	9,080	8,694	1,757	2,657	2,995	1,062	1,618	4,299
Naknek River Drainage-												
Alaska Peninsula	241	4,855	434	8,820	1,481	62	222	1,757	1,588	1,191	946	9,042
Kvichak River Drainage	0	623	15	0	0	0	17	0	0	32	80	80
Nushagak	0	0	0	0	0	31	0	17	48	184	63	894
Total	31,390	17,519	36,919	67,875	40,438	50,194	53,841	54,783	20,611	21,483	16,659	56,898
Arctic-Yukon-Kuskokwim												
Tanana River Drainage	21	39	0	171	0	0	130	34	303	0	79	187
Kuskokwim River Drainage	4,322	52	0	0	0	0	0	0	95	11	589	598
Seward Peninsula-												
Norton Sound	4,474	325	1,264	566	0	371	33	580	1,385	909	549	578
Northwest Alaska	0	13	72	612	0	0	174	0	0	216	177	187
Yukon River Drainage	10	0	0	0	0	0	34	0	0	0	0	0
North Slope Brooks Range	0	1,454	0	0	0	0	0	0	0	0	0	0
Total	8,827	1,883	1,336	1,349	0	371	371	614	1,783	1,136	1,394	1,550
Alaska Total	59,807	38,417	64,331	88,834	94,088	83,365	71,791	75,564	36,598	31,511	31,290	81,042

Appendix A51. Ketchikan Area^a sport fish harvest and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KI ^c	KS ^c	SS	RS	KO	PS	CS	DV	SH	RT	CT	BT	GR	SM	HA	RF	LC	OTHER
SALTWATER:																					
Boat - East, West																					
Behm Canals	6,844	12,020	18,607	0	1,442	8,226	124	0	5,128	797	10	0	0	0	0	0	0	2,574	1,665	599	611
Boat -																					
Clarence Strait	7,230	11,856	17,160	0	1,660	5,823	36	0	4,306	562	10	0	0	0	0	0	0	5,075	2,363	744	329
Boat -																					
Revilla Channel	7,978	13,159	15,488	0	1,864	2,111	222	0	3,394	121	77	0	0	10	0	0	0	2,557	1,577	390	235
Boat -																					
Tongass Narrows	2,100	2,977	3,750	0	236	705	9	0	1,831	34	10	0	0	33	0	0	0	1,066	466	165	393
Boat - Yes Bay	939	1,450	1,825	0	200	509	276	0	147	42	0	0	0	22	0	0	0	310	280	18	0
Boat -																					
Bell Island	939	901	1,325	0	265	187	35	0	138	8	0	19	0	0	0	0	0	230	85	37	10
Boat - Other	1,510	2,029	3,294	0	315	755	0	0	1,104	117	18	0	0	0	0	0	0	816	187	208	687
Shoreline -																					
Mountain Point	573	1,425	1,469	0	9	28	9	0	1,758	0	0	0	0	0	0	0	0	0	0	0	0
Shoreline - Other	918	1,417	3,043	0	37	172	27	0	379	26	28	0	0	151	0	0	0	135	141	10	20
SALTWATER TOTAL	18,905^d	47,234	65,961	0	6,028	18,516	738	0	18,185	1,707	153	19	0	216	0	0	0	12,763	6,764	2,171	2,285
FRESHWATER:																					
Naha River	726	899	1,541	0	0	363	300	0	9	100	9	0	283	76	0	0	0	0	0	0	0
Ward Cove Creek	403	1,289	1,761	0	0	229	0	0	28	0	390	41	0	190	0	0	0	0	0	0	0
Ketchikan Creek	352	1,091	1,212	0	0	82	9	0	9	0	214	0	0	0	0	0	0	0	0	0	0
Other Streams	1,063	1,645	2,271	0	0	72	0	0	1,385	67	917	0	104	521	0	0	0	0	0	0	0
Ward Lake	660	1,323	1,214	0	0	143	0	0	0	0	283	9	77	291	0	0	0	0	0	0	0
McDonald Lake																					
Drainage	307	262	474	0	0	44	10	0	0	0	160	0	36	0	0	0	0	0	0	0	0
Other Lakes	1,300	1,478	2,711	0	0	10	0	15	35	8	240	0	846	1,186	67	0	0	0	0	0	0
FRESHWATER TOTAL	3,425^d	7,987	11,184	0	0	943	319	15	1,466	175	2,213	50	1,346	2,264	67	0	0	0	0	0	0
GRAND TOTAL	20,464^d	55,221	77,145	0	6,028	19,459	1,057	15	19,651	1,882	2,366	69	1,346	2,480	67	0	0	12,763	6,764	2,171	2,285

^a Ketchikan (Area A): All waters of Alaska, including drainages, from Portland Inlet to, but not including, Ernest Sound; including Duke, Annette, and Gravina Islands.

^b Refer to Appendix A3 for common names and species abbreviations.

^c KI is chinook salmon less than 28 inches. KS is chinook salmon 28 inches and over.

^d Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A52. Ketchikan Area^a sport fish catch and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KI ^c	KS ^c	SS	RS	KO	PS	CS	DV	SH	RT	CT	BT	GR SM	HA	RF	LC	OTHER	
SALTWATER:																					
Boat - East, West																					
Behm Canals	6,844	12,020	18,607	1,693	1,915	9,307	124	0	8,724	1,279	47	0	0	11	0	0	4,295	6,381	880	1,383	
Boat -																					
Clarence Strait	7,230	11,856	17,160	1,824	2,285	6,464	114	0	7,272	765	10	0	0	0	0	0	6,744	6,896	1,190	420	
Boat -																					
Revilla Channel	7,978	13,159	15,488	1,889	2,024	2,490	458	0	5,731	213	77	0	0	10	0	0	0	3,629	4,893	700	297
Boat -																					
Tongass Narrows	2,100	2,977	3,750	142	356	788	9	0	2,548	67	10	9	0	67	0	0	0	1,308	3,429	204	509
Boat - Yes Bay	939	1,450	1,825	249	310	681	310	0	391	125	0	0	0	22	0	0	0	424	330	98	0
Boat -																					
Bell Island	939	901	1,325	271	548	239	87	0	219	33	0	19	0	0	0	0	0	282	198	37	10
Boat - Other	1,510	2,029	3,294	66	443	1,075	0	0	1,427	444	175	0	0	0	0	0	0	1,073	851	279	740
Shoreline -																					
Mountain Point	573	1,425	1,469	10	9	28	9	0	2,134	0	0	0	0	0	0	0	0	235	0	0	265
Shoreline - Other	919	1,417	3,043	28	45	172	97	0	1,264	68	122	0	0	403	0	0	0	154	668	10	49
SALTWATER TOTAL	18,905^d	47,234	65,961	6,172	7,935	21,244	1,208	0	29,710	2,994	441	28	0	513	0	0	0	17,909	23,881	3,398	3,673
FRESHWATER:																					
Naha River	726	899	1,541	61	0	363	317	0	1,428	137	9	367	1,993	649	0	0	0	0	0	0	9
Ward Cove Creek	403	1,289	1,761	0	0	246	0	0	728	0	707	460	59	759	0	0	0	0	0	0	0
Ketchikan Creek	352	1,091	1,212	0	26	272	9	0	105	8	253	329	40	0	0	0	0	0	0	0	0
Other Streams	1,063	1,645	2,271	0	26	72	10	0	3,122	807	2,450	453	1,332	2,736	10	0	0	0	0	0	0
Ward Lake	660	1,323	1,214	0	0	287	0	0	0	9	437	40	453	2,751	0	0	0	0	0	0	0
McDonald Lake																					
Drainage	307	262	474	0	0	124	74	0	87	17	286	123	154	41	0	0	0	0	0	0	0
Other Lakes	1,300	1,478	2,711	0	9	10	0	56	92	79	994	9	3,683	8,892	343	512	0	0	0	0	0
FRESHWATER TOTAL	3,425^d	7,987	11,184	61	61	1,374	410	56	5,562	1,057	5,136	1,781	7,714	15,828	353	512	0	0	0	0	9
GRAND TOTAL	20,464^d	55,221	77,145	6,233	7,996	22,618	1,618	56	35,272	4,051	5,577	1,809	7,714	16,341	353	512	0	17,909	23,881	3,398	3,682

^a Ketchikan (Area A): All waters of Alaska, including drainages, from Portland Inlet to, but not including, Ernest Sound; including Duke, Annette, and Gravina Islands.

^b Refer to Appendix A3 for common names and species abbreviations.

^c KI is chinook salmon less than 28 inches. KS is chinook salmon 28 inches and over.

^d Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A53. Prince of Wales Island Area^a sport fish harvest and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KI ^c	KS ^c	SS	RS	KO	PS	CS	DV	SH	RT	CT	GR	SM	HA	RF	LC	OTHER
SALTWATER:																				
Boat - Waterfall Bay	2,264	4,108	8,098	0	1,731	13,142	158	0	3,879	108	9	0	0	0	0	60	4,953	1,165	1,840	18
Boat - Thorne Bay	230	904	873	0	28	143	0	0	725	0	0	0	0	0	0	0	135	119	27	0
Boat - Cape Chacon	333	361	528	0	174	597	0	0	423	0	0	0	0	0	0	0	428	109	48	18
Boat - Eastside Prince of Wales Island	5,004	8,117	12,757	0	2,183	6,015	43	0	3,176	153	136	30	0	0	0	0	5,699	2,828	1,273	2,071
Boat - Westside Prince of Wales Island	7,452	15,729	25,101	0	4,144	18,424	686	0	4,719	578	186	103	0	0	0	0	11,146	5,087	3,176	331
Shoreline	522	780	1,462	0	107	96	58	0	363	9	0	0	0	0	0	0	140	281	58	0
SALTWATER TOTAL	13,286^d	29,999	48,819	0	8,367	38,417	945	0	13,285	848	331	133	0	0	0	60	22,501	9,589	6,422	2,438
FRESHWATER:																				
Sweetwater System (Stream, Lake)																				
Thorne System (Stream, Lake)	745	2,325	3,811	0	0	563	75	0	440	0	241	9	147	284	0	0	0	0	0	0
Sarkar System (Stream, Lake)																				
Karta River	263	276	532	0	0	9	191	0	69	0	9	10	138	62	0	0	0	0	0	0
Klawock River	585	1,484	2,460	0	0	487	0	0	77	0	272	0	68	86	0	0	0	0	0	0
Staney Creek	325	402	890	0	0	66	0	0	19	0	341	0	0	45	0	0	0	0	0	0
Eagle Creek	223	455	526	0	0	0	36	0	0	0	39	0	39	123	0	0	0	0	0	0
Harris River	259	418	406	0	0	128	0	0	104	0	209	0	73	0	0	0	0	0	0	0
Other Streams	838	1,970	2,253	0	0	512	239	0	537	71	386	0	144	56	0	0	0	0	0	0
Other Lakes	212	194	353	0	0	0	0	0	0	0	0	108	76	174	0	0	0	0	0	0
FRESHWATER TOTAL	2,637^d	9,227	13,725	0	0	2,149	2,646	0	1,532	113	1,541	127	703	987	0	60	22,501	9,589	6,422	2,438
GRAND TOTAL	14,355^d	39,226	62,544	0	8,367	40,566	3,591	0	14,817	961	1,872	260	703	987	0	60	22,501	9,589	6,422	2,438

^a Prince of Wales Island (Area B): All waters of Alaska, including drainages, from Cape Chacon to Sumner Strait, and from Clarence Strait westward, including Forester Island.

^b Refer to Appendix A3 for common names and species abbreviations.

^c KI is chinook salmon less than 28 inches. KS is chinook salmon 28 inches and over.

^d Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A54. Prince of Wales Island Area^a sport fish catch and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KI ^c	KS ^c	SS	RS	KO	PS	CS	DV	SH	RT	CT	GR	SM	HA	RF	LC	OTHER
SALTWATER:																				
Boat - Waterfall Bay	2,264	4,108	8,098	2,189	2,524	15,636	166	0	5,907	108	44	0	0	0	0	60	7,359	4,558	2,250	18
Boat - Thorne Bay	230	904	873	0	28	143	0	0	869	0	0	0	0	0	0	0	153	153	27	35
Boat - Cape Chacon	333	361	528	40	336	614	0	0	524	8	0	0	0	0	0	0	500	399	119	18
Boat - Eastside Prince of Wales Island	5,004	8,117	12,757	912	3,172	7,496	53	0	5,012	270	136	40	0	0	0	0	9,254	9,089	1,900	2,531
Boat - Westside Prince of Wales Island	7,452	15,729	25,101	3,986	6,826	24,846	907	0	12,114	1,273	235	122	0	0	0	0	17,588	15,793	4,212	381
Shoreline	522	780	1,462	641	143	251	58	0	706	9	9	0	0	0	0	0	241	428	58	0
SALTWATER TOTAL	13,286 ^d	29,999	48,819	7,768	13,029	48,986	1,184	0	25,132	1,668	424	162	0	0	0	60	35,095	30,420	8,566	2,983
FRESHWATER:																				
Sweetwater System (Stream, Lake)	367	798	982	0	0	614	622	0	259	83	190	10	45	639	0	0	0	0	0	0
Thorne System (Stream, Lake)	745	2,325	3,811	0	0	812	75	0	1,587	0	3,826	154	678	2,965	0	0	0	0	0	18
Sarkar System (Stream, Lake)	492	833	1,391	0	0	625	2,814	8	1,028	0	163	0	0	263	0	0	0	0	0	0
Other Systems	66	72	121	0	0	0	52	0	0	0	9	0	53	252	0	0	0	0	0	0
Karta River	263	276	532	0	0	9	451	0	276	0	228	125	663	1,149	0	0	0	0	0	0
Klawock River	585	1,484	2,460	0	0	1,639	0	0	395	0	1,709	360	609	1,686	0	0	0	0	0	0
Staney Creek	325	402	890	0	0	368	0	0	1,124	121	536	359	0	145	0	0	0	0	0	0
Eagle Creek	223	455	526	0	0	0	140	0	129	0	93	94	124	316	0	0	0	0	0	0
Harris River	259	418	406	0	0	568	0	0	474	18	412	9	73	0	0	0	0	0	0	0
Other Streams	838	1,970	2,253	0	0	1,303	393	0	2,862	383	1,238	358	441	724	0	0	0	0	0	0
Other Lakes	212	194	353	0	0	0	0	0	0	0	877	446	239	606	0	0	0	0	0	0
FRESHWATER TOTAL	2,637 ^d	9,227	13,725	0	0	5,938	4,547	8	8,134	605	9,281	1,915	2,925	8,745	0	0	0	0	0	18
GRAND TOTAL	14,355 ^d	39,226	62,544	7,768	13,029	54,924	5,731	8	33,266	2,273	9,705	2,077	2,925	8,745	0	60	35,095	30,420	8,566	3,001

^a Prince of Wales Island (Area B): All waters of Alaska, including drainages, from Cape Chacon to Sumner Strait, and from Clarence Strait westward, including Forester Island.

^b Refer to Appendix A3 for common names and species abbreviations.

^c KI is chinook salmon less than 28 inches. KS is chinook salmon 28 inches and over.

^d Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A55. Kake, Petersburg, Wrangell, Stikine Area^a sport fish harvest and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KI ^c	KS ^c	SS	RS	KO	PS	CS	DV	SH	RT	CT	BT	GR	WF	SM	HA	RF	LC	OTHER
SALTWATER:																						
Boat - Blind Slough																						
Wrangell Narrows	2,000	4,687	5,971	0	1,020	647	45	0	26	0	26	19	0	0	0	0	0	247	0	0	727	
Boat - Frederick Sound	3,196	6,715	8,297	0	1,402	242	39	0	155	18	195	28	0	157	0	0	0	30	2,544	977	159	196
Boat - Rest of Petersburg Area	1,978	3,708	4,584	0	683	323	17	0	183	0	204	21	0	335	0	0	0	101	1,091	85	57	0
Boat - Wrangell Area	2,738	6,140	8,292	0	1,743	344	87	0	10	9	139	0	0	62	0	0	0	0	762	223	86	10
Boat - Kake Area	479	1,413	1,445	0	126	365	10	0	79	27	19	31	0	0	0	0	0	0	493	63	27	0
Boat - Other	1,781	3,296	5,715	0	574	583	339	0	138	69	88	0	0	111	0	0	0	0	768	705	324	130
Shoreline -																						
Blind Slough																						
Wrangell Narrows	861	2,014	1,996	0	472	184	0	0	29	0	0	0	0	50	0	0	0	0	17	0	0	707
Shoreline - Rest of Petersburg Road System	328	1,053	1,009	0	18	57	0	0	69	9	233	9	0	32	0	0	0	0	26	0	0	0
Shoreline - Wrangell Road System	297	479	1,071	0	68	48	0	0	0	0	68	112	0	257	0	0	0	0	19	17	0	49
Shoreline - Other	523	719	961	0	26	131	106	0	45	0	10	0	0	11	0	0	0	0	17	0	0	0
SALTWATER TOTAL	9,668^d	30,224	39,341	0	6,132	2,924	643	0	734	132	982	220	0	1,015	0	0	0	131	5,984	2,070	653	1,819
FRESHWATER:																						
Anan Creek	271	356	835	0	0	48	0	0	96	8	0	0	0	0	0	0	0	0	0	0	0	
Petersburg Creek	480	992	988	0	0	717	77	0	0	0	93	49	18	72	0	0	0	0	0	0	0	
Castle River	313	299	594	0	0	200	0	0	43	0	28	0	27	280	0	0	0	0	0	0	0	
Other Streams	864	1,772	2,474	0	0	304	488	0	46	0	113	41	60	680	22	0	0	0	0	0	0	
Lakes Systems	833	1,353	2,761	0	0	0	0	0	0	0	49	41	302	941	0	0	0	0	0	0	0	
FRESHWATER TOTAL	2,109^d	5,043	8,041	0	0	1,317	565	0	221	8	283	131	417	2,342	22	0	0	0	0	0	0	
GRAND TOTAL	10,238^d	35,267	47,382	0	6,132	4,241	1,208	0	955	140	1,265	351	417	3,357	22	0	0	131	5,984	2,070	653	1,819

^a Kake, Petersburg, Wrangell, Stikine (Area C): All waters of Alaska, including drainages, from Ernest Sound to Cape Fanshaw, including Wrangell, Etolin, Zarembo, Mitkof, Kupreanof, Kuiu, and Coronation Islands, and Ernest Sound.

^b Refer to Appendix A3 for common names and species abbreviations.

^c KI is chinook salmon less than 28 inches. KS is chinook salmon 28 inches and over.

^d Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A56. Kake, Petersburg, Wrangell, Stikine Area^a sport fish catch and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KI ^c	KS ^c	SS	RS	KO	PS	CS	DV	SH	RT	CT	BT	GR	WF	SM	HA	RF	LC	OTHER
SALTWATER:																						
Boat - Blind Slough																						
Wrangell Narrows	2,000	4,687	5,971	482	1,394	723	45	0	715	0	169	61	0	0	0	0	0	338	0	0	933	
Boat -																						
Frederick Sound	3,196	6,715	8,297	851	2,223	299	39	0	249	46	522	28	0	207	0	0	0	30	4,768	2,298	269	289
Boat - Rest of																						
Petersburg Area	1,978	3,708	4,584	344	849	476	26	0	590	0	1,470	52	0	996	0	0	0	181	1,597	466	76	0
Boat - Wrangell Area	2,738	6,140	8,292	1,144	2,211	451	87	0	81	9	206	0	0	364	0	0	0	0	940	713	86	10
Boat - Kake Area	479	1,413	1,445	19	155	365	10	0	79	92	19	31	0	0	0	0	0	0	576	63	27	0
Boat - Other	1,781	3,296	5,715	393	798	712	339	0	892	152	299	0	0	111	0	0	0	0	2,902	1,146	324	390
Shoreline -																						
Blind Slough																						
Wrangell Narrows	861	2,014	1,996	842	1,116	684	0	0	64	0	185	9	0	106	0	0	0	0	26	85	0	707
Shoreline - Rest of																						
Petersburg Road System	328	1,053	1,009	56	47	57	0	0	194	9	698	50	0	234	0	0	0	0	26	51	0	44
Shoreline - Wrangell																						
Road System	297	479	1,071	100	77	48	0	0	0	0	131	112	0	300	0	0	0	0	36	17	0	98
Shoreline - Other	523	719	961	27	26	217	193	0	54	0	10	0	0	92	0	0	0	0	95	0	0	0
SALTWATER TOTAL	9,668^d	30,224	39,341	4,258	8,896	4,032	739	0	2,918	308	3,709	343	0	2,410	0	0	0	211	11,304	4,839	782	2,471
FRESHWATER:																						
Anan Creek	271	356	835	0	0	48	26	0	967	66	234	0	0	0	0	0	0	0	0	0	0	
Petersburg Creek	480	992	988	0	0	860	222	0	718	0	558	353	46	227	0	0	0	0	0	0	0	
Castle River	313	299	594	0	0	487	0	0	43	0	47	0	71	556	0	0	0	0	0	0	0	
Other Streams	864	1,772	2,474	0	112	689	584	0	450	9	1,486	618	291	2,928	22	0	9	0	0	0	0	
Lakes	833	1,353	2,761	0	0	0	44	0	0	0	332	72	1,433	3,924	0	0	0	0	0	0	0	
Systems	122	271	389	0	0	57	0	0	148	0	0	0	30	626	0	0	0	0	0	0	0	
FRESHWATER TOTAL	2,109^d	5,043	8,041	0	112	2,141	876	0	2,326	75	2,657	1,043	1,871	8,261	22	0	9	0	0	0	0	
GRAND TOTAL	10,238^d	35,267	47,382	4,258	9,008	6,173	1,615	0	5,244	383	6,366	1,386	1,871	10,671	22	0	9	211	11,304	4,839	782	2,471

^a Kake, Petersburg, Wrangell, Stikine (Area C): All waters of Alaska, including drainages, from Ernest Sound to Cape Fanshaw, including Wrangell, Etolin, Zarembo, Mitkof, Kupreanof, Kuiu, and Coronation Islands, and Ernest Sound.

^b Refer to Appendix A3 for common names and species abbreviations.

^c KI is chinook salmon less than 28 inches. KS is chinook salmon 28 inches and over.

^d Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A57. Sitka Area^a sport fish harvest and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KI ^c	KS ^c	SS	RS	KO	PS	CS	DV	SH	RT	CT	BT	GR	SM	HA	RF	LC	RCL	OTHER
SALTWATER:																						
Boat - Crescent Bay (Sheldon Jackson Hatchery Area)	1,284	2,592	3,262	0	458	420	0	0	79	153	125	0	0	0	0	0	677	200	191	0	29	
Boat - Starrigavan Bay	1,072	1,993	2,259	0	275	382	0	0	35	66	45	0	0	0	0	0	445	194	64	0	309	
Boat - Silver Bay	1,401	1,835	2,624	0	425	234	0	0	10	65	0	0	0	56	0	0	0	412	309	59	0	0
Boat - Other Sitka Sound, including Vitskari Island	11,522	23,321	27,493	0	6,439	6,844	336	0	619	1,198	9	10	0	0	0	0	20	10,045	3,442	2,114	0	569
Boat - Biorka Island	299	521	941	0	134	69	0	0	9	0	0	0	0	0	0	0	0	180	53	86	0	0
Boat - Salisbury Sound	3,970	6,411	9,012	0	3,252	1,830	58	0	517	109	10	0	0	0	0	0	0	1,440	341	443	0	0
Boat - Tenakee Inlet	566	1,067	1,159	0	94	315	9	0	29	9	0	0	0	0	0	0	0	209	222	9	0	0
Boat - Hoonah Area	297	610	1,001	0	98	193	0	0	43	8	9	0	0	0	0	0	0	326	0	20	0	35
Boat - Chatham Strait	473	1,323	1,549	0	293	599	9	0	250	33	370	0	0	0	0	0	0	779	471	9	0	71
Boat - Cross Sound	210	264	467	0	77	141	26	0	129	0	53	0	0	0	0	0	0	149	17	72	0	0
Boat - Elfin Cove	384	740	1,374	0	229	285	35	0	207	0	26	0	0	0	0	0	0	556	197	308	0	0
Boat - Kruzof Island	342	284	521	0	162	9	0	0	9	0	0	0	0	0	0	0	0	344	42	80	0	0
Boat - Other	4,037	6,520	8,192	0	1,115	1,840	148	0	581	117	320	84	0	43	0	0	30	3,254	747	374	0	319
Shoreline - Crescent Bay (Sheldon Jackson Hatchery Area)	300	605	574	0	0	0	0	0	0	28	68	0	0	0	0	0	335	35	0	0	0	
Shoreline - Starrigavan Bay	589	846	1,194	0	43	38	0	0	55	0	78	0	0	0	0	0	0	52	0	18	0	314
Shoreline - Other Sitka Sound	969	1,965	2,158	0	258	134	0	0	10	36	0	0	0	0	0	0	0	419	336	45	503	235
Shoreline - Other	745	1,461	1,720	0	112	260	328	0	17	41	0	38	0	0	0	0	0	44	51	9	498	98
SALTWATER TOTAL	20,109^d	52,358	65,500	0	13,464	13,593	949	0	2,599	1,863	1,113	132	0	99	0	0	385	19,366	6,622	3,901	1,001	1,979
FRESHWATER:																						
Eva Lake System (Lake, Stream)	272	352	551	0	0	107	9	0	9	0	0	21	0	91	0	0	0	0	0	0	0	0
Sitkoh System (Lake, Stream)	480	630	1,627	0	0	71	0	0	155	33	205	19	179	647	0	0	0	0	0	0	0	0
Baranof System (Lake, Stream)	362	447	842	0	0	0	0	0	0	0	117	0	0	841	0	67	0	0	0	0	0	0
Other Systems	98	68	121	0	0	19	0	0	0	0	0	0	0	59	0	0	0	0	0	0	0	0
Other Streams	1,002	2,562	3,928	0	0	365	29	0	345	50	615	71	425	201	11	0	0	0	0	0	0	0
Blue Lake	220	614	553	0	0	0	0	0	0	0	0	0	0	567	0	0	0	0	0	0	0	0
Other Lakes	714	1,469	1,822	0	0	363	139	0	268	92	758	0	58	384	123	28	0	0	0	0	0	0
FRESHWATER TOTAL	2,190^d	6,142	9,444	0	0	925	177	0	777	175	1,695	111	1,288	2,164	134	95	0	0	0	0	0	0
GRAND TOTAL	20,931^d	58,500	74,944	0	13,464	14,518	1,126	0	3,376	2,038	2,808	243	1,288	2,263	134	95	385	19,366	6,622	3,901	1,001	1,979

^a Sitka (Area D): Baranof, Kruzof, Catherine, Yakobi, Inian, Lemesurier, Chichagof, and lesser islands and associated waters of Alaska, including drainages.

^b Refer to Appendix A3 for common names and species abbreviations.

^c KI is chinook salmon less than 28 inches. KS is chinook salmon 28 inches and over.

^d Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A58. Sitka Area^a sport fish catch and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KI ^c	KS ^c	SS	RS	KO	PS	CS	DV	SH	RT	CT	BT	GR	SM	HA	RF	LC	RCL	OTHER
SALTWATER:																						
Boat - Crescent Bay (Sheldon Jackson Hatchery Area)	1,284	2,592	3,262	432	710	680	0	0	169	233	484	9	0	0	0	0	0	1,185	604	210	0	29
Boat - Starrigavan Bay	1,072	1,993	2,259	217	346	442	0	0	107	92	64	0	0	0	0	0	10	490	572	81	0	460
Boat - Silver Bay	1,401	1,835	2,624	192	637	363	0	0	112	74	0	0	0	671	0	0	0	681	1,022	99	0	0
Boat - Other Sitka Sound, including Vitskari Island	11,522	23,321	27,493	3,643	9,099	8,600	887	0	1,142	2,401	149	10	0	0	0	20	15,675	9,514	2,669	0	1,818	
Boat - Bjorka Island	299	521	941	65	229	138	0	0	121	17	0	0	0	0	0	0	0	252	372	114	0	0
Boat - Salisbury Sound	3,970	6,411	9,012	1,689	4,740	2,156	58	0	824	203	10	0	0	0	0	0	0	2,019	1,380	545	0	0
Boat - Tenakee Inlet	566	1,067	1,159	89	94	315	9	0	138	17	97	0	0	0	0	0	0	285	324	9	0	0
Boat - Hoonah Area	297	610	1,001	31	191	244	0	0	122	8	140	0	0	0	0	0	0	533	38	20	0	127
Boat - Chatham Strait	473	1,323	1,549	136	311	617	35	0	440	503	1,164	278	0	20	0	0	0	1,403	661	247	0	265
Boat - Cross Sound	210	264	467	9	145	179	35	0	283	17	88	9	0	0	0	0	0	184	17	72	0	0
Boat - Elfin Cove	384	740	1,374	304	275	285	35	0	682	0	26	0	0	0	0	0	0	1,013	214	347	0	27
Boat - Kruzof Island	342	284	521	51	557	9	0	0	43	0	0	0	0	0	0	0	0	1,209	357	80	0	0
Boat - Other Shoreline - Crescent Bay (Sheldon Jackson Hatchery Area)	4,037	6,520	8,192	720	1,835	2,346	148	0	2,674	401	659	121	0	224	0	0	30	5,831	3,647	739	0	638
Shoreline - Shoreline - Starrigavan Bay	300	605	574	0	34	0	0	0	77	129	741	0	0	0	0	0	335	35	102	0	0	0
Shoreline - Other Sitka Sound	589	846	1,194	9	43	38	0	0	194	9	238	0	0	0	0	0	0	70	226	18	0	334
Shoreline - Other SALTWATER TOTAL	969	1,965	2,158	214	303	291	27	0	39	36	18	0	0	0	0	0	650	786	116	503	235	
Shoreline - Other SALTWATER TOTAL	745	1,461	1,720	146	137	308	661	0	532	274	88	207	0	0	0	0	0	179	237	9	498	98
FRESHWATER:																						
Eva Lake System (Lake, Stream)	272	352	551	0	0	107	46	98	43	0	683	21	143	1,172	0	0	0	0	0	0	0	0
Sitkah System (Lake, Stream)	480	630	1,627	0	0	664	0	0	443	61	2,704	873	1,919	3,487	0	0	0	0	0	0	0	0
Baranof System (Lake, Stream)	362	447	842	0	0	0	0	0	0	0	220	74	0	2,943	0	93	0	0	0	0	0	0
Other Systems	98	68	121	0	0	19	0	0	19	0	0	0	371	22	0	0	0	0	0	0	0	0
Other Streams	1,002	2,562	3,928	0	0	531	188	0	1,473	297	7,080	245	2,445	1,300	11	0	0	0	0	0	0	0
Blue Lake	220	614	553	0	0	0	0	0	0	0	0	0	1,933	0	0	0	0	0	0	0	0	0
Other Lakes	714	1,469	1,822	0	0	467	217	0	834	286	3,704	0	331	4,536	601	56	0	0	0	0	0	0
FRESHWATER TOTAL	2,190 ^d	6,142	9,444	0	0	1,788	451	98	2,812	644	14,391	1,213	7,142	13,460	612	149	0	0	0	0	0	0
GRAND TOTAL	20,931 ^d	58,500	74,944	7,947	19,686	18,799	2,346	98	10,511	5,058	18,357	1,847	7,142	14,375	612	149	395	31,694	20,073	5,375	1,001	4,031

^a Sitka (Area D): Baranof, Kruzof, Catherine, Yakobi, Inian, Lemesurier, Chichagof, and lesser islands and associated waters of Alaska, including drainages.

^b Refer to Appendix A3 for common names and species abbreviations.

^c KI is chinook salmon less than 28 inches. KS is chinook salmon 28 inches and over.

^d Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A59. Juneau Area^a sport fish harvest and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KI ^c	KS ^c	SS	LL	RS	KO	PS	CS	DV	SH	RT	CT	BT	GR	SM	HA	RF	LC	OTHER
SALTWATER:																						
Boat - Doty Cove to Berners Bay and west to Point Retreat	18,018	49,558	65,485	0	8,530	18,788	0	530	0	3,316	1,325	1,787	21	0	581	0	0	0	7,527	1,976	284	850
Boat - Angoon Area	1,600	3,075	6,766	0	547	2,638	0	296	0	2,756	798	474	0	0	30	0	0	0	3,588	1,204	250	212
Boat - Stephens Passage	1,740	3,447	6,630	0	819	440	0	0	0	169	54	300	0	0	0	0	0	0	725	235	81	64
Boat - Lynn Canal	816	1,912	2,372	0	288	634	0	10	0	157	44	19	0	0	0	0	0	0	446	57	10	20
Boat - Admiralty Island	327	524	632	0	111	139	0	0	0	104	8	88	0	0	0	0	0	0	387	203	27	0
Boat - Funter Bay	947	1,025	2,385	0	155	552	0	0	0	17	28	0	0	0	0	0	0	0	401	56	18	0
Boat - Outer Point	396	576	694	0	102	96	0	0	0	0	0	0	0	0	0	0	0	0	10	0	0	0
Boat - Other	4,055	6,984	11,451	0	1,191	2,571	0	848	0	1,247	116	874	52	0	313	0	0	0	2,529	1,701	125	154
Shoreline - Sheep Creek Area	1,613	3,356	3,361	0	159	296	0	0	0	170	511	1,373	0	0	21	0	0	0	0	0	0	0
Shoreline - Auke Creek Mouth	1,332	2,646	3,040	0	289	241	0	0	0	184	0	0	0	0	0	0	0	0	150	93	18	10
Shoreline - Other Juneau Road System	4,567	9,240	11,858	0	437	2,082	0	9	0	539	347	868	52	0	133	0	0	0	533	136	27	20
Shoreline - Other	1,185	2,043	2,872	0	312	422	0	56	0	83	43	346	10	0	33	0	0	0	44	56	0	707
SALTWATER TOTAL	24,798d	84,386	117,546	0	12,940	28,899	0	1,749	0	8,742	3,274	6,129	135	0	1,111	0	0	0	16,340	5,717	840	2,037
FRESHWATER:																						
Fish Creek (Douglas Island)	950	1,977	2,089	20	132	19	0	0	0	141	45	167	0	0	11	0	0	0	0	0	0	0
Peterson Creek and Salt Chuck	639	1,657	1,703	0	9	276	0	0	0	0	28	117	0	0	78	0	0	0	0	0	0	0
Twin Lakes	1,358	1,706	3,062	0	0	0	0	1,454	0	0	0	78	82	0	305	0	0	0	0	0	0	0
Other Juneau Road System	1,576	3,623	3,395	0	17	637	0	0	0	165	56	565	10	0	287	172	0	0	0	0	0	0
Other Streams	1,051	1,746	2,326	0	0	265	0	540	0	133	50	418	31	58	1,240	10	0	0	0	0	0	0
Hasselborg Lake	275	524	821	0	0	0	0	0	126	0	0	19	0	0	563	0	0	0	0	0	0	0
Other Lakes	877	1,703	2,954	0	0	332	0	241	65	35	0	430	0	109	1,921	0	0	0	0	0	0	9
FRESHWATER TOTAL	4,709d	12,936	16,350	20	158	1,529	1,454	781	191	474	179	1,794	123	167	4,405	182	0	0	0	0	0	9
GRAND TOTAL	25,749d	97,322	133,896	20	13,098	30,428	1,454	2,530	191	9,216	3,453	7,923	258	167	5,516	182	0	0	16,340	5,717	840	2,046

^a Juneau (Area E): All waters of Alaska, including drainages, from Cape Fanshaw to Point Sherman, including Berners Bay, Lynn Canal south of a line from Point Sherman to the Haines Borough boundary, Point Sherman, and all of Admiralty Island.

^b Refer to Appendix A3 for common names and species abbreviations.

^c KI is chinook salmon less than 28 inches. KS is chinook salmon 28 inches and over.

^d Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A60. Juneau Area^a sport fish catch and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KI ^c	KS ^c	SS	LL	RS	KO	PS	CS	DV	SH	RT	CT	BT	GR	SM	HA	RF	LC OTHER		
SALTWATER:																							
Boat - Doty Cove to Berners Bay and west to Point Retreat	18,018	49,558	65,485	9,406	9,865	21,624	0	587	0	13,457	3,024	4,862	41	0	0	0	11	10,302	3,702	1,269	2,876		
Boat - Angoon Area	1,600	3,075	6,766	427	785	3,153	0	414	0	4,359	1,749	1,031	0	0	0	0	0	7,023	2,300	647	398		
Boat - Stephens Passage	1,740	3,447	6,630	759	909	440	0	0	0	536	62	424	52	0	0	0	0	892	3,782	81	142		
Boat - Lynn Canal	816	1,912	2,372	180	372	777	0	10	0	253	103	19	0	0	0	0	0	539	66	10	20		
Boat - Admiralty Island	327	524	632	55	111	156	0	17	0	240	8	202	0	0	0	0	0	754	373	27	0		
Boat - Funter Bay	947	1,025	2,385	29	259	571	0	0	0	182	28	0	0	0	0	0	0	538	237	91	0		
Boat - Outer Point	396	576	694	133	102	115	0	0	0	58	0	0	0	0	0	0	0	10	0	0	0		
Boat - Other	4,055	6,984	11,451	1,130	1,602	3,190	0	922	0	3,125	626	1,856	62	0	313	0	0	11	4,202	3,107	502	525	
Shoreline - Sheep Creek Area	1,613	3,356	3,361	66	178	315	0	0	0	883	2,631	3,025	0	0	71	0	0	0	9	93	9	20	
Shoreline - Auke Creek Mouth	1,332	2,646	3,040	282	418	241	0	258	0	344	108	58	0	0	0	0	0	237	93	18	87		
Shoreline - Other Juneau Road System	4,567	9,240	11,858	543	517	2,544	0	70	0	1,137	1,298	4,921	62	0	602	0	0	0	720	549	175	86	
Shoreline - Other	1,185	2,043	2,872	227	350	944	0	56	0	275	128	931	56	0	122	0	0	0	44	56	0	884	
SALTWATER TOTAL	24,798^d	84,386	117,546	13,237	15,468	34,070		0	2,334	0	24,849	9,765	17,329	273	0	2,389	0	0	22	25,270	14,358	2,829	5,038
FRESHWATER:																							
Fish Creek (Douglas Island)	950	1,977	2,089	72	236	48	0	222	0	237	210	714	0	0	34	0	0	0	0	0	0		
Peterson Creek and Salt Chuck	639	1,657	1,703	0	9	370	0	0	0	192	83	2,972	77	138	539	0	0	0	0	0	0		
Twin Lakes	1,358	1,706	3,062	0	0	0	2,958	366	0	0	0	156	248	0	1,418	0	0	0	0	0	0		
Other Juneau Road System	1,576	3,623	3,395	0	26	1,341	0	0	0	497	696	3,536	20	129	813	182	0	0	0	0	0		
Other Streams	1,051	1,746	2,326	0	28	438	0	636	0	494	240	2,843	381	98	2,858	10	0	0	0	0	0		
Hasselborg Lake	275	524	821	0	0	0	0	0	1,035	0	0	167	0	0	2,298	0	0	0	0	0	0		
Other Lakes	877	1,703	2,954	0	0	682	0	241	274	104	66	1,407	52	127	8,325	0	0	0	0	0	9		
FRESHWATER TOTAL	4,709^d	12,936	16,350	72	299	2,879	2,958	1,465	1,309	1,524	1,295	11,795	778	492	16,285	192	0	0	0	0	0	9	
GRAND TOTAL	25,749^d	97,322	133,896	13,309	15,767	36,949	2,958	3,799	1,309	26,373	11,060	29,124	1,051	492	18,674	192	0	22	25,270	14,358	2,829	5,047	

^a Juneau (Area E): All waters of Alaska, including drainages, from Cape Fanshaw to Point Sherman, including Berners Bay, Lynn Canal south of a line from Point Sherman to the Haines Borough boundary, Point Sherman, and all of Admiralty Island.

^b Refer to Appendix A3 for common names and species abbreviations.

^c KI is chinook salmon less than 28 inches. KS is chinook salmon 28 inches and over.

^d Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A61. Haines-Skagway Area^a sport fish harvest and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KI ^c	KS ^c	SS	RS	KO	PS	CS	DV	SH	RT	CT	BT	GR	WF	SM	HA	RF	LC	OTHER
SKAGWAY SUB-AREA																						
SALTWATER:																						
Boat	2,460	4,720	8,147	0	241	19	0	0	43	8	132	0	0	0	0	0	0	364	50	107	107	
Shoreline	362	886	890	0	0	0	0	0	55	0	184	0	0	10	0	0	0	0	10	141	0	27
SALTWATER TOTAL	2,353^d	5,606	9,037	0	241	19	0	0	98	8	316	0	0	10	0	0	0	0	374	191	107	134
FRESHWATER:																						
Streams	258	629	625	0	0	0	0	0	0	0	282	0	0	0	0	0	0	1,677	0	0	0	0
Lakes	168	296	282	0	0	0	0	0	0	0	0	0	129	0	347	0	0	0	0	0	0	0
FRESHWATER TOTAL	378^d	925	907	0	0	0	0	0	0	0	282	0	129	0	347	0	0	1,677	0	0	0	0
SKAGWAY SUB-AREA TOTAL	2,573^d	6,531	9,944	0	241	19	0	0	98	8	598	0	129	10	347	0	0	1,677	374	191	107	134
HAINES SUB-AREA																						
SALTWATER:																						
Boat - Lynn Canal	1,312	2,787	4,460	0	102	36	0	0	10	8	124	0	0	0	0	0	0	383	0	54	1,080	
Boat - Other	3,137	5,901	10,029	0	457	148	0	0	0	18	387	0	0	20	0	0	0	1,428	124	107	751	
Shoreline	892	1,353	2,358	0	44	17	0	0	18	18	468	0	0	22	0	0	0	0	10	254	0	498
SALTWATER TOTAL	4,055^d	10,041	16,847	0	603	201	0	0	28	44	979	0	0	42	0	0	0	0	1,821	378	161	2,329
FRESHWATER:																						
Chilkoot River	2,397	4,151	5,768	0	0	1,085	134	0	129	25	2,615	19	0	40	0	0	0	0	0	0	0	0
Chilkat River	1,701	2,617	3,246	0	0	744	96	0	19	615	1,672	9	0	181	0	0	0	0	0	0	0	0
Other Streams	81	90	98	0	0	18	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Chilkoot Lake	1,764	2,758	4,123	0	0	683	226	0	69	25	2,477	0	0	20	0	0	0	0	0	0	0	0
Chilkat Lake	518	1,111	1,446	0	0	383	65	0	17	8	156	0	0	185	10	0	0	0	0	0	0	0
Other Lakes	166	129	183	0	0	0	0	0	0	0	142	0	63	52	0	0	0	0	0	0	0	0
FRESHWATER TOTAL	4,497^d	10,856	14,864	0	0	2,913	538	0	234	673	7,062	28	63	478	10	0	0	0	0	0	0	0
HAINES SUB-AREA TOTAL	7,224^d	20,897	31,711	0	603	3,114	538	0	262	717	8,041	28	63	520	10	0	0	0	1,821	378	161	2,329
GRAND TOTAL	8,754^d	27,428	41,655	0	844	3,133	538	0	360	725	8,639	28	192	530	357	0	0	1,677	2,195	569	268	2,463

^a Haines-Skagway (Area F): All waters of Alaska, including drainages, from Point Sherman to the Canadian borders, including Lynn Canal and other waters north of a line from Point Sherman to Haines Borough boundary. Does not include Point Sherman.

^b Refer to Appendix A3 for common names and species abbreviations.

^c KI is chinook salmon less than 28 inches. KS is chinook salmon 28 inches and over.

^d Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A62. Haines-Skagway Area^a sport fish catch and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KI ^c	KS ^c	SS	RS	KO	PS	CS	DV	SH	RT	CT	BT	GR	WF	SM	HA	RF	LC	OTHER
SKAGWAY SUB-AREA																						
SALTWATER:																						
Boat	2,460	4,720	8,147	1,858	407	44	9	0	108	54	828	0	0	0	0	0	0	742	384	192	660	
Shoreline	362	886	890	0	0	0	0	0	141	0	263	0	0	10	0	0	0	0	10	141	0	27
SALTWATER TOTAL	2,353^d	5,606	9,037	1,858	407	44	9	0	249	54	1,091	0	0	10	0	0	0	0	752	525	192	687
FRESHWATER:																						
Streams	258	629	625	0	0	0	0	0	0	0	504	0	0	0	0	0	0	1,677	0	0	0	
Lakes	168	296	282	0	0	0	0	0	0	0	28	0	318	20	412	0	0	0	0	0	0	0
FRESHWATER TOTAL	378^d	925	907	0	0	0	0	0	0	0	532	0	318	20	412	0	0	1,677	0	0	0	
SKAGWAY SUB-AREA TOTAL	2,573^d	6,531	9,944	1,858	407	44	9	0	249	54	1,623	0	318	30	412	0	0	1,677	752	525	192	687
HAINES SUB-AREA																						
SALTWATER:																						
Boat - Lynn Canal	1,312	2,787	4,460	231	128	44	0	0	10	8	194	0	0	0	0	0	0	473	110	90	1,106	
Boat - Other	3,137	5,901	10,029	317	782	458	9	0	213	165	950	0	0	20	0	0	0	2,048	1,200	189	1,159	
Shoreline	892	1,353	2,358	9	44	26	0	0	18	35	1,549	0	0	45	0	0	0	0	10	452	0	901
SALTWATER TOTAL	4,055^d	10,041	16,847	557	954	528	9	0	241	208	2,693	0	0	65	0	0	0	0	2,531	1,762	279	3,166
FRESHWATER:																						
Chilkoot River	2,397	4,151	5,768	0	0	1,299	351	0	462	33	7,185	46	0	60	0	0	0	0	0	0	0	9
Chilkat River	1,701	2,617	3,246	0	0	1,038	132	0	19	1,042	3,224	46	0	246	0	0	0	0	0	0	0	0
Other Streams	81	90	98	0	0	215	87	0	0	0	9	0	0	0	0	0	0	0	0	0	0	0
Chilkoot Lake	1,764	2,758	4,123	0	0	942	651	0	112	25	5,319	0	18	60	0	0	0	0	0	0	0	0
Chilkat Lake	518	1,111	1,446	0	0	1,123	165	7	35	42	3,479	31	0	347	40	0	0	0	0	0	0	0
Other Lakes	166	129	183	0	0	0	0	0	0	0	289	0	117	237	0	0	0	0	0	0	0	0
FRESHWATER TOTAL	4,497^d	10,856	14,864	0	0	4,617	1,386	7	628	1,142	19,505	123	135	950	40	0	0	0	0	0	0	9
HAINES SUB-AREA TOTAL	7,224^d	20,897	31,711	557	954	5,145	1,395	7	869	1,350	22,198	123	135	1,015	40	0	0	0	2,531	1,762	279	3,175
GRAND TOTAL	8,754^d	27,428	41,655	2,415	1,361	5,189	1,404	7	1,118	1,404	23,821	123	453	1,045	452	0	0	1,677	3,283	2,287	471	3,862

^a Haines-Skagway (Area F): All waters of Alaska, including drainages, from Point Sherman to the Canadian borders, including Lynn Canal and other waters north of a line from Point Sherman to Haines Borough boundary. Does not include Point Sherman.

^b Refer to Appendix A3 for common names and species abbreviations.

^c KI is chinook salmon less than 28 inches. KS is chinook salmon 28 inches and over.

^d Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A63. Glacier Bay Area^a sport fish harvest and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KI ^c	KS ^c	SS	RS	KO	PS	CS	DV	SH	RT	CT	WF	SM	HA	RF	LC	OTHER
SALTWATER:																				
Boat - Icy Straits	1,758	2,280	3,758	0	287	1,066	36	0	940	43	0	19	0	20	0	0	1,941	289	107	91
Boat - Glacier Bay	2,065	3,012	4,785	0	234	602	126	0	676	26	342	0	0	0	0	0	1,938	79	18	106
Boat - Excursion Inlet	577	1,018	1,042	0	17	163	0	0	83	0	117	0	0	10	0	0	185	72	54	0
Boat - Gustavus Area	930	1,929	2,129	0	62	482	0	0	284	9	219	0	0	0	0	0	1,537	0	10	0
Boat - Other	381	608	716	0	90	186	10	0	35	16	0	0	0	0	0	0	234	8	27	0
Shoreline	306	547	712	0	26	9	0	0	144	18	213	0	0	0	0	0	43	0	0	0
SALTWATER TOTAL	5,046 ^d	9,394	13,142	0	716	2,508	172	0	2,162	112	891	19	0	30	0	0	5,878	448	216	197
FRESHWATER:																				
Salmon River	288	1,161	1,254	0	0	100	0	0	395	0	84	0	0	55	0	0	0	0	0	0
Other Streams	339	479	658	0	0	112	142	0	55	0	53	0	0	10	0	0	0	0	0	0
FRESHWATER TOTAL	548 ^d	1,640	1,912	0	0	212	142	0	450	0	137	0	0	65	0	0	0	0	0	0
GRAND TOTAL	5,184 ^d	11,034	15,054	0	716	2,720	314	0	2,612	112	1,028	19	0	95	0	0	5,878	448	216	197

^a Glacier Bay (Area G): All waters of Alaska, including drainages, from Cape Fairweather to Icy Strait and Hanus Reef, west of Point Couverden and the Haines Borough boundary, including Pleasant Island, The Sisters, and Point Couverden.

^b Refer to Appendix A3 for common names and species abbreviations.

^c KI is chinook salmon less than 28 inches. KS is chinook salmon 28 inches and over.

^d Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A64. Glacier Bay Area^a sport fish catch and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KI ^c	KS ^c	SS	RS	KO	PS	CS	DV	SH	RT	CT	WF	SM	HA	RF	LC	OTHER
SALTWATER:																				
Boat - Icy Straits	1,758	2,280	3,758	447	415	1,593	36	0	1,723	339	0	19	0	20	0	0	3,651	888	330	100
Boat - Glacier Bay	2,065	3,012	4,785	92	311	654	161	0	1,220	42	798	0	0	0	0	0	3,383	308	46	141
Boat - Excursion Inlet	577	1,018	1,042	0	68	172	0	0	131	46	117	0	0	10	0	0	372	108	101	0
Boat - Gustavus Area	930	1,929	2,129	202	134	620	0	0	387	9	702	0	0	0	0	0	2,200	0	10	18
Boat - Other	381	608	716	0	99	220	10	0	121	16	18	0	0	0	0	0	500	87	54	0
Shoreline	306	547	712	0	26	9	0	0	337	18	222	74	0	0	0	0	43	0	0	0
SALTWATER TOTAL	5,046 ^d	9,394	13,142	741	1,053	3,268	207	0	3,919	470	1,857	93	0	30	0	0	10,149	1,391	541	259
FRESHWATER:																				
Salmon River	288	1,161	1,254	0	0	100	0	0	841	25	139	0	0	77	0	0	0	0	0	0
Other Streams	339	479	658	0	0	173	159	0	128	0	272	41	53	54	0	0	0	0	0	0
FRESHWATER TOTAL	548 ^d	1,640	1,912	0	0	273	159	0	969	25	411	41	53	131	0	0	0	0	0	0
GRAND TOTAL	5,184 ^d	11,034	15,054	741	1,053	3,541	366	0	4,888	495	2,268	134	53	161	0	0	10,149	1,391	541	259

^a Glacier Bay (Area G): All waters of Alaska, including drainages, from Cape Fairweather to Icy Strait and Hanus Reef, west of Point Couverden and the Haines Borough boundary, including Pleasant Island, The Sisters, and Point Couverden.

^b Refer to Appendix A3 for common names and species abbreviations.

^c KI is chinook salmon less than 28 inches. KS is chinook salmon 28 inches and over.

^d Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A65. Yakutat Area^a sport fish harvest and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KI ^c	KS ^c	SS	RS	KO	PS	CS	DV	SH	RT	CT	GR	NP	SM	HA	RF	LC	OTHER
SALTWATER:																					
Boat - Yakutat Bay	1,751	3,001	3,607	0	289	1,459	121	0	0	0	9	21	0	45	0	0	0	2,565	224	480	10
Boat - Other	215	331	349	0	26	17	52	0	0	0	0	0	0	0	0	0	0	121	27	18	0
Shoreline - Yakutat Bay	223	627	972	0	0	473	0	0	9	0	0	0	0	0	0	0	0	26	0	0	0
Shoreline - Other	11	12	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SALTWATER TOTAL	1,966 ^d	3,971	4,939	0	315	1,949	173	0	9	0	9	21	0	45	0	0	121	2,752	251	498	10
FRESHWATER:																					
Situk River	2,685	5,264	8,938	115	137	1,858	6,727	0	386	8	853	0	49	11	0	0	0	0	0	0	0
Lost River	188	388	482	0	0	539	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other Streams	612	1,261	2,670	10	0	1,531	93	0	19	28	102	0	10	56	0	0	0	0	0	0	0
Ankau System (River, Lagoons, Outlet)	481	999	1,351	0	0	932	10	0	35	33	19	0	0	0	0	0	0	0	0	0	0
Lakes	116	112	203	0	0	0	52	0	0	0	9	0	18	11	0	0	0	0	0	0	0
FRESHWATER TOTAL	3,042 ^d	8,024	13,644	125	137	4,860	6,882	0	440	69	983	0	77	78	0	0	0	0	0	0	0
GRAND TOTAL	3,588 ^d	11,995	18,583	125	452	6,809	7,055	0	449	69	992	21	77	123	0	0	121	2,752	251	498	10

^a Yakutat (Area H): All waters of Alaska, including drainages, from but not including, Cape Suckling to and including Cape Fairweather.

^b Refer to Appendix A3 for common names and species abbreviations.

^c KI is chinook salmon less than 16 inches. KS is chinook salmon 16 inches and over.

^d Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A66. Yakutat Area^a sport fish catch and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KI ^c	KS ^c	SS	RS	KO	PS	CS	DV	SH	RT	CT	GR	NP	SM	HA	RF	LC	OTHER
SALTWATER:																					
Boat - Yakutat Bay	1,751	3,001	3,607	37	334	2,111	139	0	336	0	48	77	0	67	0	0	0	3,488	1,342	863	188
Boat - Other	215	331	349	0	26	17	104	0	0	0	0	0	0	0	0	0	121	161	36	18	0
Shoreline -																					
Yakutat Bay	223	627	972	0	0	1,037	0	0	410	0	61	65	0	0	0	0	0	61	8	0	53
Shoreline - Other	11	12	11	0	0	0	0	0	35	0	0	0	0	0	0	0	0	0	0	0	0
SALTWATER TOTAL	1,966^d	3,971	4,939	37	360	3,165	243	0	781	0	109	142	0	67	0	0	121	3,710	1,386	881	241
FRESHWATER:																					
Situk River	2,685	5,264	8,938	818	730	4,720	14,630	0	2,892	17	4,646	4,321	745	112	0	0	0	0	0	0	0
Lost River	188	388	482	0	0	1,128	0	0	0	0	0	52	0	0	0	0	0	0	0	0	0
Other Streams	612	1,261	2,670	10	0	4,455	222	0	27	231	433	0	64	224	0	0	0	0	0	0	0
Ankau System (River Lagoons, Outlet)																					
Lakes	481	999	1,351	0	0	3,452	10	0	43	166	28	0	36	0	0	0	0	0	0	0	0
FRESHWATER TOTAL	3,042^d	8,024	13,644	828	730	13,755	14,958	16	2,962	414	5,195	4,373	890	347	0	0	0	0	0	0	0
GRAND TOTAL	3,588^d	11,995	18,583	865	1,090	16,920	15,201	16	3,743	414	5,304	4,515	890	414	0	0	121	3,710	1,386	881	241

^a Yakutat (Area H): All waters of Alaska, including drainages, from but not including, Cape Suckling to and including Cape Fairweather.

^b Refer to Appendix A3 for common names and species abbreviations.

^c KI is chinook salmon less than 16 inches. KS is chinook salmon 16 inches and over.

^d Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A67. Glennallen Area^a sport fish harvest and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KS	SS	LL	RS	KO	LT	DV AC	SH	RT	GR	WF	BB	OTHER
Gulkana River Float Fishing (Paxson to Sourdough)	2,533	2,554	6,135	694	0	0	698	0	0	0	0	0	1,279	17	0	0
Gulkana River Float Fishing (Sourdough to Highway)	4,132	4,475	6,590	1,866	0	0	547	0	0	0	0	0	114	0	0	0
Gulkana River Other Fishing	8,051	10,291	14,309	3,304	0	0	1,714	0	20	0	0	40	859	35	0	0
Klutina River	4,796	5,388	7,714	1,955	83	0	1,350	0	28	1,661	0	68	532	25	0	0
Mendeltna Creek	911	833	1,580	0	0	0	0	0	0	0	0	0	867	0	0	0
Tonsina River	1,109	1,501	2,158	172	38	0	188	0	51	523	0	20	610	35	54	0
Tyone Creek	425	472	1,136	0	0	0	0	0	19	49	0	79	524	33	0	0
Other Streams	3,198	4,139	6,478	226	128	0	689	0	0	570	0	124	2,337	78	225	9
Tolsona Lake	417	304	490	0	0	0	0	0	0	0	0	144	283	0	21	0
Lake Louise	3,856	5,401	10,316	0	0	0	0	0	1,316	0	0	0	994	183	0	0
Susitna Lake	1,109	1,527	2,651	0	0	0	0	0	669	0	0	0	502	218	54	0
Tyone Lake	402	497	1,008	0	0	0	0	0	225	0	0	0	159	0	118	0
Van (Silver) Lake	1,884	1,525	2,743	0	0	0	0	0	0	0	0	4,727	0	0	0	0
Paxson Lake	2,698	2,189	4,336	0	0	0	48	0	778	0	0	0	716	78	32	0
Summit Lake (near Paxson)	1,317	1,226	1,792	0	0	0	9	0	344	0	0	0	43	0	0	0
Crosswind Lake	477	624	1,358	0	0	0	0	0	311	0	0	0	215	78	225	0
Other Lakes	3,559	4,615	7,076	0	0	56	45	98	808	370	0	2,043	2,470	35	965	0
TOTAL	29,312 ^c	47,561	77,870	8,217	249	56	5,288	98	4,569	3,173	0	7,245	12,504	815	1,694	9

^a Glennallen (Area I): All Alaskan waters, including drainages of the Copper River upstream from a line between the south bank of Haley Creek and the south bank of Canyon Creek in Wood Canyon, and the Upper Susitna River drainage below its confluence with the Oshetna River. Does not include Oshetna River drainage.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A68. Glennallen Area^a sport fish catch and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KS	SS	LL	RS	KO	LT	DV AC	SH	RT	GR	WF	BB	OTHER
Gulkana River Float Fishing (Paxson to Sourdough)	2,533	2,554	6,135	2,510	0	0	2,132	0	369	0	40	2,114	24,017	278	0	0
Gulkana River Float Fishing (Sourdough to Highway)	4,132	4,475	6,590	4,966	0	0	1,062	0	0	0	10	256	1,918	0	0	0
Gulkana River Other Fishing	8,051	10,291	14,309	8,082	0	0	3,672	0	72	0	52	354	8,017	69	0	0
Klutina River	4,796	5,388	7,714	4,508	122	0	2,107	0	118	3,245	0	918	2,317	216	19	0
Mendeltna Creek	911	833	1,580	0	0	0	0	0	307	0	0	89	3,358	0	0	0
Tonsina River	1,109	1,501	2,158	614	86	0	206	0	204	1,792	0	49	1,059	35	54	0
Tyone Creek	425	472	1,136	0	0	0	0	0	59	58	0	79	2,917	76	0	35
Other Streams	3,198	4,139	6,478	1,087	146	89	728	0	9	2,012	0	558	11,055	488	257	9
Tolsona Lake	417	304	490	0	0	0	0	0	0	0	0	460	1,275	0	192	0
Lake Louise	3,856	5,401	10,316	0	0	0	0	0	6,979	0	0	0	2,746	392	171	0
Susitna Lake	1,109	1,527	2,651	0	0	0	0	0	2,047	0	0	0	1,119	471	139	0
Tyone Lake	402	497	1,008	0	0	0	0	0	450	0	0	0	513	61	171	0
Van (Silver) Lake	1,884	1,525	2,743	0	0	0	0	0	0	0	0	13,211	0	0	0	0
Paxson Lake	2,698	2,189	4,336	0	0	0	270	0	2,402	0	0	0	3,419	174	32	0
Summit Lake (near Paxson)	1,317	1,226	1,792	0	0	0	564	0	1,638	0	0	0	908	0	0	0
Crosswind Lake	477	624	1,358	0	0	0	10	0	1,306	0	0	0	1,568	349	332	0
Other Lakes	3,559	4,615	7,076	0	0	56	62	261	1,768	796	0	5,212	14,291	61	1,104	9
TOTAL	29,312 ^c	47,561	77,870	21,767	354	145	10,813	261	17,728	7,903	102	23,300	80,497	2,670	2,471	53

^a Glennallen (Area I): All Alaskan waters, including drainages of the Copper River upstream from a line between the south bank of Haley Creek and the south bank of Canyon Creek in Wood Canyon, and the Upper Susitna River drainage below its confluence with the Oshetna River. Does not include Oshetna River drainage.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A69. Prince William Sound Area^a sport fish harvest and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KS	SS	RS	PS	CS	LT	DV	AC	SH	RT	CT	GR	WF	SM	HA	RF	LC	RCL	OTHER
SALTWATER:																						
Boat - Valdez Bay	16,160	21,704	35,417	396	11,028	702	13,417	553	0	723	0	0	11	0	0	1,118	8,315	4,679	1,107	0	2,150	
Boat - Passage Canal (Whittier)	2,227	3,767	7,932	130	427	125	229	65	0	67	0	0	0	0	0	0	870	1,050	86	0	107	
Boat - Orca Inlet	1,886	3,623	5,181	152	447	39	363	133	0	9	0	0	0	0	0	0	2,167	307	65	0	100	
Boat - Esther Island	1,588	2,252	4,427	126	644	221	420	442	0	97	0	0	42	0	0	0	616	651	37	0	0	
Boat - Montague Island	685	1,110	1,357	28	458	0	0	0	0	0	0	0	0	0	0	0	854	159	68	0	118	
Boat - Hinchinbrook Area	1,070	946	1,698	0	0	0	0	0	0	0	0	0	0	0	0	0	1,611	1,169	219	0	49	
Boat - Other	6,049	8,742	14,395	170	1,484	1,512	1,218	326	0	186	0	0	31	0	0	0	4,920	3,781	341	0	3,514	
Shoreline - Valdez Road System	5,589	8,465	12,971	0	1,285	472	12,966	204	0	515	0	0	0	0	0	0	335	9	160	0	0	
Shoreline - Orca Inlet	849	1,747	1,898	63	227	10	10	37	0	0	0	0	0	0	0	0	17	28	9	2,020	0	
Shoreline - Remainder of Valdez Arm	2,232	3,018	4,158	9	432	61	6,096	116	0	18	0	0	10	0	0	0	133	27	10	0	354	
Shoreline - Other	1,356	2,164	4,053	214	627	192	801	133	0	152	0	0	0	0	0	0	204	263	66	4,609	79	
SALTWATER TOTAL	32,052^c	57,538	93,487	1,288	17,059	3,334	35,520	2,009	0	1,767	0	0	94	0	0	1,453	19,716	12,274	2,008	6,629	7,964	
FRESHWATER:																						
Eyak River	1,004	2,613	3,080	0	2,431	193	43	0	0	288	0	0	65	0	0	0	0	0	0	0	0	
Esham Lake, Creek and Lagoon	361	512	653	0	29	432	0	9	0	44	0	0	11	0	0	0	0	0	0	0	0	
Robe River Drainage	308	470	487	0	96	0	0	0	0	370	0	0	0	0	0	0	0	0	0	0	0	
Alaganik Slough	766	1,311	1,613	0	1,127	419	0	0	28	86	0	69	66	0	0	0	0	0	0	0	0	
Clear Creek	707	988	1,355	0	332	631	17	0	0	57	0	0	0	0	0	0	0	0	0	0	0	
Other Streams	1,328	2,077	2,641	56	671	241	155	0	0	456	0	30	325	0	0	0	0	0	0	0	0	
Lakes	944	954	1,285	0	48	19	0	0	98	88	0	37	379	283	0	0	0	0	0	0	0	
FRESHWATER TOTAL	3,971^c	8,925	11,114	56	4,734	1,935	215	9	126	1,389	0	136	846	283	0	0	0	0	0	0	0	
GRAND TOTAL	33,600^c	66,463	104,601	1,344	21,793	5,269	35,735	2,018	126	3,156	0	136	940	283	0	1,453	19,716	12,274	2,008	6,629	7,964	

^a Prince William Sound (Area J): All Alaskan waters, including drainages, from and including Cape Suckling through Prince William Sound to Cape Puget, including all waters emptying into Port Bainbridge; and, that portion of the Copper River drainage downstream of a line between the south bank of Haley Creek and the south bank of Canyon Creek in Wood Canyon.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A70. Prince William Sound Area^a sport fish catch and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KS	SS	RS	PS	CS	LT	DV AC	SH	RT	CT	GR	WF	SM	HA	RF	LC	RCL	OTHER	
SALTWATER:																						
Boat - Valdez Bay	16,160	21,704	35,417	641	12,400	1,033	23,633	2,094	0	1,649	0	0	22	0	0	1,148	14,464	7,492	3,782	0	5,415	
Boat - Passage																						
Canal (Whittier)	2,227	3,767	7,932	197	540	125	812	183	0	204	0	0	0	0	0	0	1,237	1,562	233	0	774	
Boat - Orca Inlet	1,886	3,623	5,181	152	571	39	1,219	482	0	9	0	0	0	0	0	0	3,756	587	438	0	308	
Boat - Esther Island	1,588	2,252	4,427	187	721	394	2,099	848	0	184	0	0	228	0	0	0	889	1,589	245	0	205	
Boat - Montague Island	685	1,110	1,357	28	458	0	46	0	0	0	0	0	0	0	0	10	1,805	159	137	0	118	
Boat -																						
Hinchinbrook Area	1,070	946	1,698	0	0	0	0	0	0	0	0	0	0	0	0	0	4,004	1,320	308	0	866	
Boat - Other	6,049	8,742	14,395	387	1,894	1,847	5,038	658	0	780	0	0	137	0	0	0	9,443	5,387	1,299	0	4,091	
Shoreline - Valdez																						
Road System	5,589	8,465	12,971	10	1,696	524	26,139	467	0	1,000	0	0	0	0	0	0	335	67	277	108	0	1,954
Shoreline -																						
Orca Inlet	849	1,747	1,898	92	313	10	274	37	0	10	0	0	45	0	0	0	70	56	54	2,020	0	
Shoreline -																						
Remainder of																						
Valdez Arm	2,232	3,018	4,158	9	541	104	8,710	125	0	26	0	0	10	0	0	0	133	55	126	0	354	
Shoreline - Other	1,356	2,164	4,053	327	1,334	245	3,560	839	0	205	0	0	180	0	0	0	268	470	137	4,609	216	
SALTWATER TOTAL	32,052^c	57,538	93,487	2,030	20,468	4,321	71,530	5,733	0	4,067	0	0	622	0	0	1,493	36,136	18,954	6,867	6,629	14,301	
FRESHWATER:																						
Eyak River	1,004	2,613	3,080	0	3,797	260	104	0	0	941	0	0	298	0	0	0	0	0	0	0		
Esham Lake, Creek and Lagoon	361	512	653	0	29	644	19	9	0	158	0	0	358	0	0	0	0	0	0	0		
Robe River Drainage	308	470	487	0	162	45	58	0	0	799	0	0	0	0	0	0	0	0	0	0		
Alaganik Slough	766	1,311	1,613	0	2,255	715	0	0	184	206	0	158	174	59	0	0	0	0	0	0		
Clear Creek	707	988	1,355	0	736	959	84	46	0	679	0	0	21	0	0	0	0	0	0	0		
Other Streams	1,328	2,077	2,641	207	1,199	509	1,287	17	0	2,338	0	273	2,114	0	0	0	0	0	0	0		
Lakes	944	954	1,285	38	76	172	0	0	342	251	0	161	1,054	555	0	0	0	0	0	0		
FRESHWATER TOTAL	3,971^c	8,925	11,114	245	8,254	3,304	1,552	72	526	5,372	0	592	4,019	614	0	0	0	0	0	0		
GRAND TOTAL	33,600^c	66,463	104,601	2,275	28,722	7,625	73,082	5,805	526	9,439	0	592	4,641	614	0	1,493	36,136	18,954	6,867	6,629	14,301	

^a Prince William Sound (Area J): All Alaskan waters, including drainages, from and including Cape Suckling through Prince William Sound to Cape Puget, including all waters emptying into Port Bainbridge; and, that portion of the Copper River drainage downstream of a line between the south bank of Haley Creek and the south bank of Canyon Creek in Wood Canyon.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A71. Knik Arm Drainage Area^a sport fish harvest and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KS	SS	LL	RS	KO	PS	CS	LT	DV AC	RT	GR	WF	NP	BB	SM	LC	OTHER
SALTWATER:																				
Boat - Fish Creek Area	661	889	1,202	104	181	0	588	0	0	0	0	0	0	0	0	0	0	0	157	
Boat - Other	245	623	829	48	984	0	96	0	0	9	0	0	0	0	0	0	0	0	0	
Shoreline	78	71	85	0	0	0	10	0	0	0	0	0	0	0	0	0	0	0	0	
SALTWATER TOTAL	958^c	1,583	2,116	152	1,165	0	694	0	0	9	0	0	0	0	0	0	0	0	157	
FRESHWATER:																				
Little Susitna River	22,287	33,162	42,249	3,441	27,610	0	2,487	0	124	500	0	292	186	519	157	0	43	0	0	
Knik River and Tributaries,																				
including Jim Creek	3,429	6,242	6,824	0	2,878	0	1,041	0	0	46	0	536	0	0	9	0	0	0	0	
Wasilla Creek																				
(Rabbit Slough)	1,226	1,512	1,774	9	1,133	0	134	0	0	0	0	203	30	0	0	0	0	0	0	
Cottonwood Creek	1,010	2,628	3,077	0	736	0	453	0	58	37	0	0	475	0	0	0	0	0	0	
Meadow Creek																				
(Big Lake Drainage)	284	552	635	0	0	0	58	0	0	0	0	58	109	0	0	0	0	0	0	
Fish Creek																				
(Big Lake Drainage)	1,355	1,579	2,341	0	741	0	540	0	38	0	0	127	119	42	0	19	107	0	0	
Eklutna Power Plant																				
Raceway	2,049	4,463	4,523	0	1,337	0	211	0	0	293	0	195	0	0	0	0	0	0	0	
Other Streams	393	498	926	0	48	0	308	0	10	0	18	230	248	0	0	0	0	0	0	
Wasilla Lake	657	868	1,655	0	0	0	0	0	0	0	0	0	630	0	35	0	0	0	0	
Finger Lake	3,632	5,438	7,843	0	0	7,898	0	0	0	0	0	0	2,037	73	0	0	0	0	0	
Kepler Lake Complex	4,610	6,711	7,461	0	0	1,140	0	0	0	0	0	29	2,930	513	0	0	0	0	0	
Lucille Lake	437	479	625	0	0	45	0	0	0	0	0	0	424	0	0	0	0	0	0	
Big Lake	4,438	7,318	8,446	0	0	2,566	0	0	0	0	0	1,812	2,073	0	17	0	278	0	0	
Memory Lake	450	1,495	1,394	0	0	877	0	0	0	0	0	0	890	0	0	0	0	0	0	
Walby Lake	359	720	1,036	0	0	0	0	0	0	0	0	0	356	0	0	0	0	0	0	
Seymour Lake	346	692	790	0	0	0	0	0	0	0	0	0	734	0	0	0	0	0	0	
Bonnie Lake	365	582	768	0	0	0	0	0	0	0	0	0	399	56	0	0	0	0	0	
Flat Horn Lake	402	611	1,388	0	0	0	0	0	0	0	0	0	0	0	9	479	0	0	0	
Nancy Lake	2,303	2,247	3,049	0	115	11	0	0	0	0	51	9	1,127	0	0	0	0	0	0	
South Rolly Lake																				
Nancy Lake Recreation Area, Other Fishing Sites	944	607	1,076	0	0	0	0	0	0	0	0	69	0	0	28	0	0	0	0	
OTHER LAKES	5,241	10,363	12,950	0	0	1,292	0	0	0	81	39	7,809	140	0	166	0	0	0	0	
FRESHWATER TOTAL	40,545^c	92,258	116,098	3,450	34,598	13,829	5,232	0	230	876	201	3,686	21,565	1,343	227	2,102	482	0	19	
GRAND TOTAL	40,797^c	93,841	118,214	3,602	35,763	13,829	5,926	0	230	885	201	3,686	21,565	1,343	227	2,102	482	0	176	

^a Knik Arm Drainage (Area K): All waters, including drainages, of the Matanuska and Knik Rivers; the Little Susitna River, including all waters draining to the south and east into Knik Arm, including the western half of Knik Arm to the Matanuska-Susitna Borough/Anchorage Municipality boundary in Knik Arm; and, the waters of the Nancy Lake Recreation Area.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A72. Knik Arm Drainage Area^a sport fish catch and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KS	SS	LL	RS	KO	PS	CS	LT	DV AC	RT	GR	WF	NP	BB	SM	LC	OTHER
SALTWATER:																				
Boat - Fish Creek Area	661	889	1,202	218	267	0	708	0	0	0	0	10	0	0	0	0	0	0	0	177
Boat - Other	245	623	829	58	1,013	0	96	0	29	18	0	0	0	0	0	0	0	0	0	0
Shoreline	78	71	85	0	29	0	10	0	0	0	0	0	0	0	0	0	0	0	0	0
SALTWATER TOTAL	958^c	1,583	2,116	276	1,309	0	814	0	29	18	0	10	0	0	0	0	0	0	0	177
FRESHWATER:																				
Little Susitna River	22,287	33,162	42,249	6,223	38,199	0	3,755	0	1,725	2,922	0	774	1,308	831	349	0	171	0	0	29
Knik River and Tributaries, including Jim Creek	3,429	6,242	6,824	0	4,365	0	1,185	0	0	129	0	1,614	0	0	9	0	0	0	0	0
Wasilla Creek (Rabbit Slough)	1,226	1,512	1,774	18	2,132	0	151	0	96	8	0	515	195	0	0	0	0	0	0	0
Cottonwood Creek	1,010	2,628	3,077	0	1,032	0	1,099	0	192	277	0	292	3,987	0	0	0	0	0	0	0
Meadow Creek (Big Lake Drainage)	284	552	635	0	0	0	318	0	0	0	0	136	831	0	0	0	0	0	0	0
Fish Creek (Big Lake Drainage)	1,355	1,579	2,341	0	1,133	0	1,012	0	77	18	0	195	614	42	0	19	107	0	0	0
Eklutna Power Plant Raceway	2,049	4,463	4,523	0	1,615	0	284	0	96	717	0	284	0	0	0	0	0	0	0	0
Other Streams	393	498	926	9	105	0	308	0	48	9	460	916	367	0	0	0	0	0	0	0
Wasilla Lake	657	868	1,655	0	220	0	0	0	0	0	0	0	1,497	0	44	0	0	0	0	0
Finger Lake	3,632	5,438	7,843	0	0	18,247	0	0	0	0	0	0	7,272	446	0	0	0	0	0	0
Kepler Lake Complex	4,610	6,711	7,461	0	0	2,516	0	0	0	0	0	39	16,151	4,248	0	0	0	0	0	0
Lucille Lake	437	479	625	0	0	45	0	0	0	0	0	0	651	47	0	0	0	0	0	0
Big Lake	4,438	7,318	8,446	0	0	3,935	0	0	0	0	0	4,686	4,845	0	35	0	439	0	0	0
Memory Lake	450	1,495	1,394	0	0	2,046	0	0	0	0	0	0	1,523	0	0	0	0	0	0	0
Walby Lake	359	720	1,036	0	0	0	0	0	0	0	0	0	1,504	0	0	0	0	0	0	0
Seymour Lake	346	692	790	0	0	0	0	0	0	0	0	0	1,224	0	0	0	0	0	0	0
Bonnie Lake	365	582	768	0	0	0	0	0	0	0	0	0	2,356	233	0	0	0	0	0	0
Flat Horn Lake	402	611	1,388	0	0	0	0	0	0	0	0	0	0	0	0	17	1,786	0	0	0
Nancy Lake	2,303	2,247	3,049	0	516	67	19	0	0	0	194	97	2,023	26	0	0	0	0	0	0
South Rolly Lake	944	607	1,076	0	0	0	0	0	0	0	0	0	89	0	0	66	0	0	0	0
Nancy Lake Recreation Area, Other Fishing Sites	3,207	3,491	5,268	0	0	11	0	0	0	0	92	230	3,018	93	0	6,445	54	0	0	20
Other Lakes	5,241	10,363	12,950	0	48	2,258	19	0	0	0	389	122	20,180	383	0	1,825	0	0	0	0
FRESHWATER TOTAL	40,545^c	92,258	116,098	6,250	49,365	29,125	8,150	0	2,234	4,080	1,135	9,900	69,635	6,349	454	10,141	771	0	0	49
GRAND TOTAL	40,797^c	93,841	118,214	6,526	50,674	29,125	8,964	0	2,263	4,098	1,135	9,910	69,635	6,349	454	10,141	771	0	0	226

^a Knik Arm Drainage (Area K): All waters, including drainages, of the Matanuska and Knik Rivers; the Little Susitna River, including all waters draining to the south and east into Knik Arm, including the western half of Knik Arm to the Matanuska-Susitna Borough/Anchorage Municipality boundary in Knik Arm; and, the waters of the Nancy Lake Recreation Area.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A73. Knik Arm Drainage Area^a personal use harvest and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KS	SS	RS	PS	CS	DV AC	RT	WF	OTHER
PERSONAL USE HARVEST:												
Fish Creek (Big Lake Drainage)	8,028	9,219	11,122	0	973	37,224	2,068	503	0	0	0	212

^a Knik Arm Drainage (Area K): All waters, including drainages, of the Matanuska and Knik Rivers; the Little Susitna River, including all waters draining to the south and east into Knik Arm, including the western half of Knik Arm to the Matanuska-Susitna Borough/Anchorage Municipality boundary in Knik Arm; and, the waters of the Nancy Lake Recreation Area.

^b Refer to Appendix A3 for common names and species abbreviations.

Appendix A74. Knik Arm Drainage Area^a personal use catch and effort by fisheries and species^b, 1993.

Anglers	Trips	Days Fished	KS	SS	RS	PS	CS	DV AC	RT	WF	OTHER
PERSONAL USE catch:											
Fish Creek (Big Lake Drainage)	8,028	9,219	11,122	0	1,219	38,096	2,136	503	0	0	212

^a Knik Arm Drainage (Area K): All waters, including drainages, of the Matanuska and Knik Rivers; the Little Susitna River, including all waters draining to the south and east into Knik Arm, including the western half of Knik Arm to the Matanuska-Susitna Borough/Anchorage Municipality boundary in Knik Arm; and, the waters of the Nancy Lake Recreation Area.

^b Refer to Appendix A3 for common names and species abbreviations.

Appendix A75. Anchorage Area^a sport fish harvest and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KS	SS	LL	RS	KO	PS	CS	DV AC	RT	GR	WF	SM	LC	OTHER
SALTWATER:																	
Boat	179	333	452	43	17	0	19	0	19	0	0	0	0	0	0	0	0
Shoreline - Sixmile Creek Mouth	1,238	3,016	3,049	0	153	0	1,734	0	248	0	10	0	0	0	0	0	0
Shoreline - Other	716	2,042	1,912	28	53	0	96	0	36	8	0	0	0	0	5,479	0	0
SALTWATER TOTAL	1,597 ^c	5,391	5,413	71	223	0	1,849	0	303	8	10	0	0	0	5,479	0	0
FRESHWATER:																	
Jewel Lake	3,209	5,473	7,412	0	0	3,611	0	0	0	0	2,856	0	0	0	0	0	0
Campbell Point Lake	640	1,338	1,347	0	0	221	0	0	0	0	576	0	0	0	0	0	0
Sand Lake	1,421	2,460	2,676	0	0	1,234	0	0	0	0	1,393	0	0	0	0	0	137
Lower Fire Lake	1,502	3,048	3,446	0	0	0	0	0	0	0	1,441	0	0	0	0	0	20
Mirror Lake	2,034	3,123	4,007	0	0	1,554	0	0	0	0	156	2,443	0	0	0	0	98
Otter Lake	3,749	6,955	7,619	0	0	3,019	0	0	0	0	0	4,900	0	0	0	0	128
Clunie Lake	2,062	3,962	4,980	0	0	783	0	0	0	0	409	3,480	0	0	0	0	0
Gwen Lake	1,385	3,016	3,407	0	0	0	0	0	0	0	29	1,344	0	0	0	0	0
Sixmile Lake	2,354	4,880	5,295	0	0	794	597	0	105	0	0	1,324	0	0	0	0	0
Green Lake	1,342	2,080	2,328	0	0	0	0	0	0	0	0	1,044	0	0	0	0	0
Hillberg Lake	877	1,772	1,880	0	0	570	0	0	0	0	0	425	0	0	0	0	0
Triangle Lake	682	1,188	2,058	0	0	0	0	0	0	0	0	554	0	0	0	0	0
C Street (Taku) Lake	563	1,140	1,023	0	0	0	0	0	0	0	0	297	0	0	0	0	0
Fish Lake	1,209	1,917	2,569	0	0	414	0	0	0	0	0	864	0	0	0	0	0
Cheney Lake	1,977	4,450	5,013	0	0	2,426	0	0	0	0	0	1,394	0	0	0	0	0
Beach Lake	1,505	2,438	2,650	0	0	783	0	0	0	0	0	1,345	233	0	0	0	0
Delong Lake	1,820	3,708	3,759	0	0	1,800	0	0	0	0	0	1,608	0	0	0	0	0
Other Lakes	1,346	3,276	3,528	0	29	280	48	0	0	9	29	1,333	0	0	0	0	0
Ship Creek	13,858	41,278	40,815	2,872	2,579	0	0	0	163	28	58	47	0	0	0	0	9
Bird Creek	6,130	11,722	12,852	10	6,195	0	109	0	1,745	283	28	19	0	0	0	0	0
Campbell Creek	3,620	9,892	9,073	41	3,942	0	19	0	19	0	195	267	0	0	0	0	0
Twentymile River	2,293	3,198	3,480	0	1,986	0	125	0	0	9	78	0	0	0	24,386	0	0
Eagle River	2,089	3,182	3,396	47	96	0	9	0	0	0	492	79	0	0	0	0	0
Ingram Creek	424	543	643	0	76	0	19	0	192	0	0	0	0	0	0	0	0
Placer River	350	654	688	0	650	0	48	0	0	0	0	0	0	0	0	0	0
Other Streams	1,157	1,559	2,135	0	611	0	262	0	240	46	65	79	0	0	0	0	0
FRESHWATER TOTAL	34,676 ^c	128,252	138,079	2,970	16,164	17,489	1,236	0	2,464	375	1,783	29,112	233	0	24,386	0	392
GRAND TOTAL	35,307 ^c	133,643	143,492	3,041	16,387	17,489	3,085	0	2,767	383	1,793	29,112	233	0	29,865	0	392

^a Anchorage (Area L): All waters inside the area bounded by the Eklutna River drainage on the north; Knik Arm on the west; Turnagain Arm, to Ingram Creek (including Portage Creek and Placer River) on the south; and the Chugach Mountains on the east. Boundary streams are included in the area.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A76. Anchorage Area^a sport fish catch and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KS	SS	LL	RS	KO	PS	CS	DV AC	RT	GR	WF	SM	LC	OTHER
SALTWATER:																	
Boat	179	333	452	60	17	0	45	0	28	0	0	0	0	0	0	0	0
Shoreline - Sixmile Creek Mouth	1,238	3,016	3,049	0	258	0	3,777	0	1,503	0	10	0	0	0	0	0	0
Shoreline - Other	716	2,042	1,912	112	62	0	325	0	281	33	35	0	0	0	5,479	0	53
SALTWATER TOTAL	1,597 ^c	5,391	5,413	172	337	0	4,147	0	1,812	33	45	0	0	0	5,479	0	53
FRESHWATER:																	
Jewel Lake	3,209	5,473	7,412	0	0	5,590	0	0	0	0	8,517	0	0	0	0	0	59
Campbell Point Lake	640	1,338	1,347	0	0	221	0	0	0	0	445	1,905	0	0	0	0	0
Sand Lake	1,421	2,460	2,676	0	0	1,955	0	0	0	0	0	4,838	0	0	0	0	147
Lower Fire Lake	1,502	3,048	3,446	0	0	0	0	0	0	0	0	4,946	176	0	0	0	59
Mirror Lake	2,034	3,123	4,007	0	0	2,191	0	0	0	0	302	7,797	0	0	0	0	118
Otter Lake	3,749	6,955	7,619	0	0	8,755	0	0	0	0	0	15,658	0	0	0	0	216
Clunie Lake	2,062	3,962	4,980	0	0	1,331	0	0	0	0	604	8,674	0	0	0	0	0
Gwen Lake	1,385	3,016	3,407	0	0	67	0	0	0	0	107	6,974	0	0	0	0	0
Sixmile Lake	2,354	4,880	5,295	0	0	1,471	963	0	173	0	312	4,785	0	0	0	0	0
Green Lake	1,342	2,080	2,328	0	0	123	0	0	0	0	0	4,273	0	0	0	0	0
Hillberg Lake	877	1,772	1,880	0	0	1,185	0	0	0	0	0	2,572	0	0	0	0	0
Triangle Lake	682	1,188	2,058	0	0	0	0	0	0	0	0	1,516	0	0	0	0	0
C Street (Taku) Lake	563	1,140	1,023	0	0	0	0	0	0	0	0	1,175	0	0	0	0	0
Fish Lake	1,209	1,917	2,569	0	0	1,219	0	0	0	0	0	3,326	0	0	0	0	0
Cheney Lake	1,977	4,450	5,013	0	0	7,279	0	0	0	0	0	6,291	0	0	0	0	0
Beach Lake	1,505	2,438	2,650	0	0	2,303	0	0	0	0	0	4,217	1,027	0	0	0	0
Delong Lake	1,820	3,708	3,759	0	0	2,102	0	0	0	0	0	8,023	0	0	0	0	206
Other Lakes	1,346	3,276	3,528	0	29	280	86	0	0	9	204	7,990	159	0	0	0	10
Ship Creek	13,858	41,278	40,815	7,104	3,876	0	0	0	747	129	427	146	0	0	0	0	38
Bird Creek	6,130	11,722	12,852	239	7,799	0	157	0	6,206	1,013	302	19	0	0	0	0	0
Campbell Creek	3,620	9,892	9,073	212	6,894	0	135	0	153	0	1,382	1,673	0	0	0	0	0
Twentymile River	2,293	3,198	3,480	0	2,636	0	164	0	173	65	644	75	0	0	24,855	0	0
Eagle River	2,089	3,182	3,396	88	201	0	9	0	29	18	2,091	1,186	0	0	0	0	0
Ingram Creek	424	543	643	0	76	0	29	0	316	0	78	0	0	0	0	0	0
Placer River	350	654	688	9	716	0	48	0	0	0	0	10	0	0	0	0	0
Other Streams	1,157	1,559	2,135	0	898	0	314	0	1,515	92	718	879	0	0	0	0	0
FRESHWATER TOTAL	34,676 ^c	128,252	138,079	7,652	23,125	36,072	1,905	0	9,312	1,326	7,616	107,465	1,362	0	24,855	0	853
GRAND TOTAL	35,307 ^c	133,643	143,492	7,824	23,462	36,072	6,052	0	11,124	1,359	7,661	107,465	1,362	0	30,334	0	906

^a Anchorage (Area L): All waters inside the area bounded by the Eklutna River drainage on the north; Knik Arm on the west; Turnagain Arm, to Ingram Creek (including Portage Creek and Placer River) on the south; and the Chugach Mountains on the east. Boundary streams are included in the area.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A77. East Susitna River Drainage^a sport fish harvest and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KS	SS	LL	RS	PS	CS	LT	DV AC	RT	GR	WF	BB	OTHER
Willow Creek	22,176	33,060	41,218	8,626	5,743	0	528	1,427	401	0	170	934	520	35	21	29
Caswell Creek	3,406	4,207	5,033	531	2,385	0	106	36	95	0	0	148	75	0	32	0
Montana Creek	13,271	16,516	21,615	4,054	3,496	0	237	1,147	287	0	10	271	90	0	0	0
Sunshine Creek	2,846	3,765	4,094	280	2,922	0	183	19	28	0	0	58	19	0	133	0
Talkeetna River and Tributaries, including Clear Creek	11,481	13,301	22,580	4,729	5,830	0	2,560	486	181	41	971	242	471	17	310	0
Sheep Creek	7,567	10,577	12,636	2,300	2,413	0	39	520	229	0	117	338	450	26	75	0
Little Willow Creek	4,604	5,050	6,422	1,200	1,213	0	120	243	146	0	49	264	101	0	85	0
Goose Creek	2,092	2,581	3,423	633	428	0	0	36	63	0	10	127	26	9	0	20
Birch Creek	508	572	655	9	535	0	241	0	0	0	18	0	65	0	118	0
Kashwitna River	938	1,171	1,600	38	554	0	0	10	42	0	39	49	28	0	0	0
Troublesome Creek	1,010	966	1,366	0	19	0	0	0	8	0	0	147	0	0	0	0
196 Mile Creek	280	346	348	65	153	0	0	0	0	0	0	10	0	0	0	0
Indian River	269	337	657	47	48	0	77	0	0	0	10	59	9	0	21	0
Other Streams	1,337	1,750	2,790	176	315	0	36	17	0	0	9	455	246	0	114	0
Lakes	1,500	2,902	3,945	0	9	738	10	0	0	247	10	611	301	0	0	0
TOTAL	50,615 ^c	97,101	128,382	22,688	26,063	738	4,137	3,941	1,480	288	1,413	3,713	2,401	87	909	49

^a East Susitna River Drainage (Area M): All drainages of the Susitna River below the Oshetna and above the Chulitna River. Includes the Oshetna River drainage. All east side drainages of both the Chulitna River and the Susitna River below its confluence with the Chulitna River, to and including Willow and Deception Creeks to the south. Fish taken from the east bank of the Chulitna and Susitna Rivers are included in this area. No saltwater fishing in this area.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A78. East Susitna River Drainage^a sport fish catch and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KS	SS	LL	RS	PS	CS	LT	DV AC	RT	GR	WF	BB	OTHER
Willow Creek	22,176	33,060	41,218	21,555	7,964	0	942	11,619	2,436	0	558	3,934	1,531	156	177	29
Caswell Creek	3,406	4,207	5,033	830	3,308	0	154	314	316	0	0	217	261	0	74	0
Montana Creek	13,271	16,516	21,615	9,305	5,134	0	570	7,962	1,659	0	135	2,034	313	17	11	0
Sunshine Creek	2,846	3,765	4,094	461	3,787	0	202	1,390	137	0	19	407	271	0	283	0
Talkeetna River and Tributaries, including Clear Creek	11,481	13,301	22,580	12,205	10,661	0	5,009	5,119	2,702	112	6,671	5,685	5,521	313	458	49
Sheep Creek	7,567	10,577	12,636	4,412	4,475	0	149	3,639	907	0	203	967	952	44	75	0
Little Willow Creek	4,604	5,050	6,422	2,710	1,481	0	381	2,012	544	0	88	829	333	96	85	0
Goose Creek	2,092	2,581	3,423	1,482	771	0	17	1,994	193	0	58	2,054	380	9	0	20
Birch Creek	508	572	655	37	764	0	337	355	63	0	18	49	467	0	139	0
Kashwitna River	938	1,171	1,600	88	606	0	0	29	61	0	400	995	411	0	21	0
Troublesome Creek	1,010	966	1,366	19	19	0	39	0	8	0	37	1,066	285	0	0	0
196 Mile Creek	280	346	348	148	153	0	0	0	0	0	0	10	28	0	0	0
Indian River	269	337	657	304	330	0	77	144	74	10	73	1,367	756	61	21	0
Other Streams	1,337	1,750	2,790	703	409	0	75	75	92	31	228	1,998	1,963	61	114	0
Lakes	1,500	2,902	3,945	9	26	1,263	55	0	0	2,360	10	2,628	895	0	0	196
TOTAL	50,615 ^c	97,101	128,382	54,268	39,888	1,263	8,007	34,652	9,192	2,513	8,498	24,240	14,367	757	1,458	294

^a East Susitna River Drainage (Area M): All drainages of the Susitna River below the Oshetna and above the Chulitna River. Includes the Oshetna River drainage. All east side drainages of both the Chulitna River and the Susitna River below its confluence with the Chulitna River, to and including Willow and Deception Creeks to the south. Fish taken from the east bank of the Chulitna and Susitna Rivers are included in this area. No saltwater fishing in this area.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A79. West Cook Inlet-West Susitna River Drainages^a sport fish harvest and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KS	SS	RS	PS	CS	LT	DV AC	RT	GR	WF	NP	BB	SM	HA	LC	RCL	OTHER	
SALTWATER:																					
Boat - Kamishak Bay	320	283	655	0	0	0	9	8	0	26	0	0	0	0	0	0	686	27	0	9	
Boat - Other	1,580	1,517	2,309	184	177	61	0	0	0	0	0	0	0	0	0	0	1,804	18	0	0	
Razor Clams: Polly Creek Beach/ Crescent River Bar	826	878	1,117	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	25,850	0	
Shoreline	427	505	631	9	57	0	43	0	0	10	0	0	0	0	0	0	0	17	0	14,139	0
SALTWATER TOTAL	2,903^c	3,183	4,712	193	234	61	52	8	0	36	0	0	0	0	0	0	2,507	45	39,989	9	
FRESHWATER:																					
Deshka River (Kroto Creek)	13,279	18,994	30,643	5,682	6,530	87	84	0	0	29	452	89	351	0	0	42	2,236	0	0	0	0
Lake Creek	7,478	9,471	26,113	6,425	3,101	489	210	25	0	9	184	207	0	0	0	0	0	0	0	0	0
Fish Lake Creek and Fish Lakes (Yentna Drainage)	2,443	3,181	6,454	1,148	920	412	65	0	0	10	172	28	8	1,080	21	0	0	0	0	0	
Alexander Creek/Lake	8,488	8,915	21,660	5,154	1,719	45	144	88	0	47	128	0	82	1,202	11	0	0	0	0	0	
Talachulitna River	1,953	2,039	5,613	875	152	171	10	0	0	9	0	132	0	0	0	0	0	0	0	0	
Chuitna River	1,661	1,864	2,966	893	1,313	46	0	0	0	73	29	0	0	0	0	0	0	0	0	0	
Theodore River	1,329	1,979	2,528	527	236	35	0	0	0	10	27	0	0	0	0	0	0	0	0	0	
Lewis River	259	261	400	27	194	0	9	0	0	0	0	0	0	0	0	0	0	0	0	0	
Kustatan River	2,228	4,241	5,403	64	6,457	289	0	0	0	153	0	0	0	0	0	0	0	0	0	0	
Peters Creek	654	848	1,263	283	67	0	0	0	0	0	49	166	0	0	0	0	0	0	0	0	
Silver Salmon Creek	367	529	853	0	1,080	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Yentna River	727	1,463	2,110	653	227	103	19	0	0	0	36	0	105	34	0	0	0	0	0	0	
Susitna River	537	390	666	140	57	116	0	0	0	9	0	34	0	0	0	0	3,242	0	0	0	
Other Sites - Susitna River Drainages	3,838	5,334	9,349	756	1,699	569	28	9	189	296	1,163	710	9	600	190	1,118	0	0	0	49	
Other Sites - Susitna to West Forelands	1,375	1,937	2,665	408	1,217	780	26	0	10	29	49	0	9	0	0	0	0	0	0	29	
Other Sites - South of North Forelands	824	1,480	2,379	100	751	229	35	24	10	151	86	0	0	0	0	0	0	0	0	0	
Other Streams	286	459	572	26	218	39	26	25	0	54	0	0	0	0	0	0	0	0	0	0	
Big River Lakes	486	367	535	0	158	976	17	0	0	0	0	0	0	0	0	0	0	0	0	0	
Trapper Lake	709	916	1,167	0	0	0	0	0	0	0	0	0	0	694	0	0	0	0	0	0	
Other Lakes	415	323	1,114	0	382	130	0	0	87	0	297	56	0	9	0	0	0	0	0	0	
FRESHWATER TOTAL	38,719^c	64,991	124,453	23,161	26,478	4,516	673	171	296	879	2,672	1,422	564	3,619	264	6,596	0	0	78		
GRAND TOTAL	40,641^c	68,174	129,165	23,354	26,712	4,577	725	179	296	915	2,672	1,422	564	3,619	264	6,596	2,507	45	39,989	87	

^a West Cook Inlet-West Susitna River Drainages (Area N): All west side drainages of both the Chulitna River and Susitna River, below its confluence with the Chulitna River; and, all West Side Cook Inlet waters southward to and including Cape Douglas. Fish taken from the west bank of the Chulitna River and Susitna River are included in this area.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A80. West Cook Inlet-West Susitna River Drainages^a sport fish catch and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KS	SS	RS	PS	CS	LT	DV AC	RT	GR	WF	NP	BB	SM	HA	LC	RCL OTHER
SALTWATER:																			
Boat - Kamishak Bay	320	283	655	0	0	0	216	8	0	26	0	0	0	0	0	0	2,094	45	0 9
Boat - Other	1,580	1,517	2,309	331	315	61	0	0	0	35	0	0	0	0	0	0	3,510	125	0 0
Razor Clams: Polly Creek Beach/ Crescent River Bar	826	878	1,117	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 25,850	0
Shoreline	427	505	631	47	57	0	302	50	0	300	0	0	0	0	0	0	26	0 14,139	0
SALTWATER TOTAL	2,903^c	3,183	4,712	378	372	61	518	58	0	361	0	0	0	0	0	0	5,630	170	39,989 9
FRESHWATER:																			
Deshka River (Kroto Creek)	13,279	18,994	30,643	14,032	10,698	207	1,133	270	0	49	5,772	1,053	548	0	191	2,236	0	0	0 0
Lake Creek	7,478	9,471	26,113	25,150	5,401	1,517	4,399	1,381	18	221	9,232	7,902	217	596	135	0	0	0	0 0
Fish Lake Creek and Fish Lakes (Yentna Drainage)	2,443	3,181	6,454	2,725	1,342	480	673	9	194	48	647	64	508	3,885	117	0	0	0	0 0
Alexander Creek/Lake	8,488	8,915	21,660	15,897	2,698	194	1,085	884	0	108	992	361	249	12,172	60	0	0	0	0 10
Talachulitna River	1,953	2,039	5,613	6,492	408	322	411	105	0	604	8,824	5,024	24	0	0	0	0	0	0 0
Chuitna River	1,661	1,864	2,966	3,929	2,878	181	173	91	0	329	733	0	0	0	0	0	0	0	0 0
Theodore River	1,329	1,979	2,528	1,390	686	35	105	0	0	166	353	0	0	0	0	0	0	0	0 0
Lewis River	259	261	400	409	270	0	36	0	0	0	69	0	0	0	0	0	0	0	0 0
Kustatna River	2,228	4,241	5,403	64	11,136	337	0	0	0	576	0	0	0	0	0	0	0	0	0 10
Peters Creek	654	848	1,263	1,712	181	0	0	0	0	38	331	408	0	0	0	0	0	0	0 0
Silver Salmon Creek	367	529	853	0	1,280	0	58	0	0	203	0	0	0	0	0	0	0	0	0 0
Yentna River	727	1,463	2,110	1,462	370	463	211	17	0	0	101	0	523	237	64	0	0	0	0 0
Susitna River	537	390	666	424	67	125	0	0	0	9	109	67	0	0	11	3,242	0	0	0 0
Other Sites - Susitna River Drainages	3,838	5,334	9,349	2,065	4,727	1,070	795	398	678	1,745	2,940	3,373	9	2,810	276	1,118	0	0	0 589
Other Sites - Susitna to West Forelands	1,375	1,937	2,665	875	2,200	1,429	748	0	10	87	256	0	18	19	11	0	0	0	0 39
Other Sites - South of North Forelands	824	1,480	2,379	357	2,354	689	383	1,188	417	2,890	731	134	0	59	0	0	0	0	0 0
Other Streams	286	459	572	90	628	384	442	515	28	1,655	280	490	0	51	0	0	0	0	0 0
Big River Lakes	486	367	535	0	175	2,364	17	0	0	0	0	0	0	0	0	0	0	0	0 0
Trapper Lake	709	916	1,167	0	0	0	0	0	0	0	0	0	0	4,128	0	0	0	0	0 0
Other Lakes	415	323	1,114	0	544	720	0	0	259	0	683	168	0	198	0	0	0	0	0 0
FRESHWATER TOTAL	38,719^c	64,991	124,453	77,073	48,043	10,517	10,669	4,858	1,604	8,728	32,053	19,044	2,096	24,155	865	6,596	0	0	648
GRAND TOTAL	40,641^c	68,174	129,165	77,451	48,415	10,578	11,187	4,916	1,604	9,089	32,053	19,044	2,096	24,155	865	6,596	5,630	170	39,989 657

^a West Cook Inlet-West Susitna River Drainages (Area N): All west side drainages of both the Chulitna River and Susitna River, below its confluence with the Chulitna River; and, all West Side Cook Inlet waters southward to and including Cape Douglas. Fish taken from the west bank of the Chulitna River and Susitna River are included in this area.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A81. Kenai River^a sport fish freshwater nonguided harvest and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KS	SS	RS	PS	CS	LT	DV AC	RT	GR	WF	NP	SM	OTHER
Kenai River - (Cook Inlet to Soldotna Bridge)	36,991	87,727	124,072	11,759	15,633	40,419	402	0	0	3,315	830	0	75	17	6,619	0
Kenai River - (Soldotna Bridge to Moose River)	20,157	39,925	57,479	1,482	4,258	36,782	185	0	0	1,156	523	0	9	0	0	0
Kenai River - (Moose River to Skilak Outlet)	11,314	19,762	34,192	608	3,924	16,906	47	0	101	3,396	541	0	26	9	0	0
Kenai River - (Skilak Inlet to Kenai Lake)	17,577	31,496	45,577	0	2,980	26,615	257	0	224	2,175	155	0	69	0	0	0
TOTAL	69,641 ^c	178,910	261,320	13,849	26,795	120,722	891	0	325	10,042	2,049	0	179	26	6,619	0

^a Kenai River (Area P): All main channel waters of the Kenai River downstream of Kenai Lake to Cook Inlet. Does not include Kenai Lake, Skilak Lake or any saltwater.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A82. Kenai River^a sport fish freshwater nonguided catch and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KS	SS	RS	PS	CS	LT	DV AC	RT	GR	WF	NP	SM	OTHER
Kenai River - (Cook Inlet to Soldotna Bridge)	36,991	87,727	124,072	16,183	18,557	61,851	895	0	0	9,609	4,362	0	117	17	6,694	226
Kenai River - (Soldotna Bridge to Moose River)	20,157	39,925	57,479	2,441	4,825	55,842	344	0	0	4,488	4,422	0	117	0	20	0
Kenai River - (Moose River to Skilak Outlet)	11,314	19,762	34,192	1,434	4,437	28,490	539	0	392	19,824	10,804	0	341	9	50	0
Kenai River - (Skilak Inlet to Kenai Lake)	17,577	31,496	45,577	440	4,586	56,564	816	0	463	30,633	30,901	0	932	0	0	0
TOTAL	69,641 ^c	178,910	261,320	20,498	32,405	202,747	2,594	0	855	64,554	50,489	0	1,507	26	6,764	226

^a Kenai River (Area P): All main channel waters of the Kenai River downstream of Kenai Lake to Cook Inlet. Does not include Kenai Lake, Skilak Lake or any saltwater.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A83. Kenai River^a sport fish freshwater guided harvest and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KS	SS	RS	PS	CS	LT	DV AC	RT	CR	WF	NP	SM	OTHER
Kenai River - (Cook Inlet to Soldotna Bridge)	23,057	28,393	38,099	13,562	13,502	6,454	35	0	0	1,284	319	0	157	0	0	0
Kenai River - (Soldotna Bridge to Moose River)	6,988	9,446	12,874	2,513	5,419	4,684	60	0	0	383	57	0	9	0	0	18
Kenai River - (Moose River to Skilak Outlet)	2,625	3,184	4,391	388	2,847	1,818	0	0	0	107	112	0	0	0	0	0
Kenai River - (Skilak Inlet to Kenai Lake)	3,699	5,136	7,436	0	1,975	3,501	17	0	10	882	37	0	17	0	0	0
TOTAL	34,834 ^c	46,159	62,800	16,463	23,743	16,457	112	0	10	2,656	525	0	183	0	0	18

^a Kenai River (Area P): All main channel waters of the Kenai River downstream of Kenai Lake to Cook Inlet. Does not include Kenai Lake, Skilak Lake or any saltwater.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A84. Kenai River^a sport fish freshwater guided catch and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KS	SS	RS	PS	CS	LT	DV AC	RT	GR	WF	NP	SM	OTHER
Kenai River - (Cook Inlet to Soldotna Bridge)	23,057	28,393	38,099	15,326	18,382	10,711	35	0	0	3,410	1,828	0	198	0	0	0
Kenai River - (Soldotna Bridge to Moose River)	6,988	9,446	12,874	2,715	6,463	7,056	309	0	0	1,591	1,134	0	9	0	0	88
Kenai River - (Moose River to Skilak Outlet)	2,625	3,184	4,391	669	3,057	3,042	9	0	10	954	1,847	0	9	0	0	0
Kenai River - (Skilak Inlet to Kenai Lake)	3,699	5,136	7,436	120	2,526	7,038	54	0	56	5,818	6,854	0	73	0	0	0
TOTAL	34,834 ^c	46,159	62,800	18,830	30,428	27,847	407	0	66	11,773	11,663	0	289	0	0	88

^a Kenai River (Area P): All main channel waters of the Kenai River downstream of Kenai Lake to Cook Inlet. Does not include Kenai Lake, Skilak Lake or any saltwater.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A85. Kenai Peninsula Area^a sport fish freshwater harvest and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KS	SS	LL	RS	KO	PS	CS	LT	DV AC	SH	RT	GR	WF	NP	BB	SM OTHER	
FRESHWATER:																				
Anchor River	10,039	19,765	29,338	2,787	4,003	0	45	0	98	0	0	1,031	0	0	0	0	0	0	0	
Ninilchik River	11,511	14,571	20,466	4,235	845	0	406	0	0	0	0	29	0	0	0	0	0	0	0	
Deep Creek	8,257	12,938	19,535	2,503	1,722	0	145	0	81	0	0	145	0	0	0	0	0	0	0	
Stariski Creek	498	728	813	18	392	0	0	0	0	0	0	67	0	0	0	0	0	0	0	
Resurrection Creek	1,634	1,854	2,264	10	171	0	0	0	1,011	74	0	195	0	49	0	0	0	0	0	
Quartz Creek	4,167	6,390	9,152	0	0	0	0	0	0	0	0	4,317	0	174	0	0	0	0	0	
Sixmile Creek Drainage	835	1,382	1,693	0	344	0	409	0	215	74	0	10	0	0	0	0	0	0	0	
Russian River	30,627	49,071	61,018	0	2,290	0	55,085	0	274	0	0	1,001	0	284	8	0	0	0	0	
Kasilof River -																				
Nonguided Bank Fishing	17,891	30,128	39,519	5,230	2,415	0	1,706	0	0	0	20	1,251	1,500	102	0	0	0	0	0	
Nonguided Boat Fishing	2,831	4,780	7,473	1,068	800	0	309	0	0	0	51	47	247	30	0	0	0	0	0	
Guided Bank Fishing	1,867	2,913	3,426	512	77	0	189	0	0	0	0	37	159	0	0	0	0	0	0	
Guided Boat Fishing	5,380	4,804	6,709	2,924	406	0	104	0	0	0	0	151	159	18	0	0	0	0	0	
Ptarmigan Creek	848	1,716	1,742	0	0	0	0	0	0	0	0	1,057	0	415	0	0	0	0	0	
Crooked Creek	1,509	2,181	3,321	46	867	0	0	0	0	0	0	410	172	19	0	0	0	0	0	
Trail Creek/River	357	663	718	0	0	0	0	0	0	0	20	282	0	40	0	0	0	0	0	
Other Streams	1,491	2,463	3,114	52	1,101	0	430	0	260	0	37	973	0	146	84	0	0	0	280	
Swanson River	2,857	4,802	5,690	0	3,477	468	201	0	0	0	0	88	0	424	0	0	0	0	0	
Swanson River Canoe																				
Route Lakes	1,286	1,709	2,818	0	10	0	0	0	0	0	0	419	0	1,588	0	0	0	0	0	
Swan Lake Canoe System	1,198	939	2,332	0	0	67	19	0	0	0	0	331	0	1,608	0	0	0	0	10	
Hidden Lake	3,300	3,008	5,030	0	17	0	133	365	0	0	0	1,449	127	0	146	0	0	0	0	
Crescent Lake	1,438	1,035	1,713	0	0	0	0	0	0	0	0	0	0	0	619	0	0	0	0	
Skilak Lake	2,071	2,445	3,289	10	10	0	825	0	0	0	233	145	0	68	37	0	0	0	0	
Tustumena Lake	858	844	1,055	0	258	0	0	0	0	0	92	214	0	79	0	0	0	0	0	
Engineer Lake	328	323	436	0	0	1,400	0	0	0	0	0	0	0	0	0	0	0	0	0	
Rainbow Lake	324	531	593	0	0	0	0	0	0	0	0	0	0	0	647	0	0	0	0	
Kenai Lake	1,014	2,217	2,586	0	0	0	0	0	0	0	816	764	0	615	0	17	0	0	0	
Johnson Lake	938	1,198	1,505	0	0	0	0	0	0	0	0	0	0	0	648	0	0	0	0	
Carter Lake	174	237	218	0	0	0	0	0	0	0	0	0	0	0	129	0	0	0	0	
Other Lakes	6,549	9,877	12,018	20	57	2,947	65	31	0	0	752	1,455	0	4,849	520	17	216	43	0	
FRESHWATER TOTAL	80,828 ^c	185,512	249,584	19,415	19,262	4,882	60,071	396	1,939	148	3,470	14,546	2,237	12,078	1,268	34	216	43	280	10
FRESHWATER, PERSONAL USE DIPNET:																				
China Poot	1,036	1,021	1,564	0	0	0	4,260	0	45	0	0	0	0	0	0	0	0	0	0	
Kenai River	8,336	12,265	14,896	0	1,429	0	33,467	0	482	0	0	0	0	0	0	0	0	0	45	
Fox Creek	65	57	65	0	45	0	0	0	11	0	0	0	0	0	0	0	0	0	0	
TOTAL	9,047 ^c	13,343	16,525	0	1,474	0	37,727	0	538	0	0	0	0	0	0	0	0	0	45	

^a Kenai Peninsula (Area P): All waters and drainages of the Kenai Peninsula from Cape Puget around to, but excluding Ingram Creek, including Kalgin Island. Does not include the Kenai River main channel.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A86. Kenai Peninsula Area^a sport fish freshwater catch and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KS	SS	LL	RS	KO	PS	CS	LT	DV AC	SH	RT	GR	WF	NP	BB	SM	OTHER
FRESHWATER:																				
Anchor River	10,039	19,765	29,338	6,022	6,657	0	297	0	1,178	17	0	9,719	3,321	835	0	0	0	0	0	
Ninilchik River	11,511	14,571	20,466	9,491	1,636	0	543	0	131	0	0	410	386	56	0	0	0	0	0	
Deep Creek	8,257	12,938	19,535	7,058	2,790	0	426	0	1,292	0	0	1,423	1,234	214	0	0	0	0	0	
Stariski Creek	498	728	813	156	602	0	10	0	0	0	0	184	31	0	0	0	0	0	0	
Resurrection Creek	1,634	1,854	2,264	31	181	0	173	0	3,936	356	0	439	0	166	0	0	0	0	0	
Quartz Creek	4,167	6,390	9,152	26	86	0	1,916	0	9	0	0	21,473	0	2,182	9	0	0	0	0	
Sixmile Creek Drainage	835	1,382	1,693	9	411	0	495	0	1,270	397	0	68	0	20	0	0	0	0	0	
Russian River	30,627	49,071	61,018	0	4,421	0	91,851	0	566	0	0	4,141	0	12,377	162	0	0	0	9	
Kasilof River -																				
Nonguided Bank Fishing	17,891	30,128	39,519	12,554	3,057	0	2,822	0	155	0	151	3,711	4,770	539	0	9	0	0	81	10
Nonguided Boat Fishing	2,831	4,780	7,473	1,951	1,139	0	531	0	19	0	51	480	1,145	168	0	0	0	0	0	
Guided Bank Fishing	1,867	2,913	3,426	1,202	212	0	245	0	0	0	0	82	373	0	0	0	0	0	0	
Guided Boat Fishing	5,380	4,804	6,709	4,848	561	0	121	0	10	0	0	445	574	71	0	0	0	0	0	
Ptarmigan Creek	848	1,716	1,742	0	0	0	347	0	0	0	0	8,202	0	1,709	19	9	0	0	0	
Crooked Creek	1,509	2,181	3,321	212	1,166	0	10	0	0	9	0	1,768	655	513	0	0	0	0	0	
Trail Creek/River	357	663	718	0	0	0	0	0	0	0	31	389	0	198	103	0	0	0	0	
Other Streams	1,491	2,463	3,114	62	1,302	0	719	0	969	354	194	2,947	0	1,245	313	0	0	0	280	
Swanson River	2,857	4,802	5,690	9	4,888	524	201	0	0	0	0	201	0	2,431	0	17	0	0	0	
Swanson River Canoe																				
Route Lakes	1,286	1,709	2,818	0	19	10	17	0	0	0	0	954	0	6,877	0	0	0	0	0	
Swan Lake Canoe System	1,198	939	2,332	0	48	179	67	0	0	0	0	526	0	7,941	0	0	0	0	10	
Hidden Lake	3,300	3,008	5,030	0	26	0	219	479	0	0	0	2,358	127	0	339	0	0	0	0	
Crescent Lake	1,438	1,035	1,713	0	0	0	0	0	0	0	0	0	0	0	6,716	0	0	0	0	
Skilak Lake	2,071	2,445	3,289	10	48	0	3,407	0	0	0	0	1,050	653	0	857	56	9	0	0	
Tustumena Lake	858	844	1,055	0	287	0	19	0	0	0	0	92	517	0	129	0	0	0	0	
Engineer Lake	328	323	436	0	0	1,400	0	0	0	0	0	0	0	0	0	0	0	0	0	
Rainbow Lake	324	531	593	0	0	0	0	0	0	0	0	0	0	0	1,966	0	0	0	0	
Kenai Lake	1,014	2,217	2,586	0	96	0	145	0	0	28	1,640	1,656	0	1,306	8	66	0	0	0	
Johnson Lake	938	1,198	1,505	0	0	0	0	0	0	0	0	0	0	0	4,844	0	0	0	0	
Carter Lake	174	237	218	0	0	0	0	0	0	0	0	0	0	0	323	0	0	0	0	
Other Lakes	6,549	9,877	12,018	20	287	5,140	110	88	0	8	1,601	3,270	0	13,895	3,326	35	526	43	0	
FRESHWATER TOTAL	80,828 ^c	185,512	249,584	43,661	29,920	7,253	104,691	567	9,535	1,169	7,168	63,785	12,489	61,201	10,712	145	526	43	361	29
FRESHWATER, PERSONAL USE DIPNET:																				
China Poot	1,036	1,021	1,564	0	0	0	4,551	0	45	0	0	0	0	0	0	0	0	0	11	
Kenai River	8,336	12,265	14,896	0	1,597	0	34,059	0	482	0	0	112	0	34	0	0	0	0	112	
Fox Creek	65	57	65	0	45	0	0	0	11	0	0	0	0	0	0	0	0	0	0	
TOTAL	9,047 ^c	13,343	16,525	0	1,642	0	38,610	0	538	0	0	112	0	34	0	0	0	0	123	

^a Kenai Peninsula (Area P): All waters and drainages of the Kenai Peninsula from Cape Puget around to, but excluding Ingram Creek, including Kalgin Island. Does not include the Kenai River main channel.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A87. Kenai Peninsula Area^a sport fish saltwater harvest and effort by fisheries for finfish species^b, 1993.

	Anglers	Trips	Days Fished	KS	SS	RS	PS	CS	DV AC	SH	SM	HA	RF	LC	OTHER
SALTWATER CHARTER BOAT:															
Halibut Cove (Kachemak Bay)	858	957	1,029	443	17	0	28	0	0	0	40	160	68	0	29
Kachemak Bay (Homer)	4,554	4,499	7,212	379	445	192	112	138	144	0	303	2,476	380	76	125
Resurrection Bay (Seward)	14,931	14,163	22,251	674	12,907	206	866	79	321	0	0	11,152	10,137	856	645
Anchor River, Whiskey Gulch, and Deep Creek Areas	19,339	20,541	28,443	4,902	587	71	9	0	44	0	232	27,735	249	0	210
Other Upper Cook Inlet	1,859	2,336	4,639	507	29	342	0	0	0	0	0	2,305	55	0	29
Other Lower Cook Inlet/ Outer Gulf Coast	35,521	30,221	43,098	1,523	948	101	423	0	221	0	122	55,363	2,371	936	663
CHARTER BOAT TOTAL	76,054 ^c	72,717	106,672	8,428	14,933	912	1,438	217	730	0	697	99,191	13,260	1,868	1,701
SALTWATER PRIVATE BOAT:															
Halibut Cove (Kachemak Bay)	2,549	2,633	3,628	1,275	232	58	0	0	0	0	0	268	9	0	10
Tutka Bay (Kachemak Bay Homer Area)	800	1,318	1,554	10	0	0	783	0	19	0	0	219	0	0	0
Homer Spit (Kachemak Bay)	5,770	7,281	10,572	1,163	1,077	36	183	0	232	0	20	1,548	177	48	295
Kachemak Bay (Homer)	5,873	9,494	13,911	831	643	272	286	134	302	0	291	5,915	789	175	329
Resurrection Bay (Seward)	14,374	24,494	41,442	1,292	27,018	1,147	1,822	117	328	0	67	10,927	11,877	1,802	481
Anchor River, Whiskey Gulch, and Deep Creek Areas	20,740	37,252	53,264	6,433	1,603	437	347	120	97	0	52	36,217	495	0	804
Other Upper Cook Inlet	977	1,553	2,939	220	9	301	17	0	97	0	0	1,402	0	0	47
Other Lower Cook Inlet/ Outer Gulf Coast	14,922	19,468	30,709	409	1,102	612	395	84	238	0	134	27,657	1,445	412	721
PRIVATE BOAT TOTAL	53,407 ^c	103,493	158,019	11,633	31,684	2,863	3,833	455	1,313	0	564	84,153	14,792	2,437	2,687
BOAT TOTAL	122,485 ^c	176,210	264,691	20,061	46,617	3,775	5,271	672	2,043	0	1,261	183,344	28,052	4,305	4,388
SALTWATER SHORELINE:															
Homer Spit (Kachemak Bay)	12,470	21,408	28,290	4,997	5,823	297	1,836	58	372	0	67	196	8	66	408
Resurrection Bay (Seward)	9,440	14,546	21,866	3,155	7,647	512	1,484	484	125	0	0	1,622	1,839	325	451
Shoreline - Other	1,715	2,316	3,010	467	320	75	68	54	346	0	0	269	72	19	0
SHORELINE TOTAL	21,368 ^c	38,270	53,166	8,619	13,790	884	3,388	596	843	0	67	2,087	1,919	410	859
GRAND TOTAL	133,502 ^c	214,480	317,857	28,680	60,407	4,659	8,659	1,268	2,886	0	1,328	185,431	29,971	4,715	5,247

^a Kenai Peninsula (Area P): All Alaskan saltwater around the Kenai Peninsula from Cape Puget around to, but excluding, Ingram Creek. Includes waters around Kalgan Island.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A88. Kenai Peninsula Area^a sport fish saltwater catch and effort by fisheries for finfish species^b, 1993.

	Anglers	Trips	Days Fished	KS	SS	RS	PS	CS	DV AC	SH	SM	HA	RF	LC	OTHER
SALTWATER CHARTER BOAT:															
Halibut Cove (Kachemak Bay)	858	957	1,029	600	17	0	28	0	0	0	40	335	229	71	128
Kachemak Bay (Homer)	4,554	4,499	7,212	436	500	252	1,347	138	171	0	436	5,607	698	254	284
Resurrection Bay (Seward)	14,931	14,163	22,251	976	13,957	318	1,284	267	370	0	0	17,322	13,058	2,059	1,767
Anchor River, Whiskey Gulch, and Deep Creek Areas	19,339	20,541	28,443	6,727	883	109	9	0	158	80	461	51,865	1,092	0	3,088
Other Upper Cook Inlet	1,859	2,336	4,639	635	29	368	0	0	0	0	0	4,948	97	0	99
Other Lower Cook Inlet/ Outer Gulf Coast	35,521	30,221	43,098	1,880	1,132	101	691	0	1,080	0	162	119,468	8,640	4,494	3,054
CHARTER BOAT TOTAL	76,054 ^c	72,717	106,672	11,254	16,518	1,148	3,359	405	1,779	80	1,099	199,545	23,814	6,878	8,420
SALTWATER PRIVATE BOAT:															
Halibut Cove (Kachemak Bay)	2,549	2,633	3,628	1,776	232	58	0	0	0	0	0	561	129	266	39
Tutka Bay (Kachemak Bay Homer Area)	800	1,318	1,554	20	0	0	1,921	0	244	0	0	390	38	0	1,984
Homer Spit (Kachemak Bay)	5,770	7,281	10,572	2,020	1,168	72	226	0	232	0	20	2,419	267	276	1,571
Kachemak Bay (Homer)	5,873	9,494	13,911	1,127	672	358	954	158	312	0	783	9,999	1,258	832	851
Resurrection Bay (Seward)	14,374	24,494	41,442	1,655	31,728	1,375	5,946	294	770	10	67	20,800	22,698	4,075	3,525
Anchor River, Whiskey Gulch, and Deep Creek Areas	20,740	37,252	53,264	8,730	2,142	599	373	120	262	31	103	71,435	1,127	0	4,959
Other Upper Cook Inlet	977	1,553	2,939	488	9	353	17	0	97	0	0	2,332	93	0	200
Other Lower Cook Inlet/ Outer Gulf Coast	14,922	19,468	30,709	576	1,923	651	1,543	142	407	0	157	57,362	4,093	1,984	2,308
PRIVATE BOAT TOTAL	53,407 ^c	103,493	158,019	16,392	37,874	3,466	10,980	714	2,324	41	1,130	165,298	29,703	7,433	15,437
BOAT TOTAL	122,485 ^c	176,210	264,691	27,646	54,392	4,614	14,339	1,119	4,103	121	2,229	364,843	53,517	14,311	23,857
SALTWATER SHORELINE:															
Homer Spit (Kachemak Bay)	12,470	21,408	28,290	9,258	7,631	332	3,550	108	1,144	49	67	267	55	335	1,084
Resurrection Bay (Seward)	9,440	14,546	21,866	3,834	8,512	666	3,978	1,913	238	0	0	2,317	3,124	847	798
Shoreline - Other	1,715	2,316	3,010	709	406	75	221	120	747	19	0	715	434	37	64
SHORELINE TOTAL	21,368 ^c	38,270	53,166	13,801	16,549	1,073	7,749	2,141	2,129	68	67	3,299	3,613	1,219	1,946
GRAND TOTAL	133,502 ^c	214,480	317,857	41,447	70,941	5,687	22,088	3,260	6,232	189	2,296	368,142	57,130	15,530	25,803

^a Kenai Peninsula (Area P): All Alaskan saltwater around the Kenai Peninsula from Cape Puget around to, but excluding, Ingram Creek. Includes waters around Kalgan Island.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A89. Kenai Peninsula Area^a sport fish harvest and effort by fisheries for shellfish^b, 1993.

	Anglers	Trips	Days Fished	HCL (Gallons)	OC	RCL	KC	DC	TC	SHR (Gallons)
CLAMS BETWEEN KASILOF AND ANCHOR POINT:										
Anchor River to Deep Creek	5,698	4,817	7,563	1,015	0	140,144				
Deep Creek to Set Net Access	11,662	12,361	18,601	1,205	0	452,537				
Clam Gulch Beach (Set Net Access to Kasilof River)	11,742	8,932	13,790	556	0	353,769				
OTHER:										
Kachemak Bay (Homer)	7,252	8,980	13,534	8,350	7,995	3,647	0	15,178	9,186	656
Other Sites	623	790	1,203	118	0	12,957	0	802	20	63
TOTAL	32,486^c	35,880	54,691	11,244	7,995	963,054	0	15,980	9,206	719

^a Kenai Peninsula (Area P): All Alaskan saltwater around the Kenai Peninsula from Cape Puget around to, but excluding Ingram Creek, including waters around Kalgan Island.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

This page is intentionally blank to maintain harvest and catch by area on facing pages. Harvest and catch are the same for Kenai Peninsula shellfish.

Appendix A90. Kodiak Area^a sport fish harvest and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KS	SS	LL	RS	PS	CS	DV AC	SH	RT	GR	SM	HA	RF	LC	RCL	OTHER
SALTWATER:																			
Boat - Chiniak																			
Bay Area	4,391	11,813	14,556	1,548	2,093	0	419	1,350	157	343	144	0	0	11	6,074	4,912	425	0	1,018
Boat - Afognak																			
Island Area	1,783	3,615	5,427	317	1,537	0	617	208	0	28	19	0	0	0	1,967	1,370	195	0	187
Boat - Barren Islands	1,740	1,667	1,911	18	28	0	0	0	0	18	0	0	0	22	2,800	312	28	0	54
Boat - Shuyak Area	237	366	936	0	143	0	0	45	0	88	0	0	0	0	199	19	29	0	0
Boat - Other	2,560	4,270	7,095	334	1,205	0	239	266	16	177	21	0	0	34	2,346	421	87	0	198
Shoreline - Chiniak																			
Bay Area	2,086	6,495	7,234	172	1,481	0	206	3,260	37	737	41	0	0	0	311	428	99	0	98
Shoreline - Afognak																			
Island Area	646	1,137	1,388	18	1,038	0	270	47	0	53	10	0	0	0	169	64	9	559	9
Shoreline - Other	1,176	3,033	3,215	47	352	0	217	461	42	200	9	0	0	0	303	43	50	727	45
SALTWATER TOTAL	10,858 ^c	32,396	41,762	2,454	7,877	0	1,968	5,637	252	1,644	244	0	0	67	14,169	7,569	922	1,286	1,609
FRESHWATER:																			
Buskin River	4,059	13,995	17,072	0	4,125	0	1,544	1,104	37	1,150	0	0	0	0	0	0	0	0	0
Pasagshak River	2,301	4,338	4,485	0	2,073	0	543	381	0	194	0	0	0	0	0	0	0	0	9
Karluk River and Lagoon	2,161	2,516	6,894	1,634	845	0	1,572	211	0	580	41	148	0	0	0	0	0	0	0
American River	2,019	3,668	5,006	0	2,340	0	0	560	72	115	0	0	0	0	0	0	0	0	0
Olds River (or Creek)	2,388	5,006	5,592	0	1,838	0	0	2,676	26	468	0	0	0	0	0	0	0	0	0
Red River (Ayakulik)	1,016	933	4,566	1,004	260	0	985	0	0	45	0	0	0	0	0	0	0	0	0
Saltery Creek	291	688	1,226	0	392	0	563	55	0	492	0	0	0	0	0	0	0	0	0
Other Streams	1,656	4,237	4,475	0	938	0	474	1,578	67	1,450	10	49	0	0	0	0	0	0	0
Roadside Lakes	485	1,146	1,186	0	285	0	52	69	50	29	37	98	8	0	0	0	0	0	0
Other Lakes	414	824	1,056	0	268	0	148	53	0	132	0	79	8	0	0	0	0	0	0
FRESHWATER TOTAL	9,605 ^c	37,351	51,558	2,638	13,364	0	5,881	6,687	252	4,655	88	374	16	0	0	0	0	0	9
GRAND TOTAL	15,323 ^c	69,747	93,320	5,092	21,241	0	7,849	12,324	504	6,299	332	374	16	67	14,169	7,569	922	1,286	1,618

^a Kodiak (Area Q): All Alaskan waters, including drainages, of the Kodiak and Afognak Island groups including the Barren and Trinity Islands.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A91. Kodiak Area^a sport fish catch and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KS	SS	LL	RS	PS	CS	DV AC	SH	RT	GR	SM	HA	RF	LC	RCL OTHER
SALTWATER:																		
Boat - Chiniak																		
Bay Area	4,391	11,813	14,556	2,677	2,841	0	586	5,092	368	2,301	144	0	0	11	11,832	9,012	960	0 1,458
Boat - Afognak																		
Island Area	1,783	3,615	5,427	363	2,216	0	721	1,311	43	252	19	0	0	0	3,731	3,250	503	0 399
Boat - Barren Islands	1,740	1,667	1,911	18	38	0	0	0	0	18	0	0	0	22	7,539	312	86	0 134
Boat - Shuyak Area	237	366	936	0	564	0	0	505	0	263	103	0	0	0	366	19	29	0 0
Boat - Other	2,560	4,270	7,095	1,467	1,596	0	1,225	1,980	100	1,544	21	0	0	34	4,351	1,534	521	0 1,353
Shoreline - Chiniak																		
Bay Area	2,086	6,495	7,234	208	2,422	0	399	8,962	323	2,840	52	0	0	0	521	497	99	0 147
Shoreline - Afognak																		
Island Area	646	1,137	1,388	18	1,547	0	367	955	146	297	237	0	0	0	367	64	9	559 9
Shoreline - Other	1,176	3,033	3,215	57	621	0	304	3,473	168	1,765	19	0	0	0	505	866	197	727 586
SALTWATER TOTAL	10,858 ^c	32,396	41,762	4,808	11,845	0	3,602	22,278	1,148	9,280	595	0	0	67	29,212	15,554	2,404	1,286 4,086
FRESHWATER:																		
Buskin River	4,059	13,995	17,072	103	6,747	0	2,520	6,380	80	5,496	404	320	0	0	0	0	0	88
Pasagshak River	2,301	4,338	4,485	10	4,681	0	918	1,308	28	1,510	0	0	0	0	0	0	0	63
Karluk River and Lagoon	2,161	2,516	6,894	8,369	3,332	0	7,015	1,288	73	9,986	2,190	1,445	0	0	0	0	0	0
American River	2,019	3,668	5,006	0	4,112	0	0	6,960	503	6,376	0	0	0	0	0	0	0	62
Olds River (or Creek)	2,388	5,006	5,592	0	2,962	0	0	10,388	1,205	2,387	0	0	0	0	0	0	0	0
Red River (Ayakulik)	1,016	933	4,566	5,426	1,448	0	4,854	272	8	1,679	1,443	557	0	0	0	0	0	0
Saltery Creek	291	688	1,226	0	1,156	0	2,298	1,899	46	2,422	0	79	0	0	0	0	0	0
Other Streams	1,656	4,237	4,475	9	3,731	0	2,145	6,176	223	9,927	163	1,437	84	0	0	0	0	0
Roadside Lakes	485	1,146	1,186	0	945	0	289	129	233	356	37	1,038	17	0	0	0	0	0
Other Lakes	414	824	1,056	0	449	0	3,470	501	0	2,692	278	914	109	0	0	0	0	0
FRESHWATER TOTAL	9,605 ^c	37,351	51,558	13,917	29,563	0	23,509	35,301	2,399	42,831	4,515	5,790	210	0	0	0	0	213
GRAND TOTAL	15,323 ^c	69,747	93,320	18,725	41,408	0	27,111	57,579	3,547	52,111	5,110	5,790	210	67	29,212	15,554	2,404	1,286 4,299

^a Kodiak (Area Q): All Alaskan waters, including drainages, of the Kodiak and Afognak Island groups including the Barren and Trinity Islands.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A92. Naknek River Drainage-Alaska Peninsula Area^a sport fish harvest and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KS	SS	RS	KO	PS	CS	LT	DV AC	RT	GR	WF	NP	BB	SM	HA	RF	LC	OTHER
SALTWATER:																					
Boat - Adak Island Area	608	2,994	4,314	0	153	1,417	0	384	0	0	565	0	0	0	0	0	0	1,310	311	119	153
Boat - Other	1,223	3,593	7,725	78	421	328	0	419	282	0	319	0	0	0	0	0	0	1,988	437	49	744
Shoreline	767	2,096	2,735	69	391	231	0	1,180	0	0	793	0	0	0	0	0	0	193	33	30	49
SALTWATER TOTAL	2,182^c	8,683	14,774	147	965	1,976	0	1,983	282	0	1,677	0	0	0	0	0	0	3,491	781	198	946
FRESHWATER:																					
Cold Bay Area (including Russel Creek)	174	269	925	0	229	472	0	0	0	0	350	0	0	0	0	0	0	0	0	0	0
Adak Island Area	413	2,328	2,735	0	258	210	3,087	1,227	0	0	1,682	0	0	0	0	0	0	0	0	0	0
Naknek River & Tributaries	3,629	9,980	13,674	2,603	1,034	946	0	9	34	28	568	842	501	0	0	0	3,746	0	0	0	0
Brooks River	1,971	3,282	5,565	0	36	586	0	0	0	9	0	0	0	0	0	0	0	0	0	0	0
American Creek	464	688	1,659	0	0	0	0	0	0	0	44	0	0	0	8	0	0	0	0	0	0
Other Streams	1,315	3,129	4,218	503	486	195	0	112	92	9	644	162	127	0	28	0	1,677	0	0	0	0
Ugashik System	641	965	1,918	150	92	174	0	0	0	72	248	0	0	0	19	0	0	0	0	0	0
Becharof System	422	490	888	9	48	149	0	0	0	9	171	18	37	0	0	0	0	0	0	0	0
Naknek Lake - Bay of Islands	495	800	1,160	18	19	0	0	0	0	40	28	10	17	0	75	0	0	0	0	0	0
Naknek Lake - Other	292	868	844	0	0	106	0	0	0	29	19	18	0	0	0	0	0	0	0	0	0
Brooks Lake	345	792	900	0	10	101	0	0	0	28	0	9	0	0	0	0	0	0	0	0	0
Other Lakes	299	999	1,872	41	76	145	416	0	18	101	321	9	0	0	0	0	0	0	0	0	0
FRESHWATER TOTAL	7,595^c	24,590	36,358	3,324	2,288	3,084	3,503	1,348	144	325	4,075	1,068	682	0	130	0	5,423	0	0	0	
GRAND TOTAL	9,160^c	33,273	51,132	3,471	3,253	5,060	3,503	3,331	426	325	5,752	1,068	682	0	130	0	5,423	3,491	781	198	946

^a Naknek River Drainage-Alaska Peninsula (Area R): All Alaskan waters, including drainages, between Cape Douglas and the community of Naknek; including the Naknek River drainage, and the Aleutian Island chain. Does not include Cape Douglas.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A93. Naknek River Drainage-Alaska Peninsula Area^a sport fish catch and effort by fisheries and species^b, 1993.

	Days		KS	SS	RS	KO	PS	CS	LT	DV		RT	GR	WF	NP	BB	SM	HA	RF	LC	OTHER
Anglers	Trips	Fished								AC	AC										
SALTWATER:																					
Boat - Adak																					
Island Area	608	2,994	4,314	0	248	1,792	0	671	0	0	2,173	0	0	0	0	0	3,057	565	565	3,060	
Boat - Other	1,223	3,593	7,725	177	490	354	0	1,088	282	0	1,569	0	0	0	0	0	8,244	3,914	118	5,663	
Shoreline	767	2,096	2,735	106	849	231	0	1,755	0	0	2,148	0	0	0	0	0	283	118	78	123	
SALTWATER TOTAL	2,182 ^c	8,683	14,774	283	1,587	2,377	0	3,514	282	0	5,890	0	0	0	0	0	11,584	4,597	761	8,846	
FRESHWATER:																					
Cold Bay Area (including																					
Russel Creek)	174	269	925	0	1,462	617	0	0	202	0	883	0	0	0	0	0	0	0	0	0	69
Adak Island Area	413	2,328	2,735	0	420	219	3,152	2,263	0	0	3,982	0	0	0	0	0	0	0	0	0	0
Naknek River & Tributaries	3,629	9,980	13,674	6,519	2,187	3,029	0	104	249	97	4,727	16,443	4,158	505	252	0	3,835	0	0	0	29
Brooks River	1,971	3,282	5,565	18	549	10,504	0	0	0	224	1,166	13,575	1,227	8	0	0	0	0	0	0	0
American Creek	464	688	1,659	0	17	642	0	9	0	230	9,855	5,816	177	9	169	0	0	0	0	0	0
Other Streams	1,315	3,129	4,218	2,404	2,641	1,948	0	1,350	995	74	5,958	2,050	2,175	0	197	0	1,707	0	0	0	98
Ugashik System	641	965	1,918	1,115	837	566	0	0	100	131	3,288	272	568	0	880	0	0	0	0	0	0
Becharof System	422	490	888	341	275	695	0	0	0	9	3,723	1,404	1,265	0	0	0	0	0	0	0	0
Naknek Lake - Bay of Islands	495	800	1,160	37	19	0	0	0	730	232	2,094	54	0	2,663	0	0	0	0	0	0	0
Naknek Lake - Other	292	868	844	0	67	868	0	0	0	160	1,238	900	280	0	160	0	0	0	0	0	0
Brooks Lake	345	792	900	20	153	442	0	0	8	654	78	1,306	9	0	0	0	0	0	0	0	0
Other Lakes	299	999	1,872	123	420	188	986	29	18	975	1,342	1,113	0	8	0	0	0	0	0	0	0
FRESHWATER TOTAL	7,595 ^c	24,590	36,358	10,577	9,047	19,718	4,138	3,755	1,572	3,284	36,472	44,973	9,913	530	4,321	0	5,542	0	0	0	196
GRAND TOTAL	9,160 ^c	33,273	51,132	10,860	10,634	22,095	4,138	7,269	1,854	3,284	42,362	44,973	9,913	530	4,321	0	5,542	11,584	4,597	761	9,042

^a Naknek River Drainage-Alaska Peninsula (Area R): All Alaskan waters, including drainages, between Cape Douglas and the community of Naknek; including the Naknek River drainage, and the Aleutian Island chain. Does not include Cape Douglas.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A94. Kvichak River Drainage Area^a sport fish harvest and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KS	SS	RS	PS	CS	LT	DV AC	RT	GR	WF	NP	BB	SM	OTHER
SALTWATER:																	
Boat	147	455	431	71	0	0	0	0	0	97	0	0	0	0	0	0	80
Shoreline	123	269	388	0	172	347	0	33	0	44	0	0	0	0	0	0	0
SALTWATER TOTAL	226 ^c	724	819	71	172	347	0	33	0	141	0	0	0	0	0	0	80
FRESHWATER:																	
Kvichak River	1,929	2,447	5,475	250	370	2,923	0	17	0	89	269	139	0	17	0	0	0
Newhalen River	2,993	4,111	6,428	0	444	9,889	0	0	20	190	89	185	0	0	0	0	0
Alagnak (Branch) River	3,077	5,701	12,440	1,515	246	3,179	60	545	83	54	312	171	16	0	0	0	0
Copper River (Lake Iliamna Area)	1,171	1,928	4,088	0	0	818	0	0	0	9	0	50	0	0	0	0	0
Lower Talarik Creek	309	384	491	0	19	78	0	0	0	0	0	0	0	0	0	0	0
Iliamna River	318	446	519	0	0	140	0	0	0	124	10	0	0	0	0	0	0
Kulik River	399	871	1,555	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tazimina River	261	325	343	0	0	58	0	0	0	0	0	76	0	0	0	0	0
Moraine Creek	320	451	689	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other Streams	1,089	1,254	1,774	43	45	282	86	0	9	9	20	19	0	27	0	0	0
Lake Iliamna	1,038	1,740	2,184	0	93	1,431	43	0	156	106	122	101	9	0	0	0	0
Lake Clark	949	1,814	2,596	0	120	297	0	0	219	86	20	568	26	247	0	0	0
Gibraltar Lake	446	585	690	0	0	78	0	0	0	0	0	9	0	0	0	0	0
Other Lakes	818	945	1,606	27	10	151	26	0	88	58	56	141	44	0	0	0	0
FRESHWATER TOTAL	9,971 ^c	23,002	40,878	1,835	1,347	19,324	215	562	575	725	898	1,459	95	291	0	0	0
GRAND TOTAL	10,075 ^c	23,726	41,697	1,906	1,519	19,671	215	595	575	866	898	1,459	95	291	0	0	80

^a Kvichak River Drainage (Area S): All lakes and tributaries of the Kvichak River drainage, including Nonvianuk Lake, Kukaklek Lake, Kulik Lake, Lake Iliamna, and Lake Clark.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A95. Kvichak River Drainage Area^a sport fish catch and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KS	SS	RS	PS	CS	LT	DV AC	RT	GR	WF	NP	BB	SM	OTHER
SALTWATER:																	
Boat	147	455	431	122	0	0	0	42	0	276	0	0	0	0	0	0	80
Shoreline	123	269	388	18	645	486	0	415	0	1,502	0	0	0	0	0	0	0
SALTWATER TOTAL	226^c	724	819	140	645	486	0	457	0	1,778	0	0	0	0	0	0	80
FRESHWATER:																	
Kvichak River	1,929	2,447	5,475	1,494	863	8,951	9	573	202	572	11,465	4,729	152	366	0	0	0
Newhalen River	2,993	4,111	6,428	0	1,066	21,928	0	0	699	1,658	2,975	4,636	0	0	0	0	0
Alagnak (Branch) River	3,077	5,701	12,440	14,123	2,358	24,650	786	10,320	460	2,527	30,665	11,280	221	347	0	0	0
Copper River (Lake Iliamna Area)	1,171	1,928	4,088	0	0	7,566	0	0	0	1,048	15,951	420	0	228	0	0	0
Lower Talarik Creek	309	384	491	0	210	746	0	0	0	465	1,272	846	0	0	0	0	0
Iliamna River	318	446	519	0	0	930	0	0	0	2,902	668	429	0	0	0	0	0
Kulik River	399	871	1,555	0	0	165	0	0	424	0	7,225	0	8	0	0	0	0
Tazimina River	261	325	343	0	0	116	0	17	18	336	1,035	2,740	0	0	0	0	0
Moraine Creek	320	451	689	0	0	287	0	0	19	132	4,541	897	31	0	0	0	0
Other Streams	1,089	1,254	1,774	43	175	1,987	129	158	533	2,160	8,384	2,531	8	276	0	0	0
Lake Iliamna	1,038	1,740	2,184	64	145	7,405	302	83	811	982	3,413	594	25	1,134	0	0	0
Lake Clark	949	1,814	2,596	0	382	820	0	0	2,121	484	173	4,435	151	1,116	107	0	0
Gibraltar Lake	446	585	690	0	0	2,811	0	50	38	430	4,456	934	9	0	0	0	0
Other Lakes	818	945	1,606	27	10	969	277	0	1,494	1,539	1,524	872	44	536	0	0	0
FRESHWATER TOTAL	9,971^c	23,002	40,878	15,751	5,209	79,331	1,503	11,201	6,819	15,235	93,747	35,343	649	4,003	107	0	80
GRAND TOTAL	10,075^c	23,726	41,697	15,891	5,854	79,817	1,503	11,658	6,819	17,013	93,747	35,343	649	4,003	107	0	80

^a Kvichak River Drainage (Area S): All lakes and tributaries of the Kvichak River drainage, including Nonvianuk Lake, Kukaklek Lake, Kulik Lake, Lake Iliamna, and Lake Clark.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A96. Nushagak Area^a sport fish harvest and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KS	SS	RS	KO	PS	CS	LT	DV AC	RT	GR	WF	NP	BB	SM	OTHER
SALTWATER:																		
Boat	243	243	783	174	0	48	0	0	58	0	232	0	0	0	0	0	335	53
Shoreline	77	120	121	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SALTWATER TOTAL	276^c	363	904	174	0	48	0	0	58	0	232	0	0	0	0	0	335	53
FRESHWATER:																		
Nushagak River System	3,691	7,213	14,168	4,815	124	521	0	0	540	31	270	122	316	174	508	0	0	0
Wood River Lakes System	2,138	4,791	6,482	97	100	505	0	0	33	51	1,288	306	212	35	139	0	3,388	0
Tikchik-Nuyakuk Lake System	675	2,326	3,678	101	17	557	0	0	0	192	376	10	650	0	9	0	0	0
Togiak River System	804	943	1,647	225	330	61	0	0	17	0	117	0	65	0	17	0	0	0
Mulchatna River	1,072	1,072	4,729	965	53	568	0	0	133	0	200	375	762	87	74	0	0	10
Other Streams	558	778	1,386	124	57	443	0	0	26	28	47	64	170	0	0	0	67	0
Other Lakes	68	62	114	0	0	43	0	0	0	9	9	0	0	0	0	0	0	0
FRESHWATER TOTAL	6,020^c	17,185	32,204	6,327	681	2,698	0	0	749	311	2,307	877	2,175	296	747	0	3,455	10
GRAND TOTAL	6,097^c	17,548	33,108	6,501	681	2,746	0	0	807	311	2,539	877	2,175	296	747	0	3,790	63

^a Nushagak (Area T): All lakes and tributaries of the Nushagak River drainage, including the Mulchatna River drainage, the Wood River and Tikchik Lake systems, and waters westward to Cape Newenham.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A97. Nushagak Area^a sport fish catch and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KS	SS	RS	KO	FS	CS	LT	DV AC	RT	GR	WF	NP	BB	SM	OTHER
SALTWATER:																		
Boat	243	243	783	743	60	365	0	0	66	0	249	0	0	0	0	0	335	884
Shoreline	77	120	121	109	0	260	0	0	0	0	18	0	0	0	0	0	0	0
SALTWATER TOTAL	276^c	363	904	852	60	625	0	0	66	0	267	0	0	0	0	0	335	884
FRESHWATER:																		
Nushagak River System	3,691	7,213	14,168	22,301	1,154	2,122	0	211	3,651	144	7,632	8,966	15,547	412	3,551	0	0	0
Wood River Lakes System	2,138	4,791	6,482	565	549	6,394	0	29	297	106	13,875	8,283	10,020	43	1,447	0	3,388	0
Tikchik-Nuyakuk Lake System	675	2,326	3,678	217	176	6,286	0	0	28	1,810	5,955	2,574	11,097	17	162	0	0	0
Togiak River System	804	943	1,647	2,035	727	429	0	43	906	0	1,030	1,298	1,452	0	193	0	0	0
Mulchatna River	1,072	1,072	4,729	4,284	368	1,898	0	43	2,275	0	923	4,416	6,847	87	227	0	0	10
Other Streams	558	778	1,386	741	351	2,044	0	36	1,060	28	1,486	2,434	4,537	9	9	0	67	0
Other Lakes	68	62	114	9	0	269	0	0	0	9	44	0	67	0	0	0	0	0
FRESHWATER TOTAL	6,020^c	17,185	32,204	30,152	3,325	19,442	0	362	8,217	2,097	30,945	27,971	49,567	568	5,589	0	3,455	10
GRAND TOTAL	6,097^c	17,548	33,108	31,004	3,385	20,067	0	362	8,283	2,097	31,212	27,971	49,567	568	5,589	0	3,790	894

^a Nushagak (Area T): All lakes and tributaries of the Nushagak River drainage, including the Mulchatna River drainage, the Wood River and Tikchik Lake systems, and waters westward to Cape Newenham.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A98. Tanana River Drainage Area^a sport fish harvest and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KS	SS	LL	KO	CS	LT	DV AC	RT	GR ^c	GR ^d	WF	SF	NP ^e	NP ^f	BB	OTHER	
Upper Chena River	2,865	5,654	6,018	0	0	0	0	0	0	0	0	0	0	70	0	9	10	11	20	
Lower Chena River ^g	5,163	12,931	15,631	733	0	0	0	0	9	0	0	0	0	26	0	232	31	1,124	0	
Piledriver Slough	4,764	16,749	17,263	0	0	0	0	0	9	0	0	6,007	289	470	0	0	103	29	568	0
Nenana River Drainage	481	989	1,026	0	0	0	0	0	0	0	58	0	125	225	0	0	34	0	11	0
Chatanika River	4,270	6,347	7,671	192	0	0	0	0	0	0	0	0	1,299	702	558	74	1,120	224	0	0
Salcha River	3,672	6,793	7,313	601	0	0	0	0	194	0	0	0	277	1,491	9	0	24	3	64	0
Delta Clearwater River	1,491	3,627	4,909	0	48	0	0	0	0	0	0	0	0	437	0	0	0	0	0	0
Goodpaster River	493	838	1,162	0	0	0	0	0	0	0	0	0	461	127	0	0	7	2	86	0
Brushkana Creek	830	786	1,149	0	0	0	0	0	0	0	0	0	364	193	0	0	0	0	0	0
Lower Tanana River	321	436	459	0	0	0	0	0	0	0	0	0	0	0	0	0	101	29	11	0
Middle Tanana River	1,380	3,632	3,862	0	0	0	0	0	0	0	19	0	11	36	0	9	383	101	2,460	0
Upper Tanana River	526	1,308	1,519	0	96	0	0	0	0	0	0	0	155	134	9	0	19	9	685	0
Shaw Creek	424	550	732	0	0	0	0	45	0	0	0	0	318	65	0	0	0	0	161	0
Richardson Clearwater River	368	393	514	0	0	0	0	0	9	0	0	0	222	183	0	0	0	0	0	0
Delta River (below Tangle Lakes)	407	473	1,142	0	0	0	0	0	0	0	0	0	277	199	0	0	0	0	0	0
Other Streams	2,885	3,617	6,360	19	134	0	0	17	59	83	208	999	756	103	0	315	58	289	0	
Birch Lake	5,825	7,605	10,447	0	0	4,041	0	0	0	0	0	11,332	0	0	0	0	0	0	59	0
Quartz Lake	9,039	13,520	17,613	0	0	8,977	0	0	0	0	0	18,699	0	0	0	0	0	0	0	0
Fielding Lake	1,065	1,204	1,827	0	0	0	0	0	0	276	0	0	264	791	0	0	0	0	32	0
Minto Flats	1,857	2,443	3,911	19	0	0	0	88	0	0	0	0	234	0	0	17	1,906	170	0	0
Tangle Lakes and Tangle River	4,419	4,459	8,937	0	0	0	0	0	597	0	0	0	1,853	1,888	157	0	0	0	11	0
Chena Lake (Lake only)	3,386	6,175	6,668	0	0	1,219	0	0	0	595	5,628	150	37	0	0	0	0	0	0	0
Harding Lake	3,015	4,172	4,885	0	0	0	0	0	132	107	245	234	0	0	0	153	238	0	0	
Dune Lake	412	386	587	0	0	300	0	0	0	0	293	0	89	0	0	0	0	0	0	0
East Twin Lake	372	309	406	0	0	0	0	0	0	0	0	0	0	0	0	0	250	34	0	0
George Lake	498	493	772	0	0	0	0	0	0	0	0	0	28	31	0	0	316	126	43	0
Grayling Lake	260	867	795	0	0	0	0	0	0	517	30	0	0	0	0	0	0	0	0	0
Jan Lake	371	526	658	0	0	0	0	0	0	0	437	8	0	0	0	0	0	0	0	0
Sansing Lake	335	737	1,374	9	0	0	0	0	0	0	0	663	0	121	0	0	0	0	0	0
Steese Ponds	1,080	1,920	2,142	0	0	0	0	0	97	208	20	246	0	0	0	45	19	0	0	
Chena Hot Springs	992	1,156	1,655	0	0	0	0	0	0	195	226	67	266	0	0	15	4	11	0	
Road Ponds	1,018	3,685	5,894	0	0	984	0	0	286	818	2,157	123	381	0	0	0	0	0	0	0
Meadow Road Lakes	312	654	771	0	0	0	0	0	82	0	59	0	0	0	0	0	0	0	0	0
Coal Mine Road Lakes	6,051	11,099	14,045	0	0	213	0	0	507	1,384	3,501	445	567	52	0	1,358	235	150	0	0
TOTAL	33,343 ^h	126,733	160,117	1,573	278	15,734	0	371	1,939	3,873	49,693	8,223	9,435	984	100	6,390	1,322	5,717	79	

^a Tanana River Drainage (Area U): The entire Tanana River watershed, excluding all portions of the Yukon and Kuskokwim Rivers watersheds.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Arctic grayling less than 12 inches.

^d Arctic grayling 12 inches and over.

^e Northern pike 30 inches and under.

^f Northern pike over 30 inches

^g Includes Badger Slough which is sometimes called Chena Slough.

^h Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A99. Tanana River Drainage Area^a sport fish catch and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KS	SS	LL	KO	CS	LT	DV AC	RT	GR ^c	GR ^d	WF	SF	NP ^e	NP ^f	BB OTHER	
Upper Chena River	2,865	5,654	6,018	100	0	0	0	303	0	0	0	11,424	5,749	122	0	46	10	11	20
Lower Chena River ^g	5,163	12,931	15,631	2,445	0	0	0	257	0	0	0	20,664	6,569	26	65	1,313	118	1,317	0
Piledriver Slough	4,764	16,749	17,263	9	0	0	0	18	0	0	23,327	24,957	7,079	43	0	325	51	760	0
Nenana River Drainage	481	989	1,026	0	52	0	0	18	0	253	0	2,935	1,663	0	0	254	49	21	0
Chatanika River	4,270	6,347	7,671	625	196	0	0	0	0	0	0	10,252	4,031	558	102	3,822	1,020	0	0
Salcha River	3,672	6,793	7,313	1,788	0	0	0	1,052	0	0	0	4,571	6,683	17	0	191	3	75	0
Delta Clearwater River	1,491	3,627	4,909	0	1,695	0	0	101	0	0	0	3,074	2,638	50	0	0	0	0	0
Goodpaster River	493	838	1,162	0	0	0	0	28	0	0	0	1,217	706	0	0	64	2	86	0
Brushkana Creek	830	786	1,149	0	0	0	0	0	0	10	0	1,804	1,389	0	0	0	0	0	0
Lower Tanana River	321	436	459	0	0	0	0	0	0	78	0	287	104	0	0	473	174	21	0
Middle Tanana River	1,380	3,632	3,862	0	29	0	0	9	0	58	0	49	82	47	9	875	142	2,717	0
Upper Tanana River	526	1,308	1,519	0	716	0	0	0	0	0	0	242	313	17	0	75	10	889	0
Shaw Creek	424	550	732	0	0	0	0	45	0	0	0	793	1,410	0	0	0	0	161	0
Richardson Clearwater River	368	393	514	0	0	0	0	9	0	0	0	262	1,530	0	0	0	0	0	0
Delta River (below Tangle Lakes)	407	473	1,142	0	0	0	0	9	9	0	0	6,028	2,572	0	0	0	0	0	0
Other Streams	2,885	3,817	6,360	208	1,170	0	0	58	100	494	665	6,772	6,142	134	65	1,894	278	311	10
Birch Lake	5,825	7,605	10,447	0	0	6,788	0	0	0	0	29,250	0	0	0	0	0	0	0	118
Quartz Lake	9,039	13,520	17,613	0	0	19,233	0	0	0	0	43,654	0	0	0	0	0	0	0	0
Fielding Lake	1,065	1,204	1,827	0	0	0	0	0	939	0	0	3,707	3,963	9	0	0	0	32	0
Minto Flats	1,857	2,443	3,911	28	0	0	0	423	0	0	0	695	37	9	17	14,298	5,238	0	0
Tangle Lakes and Tangle River	4,419	4,459	8,937	0	0	0	0	0	2,668	0	0	15,200	8,127	227	0	0	0	21	0
Chena Lake (Lake only)	3,386	6,175	6,668	0	0	2,560	0	0	0	2,963	14,310	1,183	98	0	0	0	0	0	39
Harding Lake	3,015	4,172	4,885	0	0	0	0	0	438	195	417	435	219	0	0	5,422	619	0	0
Dune Lake	412	386	587	0	0	437	0	0	0	0	3,060	491	215	0	0	0	0	0	0
East Twin Lake	372	309	406	0	0	0	0	0	0	0	0	0	0	17	0	2,657	428	0	0
George Lake	498	493	772	0	0	0	0	0	0	0	0	28	31	0	0	2,339	281	43	0
Grayling Lake	260	867	795	0	0	0	0	0	0	750	69	169	27	26	0	35	12	0	0
Jan Lake	371	526	658	0	0	0	0	0	0	0	132	3,034	8	0	0	0	0	0	0
Sansing Lake	335	737	1,374	9	0	0	0	0	0	0	29	1,632	230	153	0	0	0	0	0
Steese Ponds	1,080	1,920	2,142	0	0	22	0	0	20	244	1,752	1,795	246	9	0	202	41	21	0
Chena Hot Springs	992	1,156	1,655	0	0	0	0	0	0	195	1,021	960	384	0	0	15	4	11	0
Road Ponds	1,018	3,685	5,894	0	0	1,353	0	0	1,298	2,591	7,765	1,543	2,179	0	0	28	0	0	0
Meadow Road Lakes	312	654	771	0	0	0	0	0	368	68	692	224	19	0	0	0	0	0	0
Coal Mine Road Lakes	6,051	11,099	14,045	19	0	624	0	0	1,574	3,024	14,051	4,509	2,222	52	56	7,836	628	160	0
TOTAL	33,343 ^h	126,733	160,117	5,231	3,858	31,017	0	2,330	7,414	11,084	144,699	126,508	66,580	1,363	314	42,164	9,108	6,657	187

^a Tanana River Drainage (Area U): The entire Tanana River watershed, excluding all portions of the Yukon and Kuskokwim Rivers watersheds.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Arctic grayling less than 12 inches.

^d Arctic grayling 12 inches and over.

^e Northern pike 30 inches and under.

^f Northern pike over 30 inches

^g Includes Badger Slough which is sometimes called Chena Slough.

^h Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A100. Kuskokwim River Drainage Area^a sport fish harvest and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KS	SS	RS	PS	CS	LT	DV AC	RT	GR	WF	SF	NP	BB	SM	HA	OTHER
SALTWATER:																			
Boat	37	40	37	0	0	0	0	0	0	10	0	0	0	0	0	0	0	19	0
Shoreline	57	38	103	0	17	35	0	33	0	0	0	0	0	0	0	0	0	35	589
SALTWATER TOTAL	94 ^c	78	140	0	17	35	0	33	0	10	0	0	0	0	0	0	0	54	589
FRESHWATER:																			
Kanektok River	1,171	1,446	3,791	1,006	734	331	0	183	0	378	130	25	0	0	0	0	0	0	0
Aniak River	580	1,028	2,056	300	213	17	10	101	0	260	10	288	0	0	0	0	0	0	0
Goodnews River	385	465	2,276	81	189	53	17	156	9	343	145	17	0	0	0	0	0	0	0
Kwethluk River	297	453	554	0	313	19	0	0	0	97	58	47	0	0	329	107	1,677	0	0
Other Streams	1,486	2,292	4,676	287	590	179	0	258	0	338	134	362	253	54	549	107	1,666	0	0
Lakes	220	284	1,012	0	0	81	0	0	209	73	9	0	0	0	117	0	0	0	0
FRESHWATER TOTAL	3,198 ^c	5,968	14,365	1,674	2,039	680	27	698	218	1,489	486	739	253	54	995	214	3,343	0	0
GRAND TOTAL	3,257 ^c	6,046	14,505	1,674	2,056	715	27	731	218	1,499	486	739	253	54	995	214	3,343	54	589

^a Kuskokwim River Drainage (Area V): The Kuskokwim River drainage and all waters flowing into Kuskokwim Bay; adjacent saltwater from Cape Newenham north to the Naskonat Peninsula (north of Nelson Island). Does not include the Yukon, Tanana or Koyukuk River drainages.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A101. Kuskokwim River Drainage Area^a sport fish catch and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KS	SS	RS	PS	CS	LT	DV AC	RT	GR	WF	SF	NP	BB	SM	HA	OTHER
SALTWATER:																			
Boat	37	40	37	0	0	0	0	0	0	10	0	0	0	0	0	0	0	19	0
Shoreline	57	38	103	0	17	35	0	66	0	0	0	0	0	0	0	0	0	52	589
SALTWATER TOTAL	94 ^c	78	140	0	17	35	0	66	0	10	0	0	0	0	0	0	0	71	589
FRESHWATER:																			
Kanektok River	1,171	1,446	3,791	5,245	3,741	1,887	482	4,849	18	10,136	4,106	2,727	102	0	56	0	0	0	0
Aniak River	580	1,028	2,056	1,426	753	79	364	2,412	10	9,340	1,144	5,580	0	626	45	0	0	0	9
Goodnews River	385	465	2,276	469	645	321	269	924	294	8,156	3,994	851	16	0	0	0	0	0	0
Kwethluk River	297	453	554	47	566	19	0	221	0	349	333	166	0	0	526	107	1,677	0	0
Other Streams	1,486	2,292	4,676	2,497	2,668	1,205	17	2,269	0	7,743	3,042	7,085	277	1,326	2,641	107	1,666	0	0
Lakes	220	284	1,012	0	0	91	0	0	992	91	27	187	0	0	453	0	0	0	0
FRESHWATER TOTAL	3,198 ^c	5,968	14,365	9,684	8,373	3,602	1,132	10,675	1,314	35,815	12,646	16,596	395	1,952	3,721	214	3,343	0	9
GRAND TOTAL	3,257 ^c	6,046	14,505	9,684	8,390	3,637	1,132	10,741	1,314	35,825	12,646	16,596	395	1,952	3,721	214	3,343	71	598

^a Kuskokwim River Drainage (Area V): The Kuskokwim River drainage and all waters flowing into Kuskokwim Bay; adjacent saltwater from Cape Newenham north to the Naskonat Peninsula (north of Nelson Island). Does not include the Yukon, Tanana or Koyukuk River drainages.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A102. Seward Peninsula-Norton Sound Area^a sport fish harvest and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KS	SS	RS	PS	CS	DV AC	GR ^c	GR ^d	WF	SF	NP	BB	SM	KC	OTHER
SALTWATER:																		
Boat	338	440	665	0	96	0	139	28	0	0	0	0	0	0	0	0	179	9
Shoreline	335	939	1,210	19	120	0	284	9	205	0	0	0	0	0	0	0	0	49
SALTWATER TOTAL	648^e	1,379	1,875	19	216	0	423	37	205	0	0	0	0	0	0	0	179	58
FRESHWATER:																		
Nome River	1,129	3,101	3,562	93	602	0	723	0	917	0	0	0	0	0	0	0	0	0
Pilgrim River	544	1,010	1,017	28	191	10	0	0	448	38	37	0	0	207	0	0	0	0
Unalakleet River	590	1,360	2,118	382	643	0	89	116	427	114	17	8	0	0	0	0	0	0
Fish-Niukluk River System	697	1,527	3,589	9	1,185	0	278	489	1,003	315	270	9	0	75	21	0	0	0
Sinuk River	463	907	874	9	96	0	115	0	536	0	37	0	0	0	0	0	0	0
Snake River	622	1,394	1,468	9	248	0	151	0	331	261	206	0	0	0	0	0	0	0
Solomon River	317	1,580	1,404	28	420	0	259	0	893	0	0	61	0	0	0	0	0	0
Kuzitrin River	293	334	463	0	0	0	0	0	146	55	46	0	0	209	0	0	0	0
Other Streams	727	1,369	2,478	18	182	0	212	49	904	59	129	17	0	46	75	335	0	491
Lakes	24	83	82	0	0	0	0	0	97	0	0	0	0	0	0	0	0	0
FRESHWATER TOTAL	2,777^e	12,665	17,055	576	3,567	10	1,827	654	5,702	842	742	95	0	537	96	335	0	491
GRAND TOTAL	3,134^e	14,044	18,930	595	3,783	10	2,250	691	5,907	842	742	95	0	537	96	335	179	549

^a Seward Peninsula-Norton Sound (Area W): All drainage area north of the Yukon River drainage, including all saltwater north and west of Pastol Bay in Norton Sound; and, south of the Selawik River drainage. Does not include the Selawik River.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Arctic grayling 15 inches and under.

^d Arctic grayling over 15 inches.

^e Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A103. Seward Peninsula-Norton Sound Area^a sport fish catch and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KS	SS	RS	PS	CS	DV AC	GR ^c	GR ^d	WF	SF	NP	BB	SM	KC	OTHER
SALTWATER:																		
Boat	338	440	665	0	165	0	295	28	0	0	0	0	0	0	0	0	291	9
Shoreline	335	939	1,210	19	149	0	332	65	205	0	0	0	0	0	0	0	0	78
SALTWATER TOTAL	648 ^e	1,379	1,875	19	314	0	627	93	205	0	0	0	0	0	0	0	291	87
FRESHWATER:																		
Nome River	1,129	3,101	3,562	121	764	0	1,756	175	5,153	496	73	0	0	0	0	0	0	0
Pilgrim River	544	1,010	1,017	92	325	67	392	254	2,736	1,657	649	0	0	959	11	0	0	0
Unalakleet River	590	1,360	2,118	2,340	1,572	0	605	515	964	682	192	39	0	0	0	0	0	0
Fish-Niukluk River System	697	1,527	3,589	9	1,689	0	909	912	5,838	2,459	2,927	44	0	75	21	0	0	0
Sinuk River	463	907	874	9	143	10	547	28	1,179	674	205	0	0	0	0	0	0	0
Snake River	622	1,394	1,468	9	306	0	429	37	1,003	1,222	392	0	0	0	0	0	0	0
Solomon River	317	1,580	1,404	47	650	0	633	0	1,725	131	9	61	0	0	0	0	0	0
Kuzitrin River	293	334	463	0	0	0	0	0	263	101	187	9	0	751	0	0	0	0
Other Streams	727	1,369	2,478	421	411	10	499	205	2,983	660	507	43	0	120	75	335	0	491
Lakes	24	83	82	0	0	29	0	0	117	0	0	0	0	212	0	0	0	0
FRESHWATER TOTAL	2,777 ^e	12,665	17,055	3,048	5,860	116	5,770	2,126	21,961	8,082	5,141	196	0	2,117	107	335	0	491
GRAND TOTAL	3,134 ^e	14,044	18,930	3,067	6,174	116	6,397	2,219	22,166	8,082	5,141	196	0	2,117	107	335	291	578

^a Seward Peninsula-Norton Sound (Area W): All drainage area north of the Yukon River drainage, including all saltwater north and west of Pastol Bay in Norton Sound; and, south of the Selawik River drainage. Does not include the Selawik River.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Arctic grayling 15 inches and under.

^d Arctic grayling over 15 inches.

^e Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A104. Northwest Alaska Area^a sport fish harvest and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KS	SS	RS	PS	CS	LT	DV ^c AC	DV ^d AC	GR	WF	SF	NP	BB	SM	OTHER
SALTWATER:																		
Boat	76	109	118	0	0	0	0	0	0	0	0	0	0	139	0	0	0	0
Shoreline	303	347	498	0	0	0	0	185	0	0	0	0	9	259	0	0	22	177
SALTWATER TOTAL	329 ^e	456	616	0	0	0	0	185	0	0	0	0	9	398	0	0	22	177
FRESHWATER:																		
Kobuk River	335	880	2,015	0	0	0	0	128	0	0	9	305	8	395	205	0	0	0
Noatak River	607	614	2,046	0	9	0	0	130	28	218	107	322	213	0	36	139	0	0
Other Streams	641	1,012	2,548	0	0	0	0	0	0	210	323	234	8	111	224	0	0	0
Lakes	350	317	584	0	0	0	0	0	206	38	9	55	0	125	94	0	0	0
FRESHWATER TOTAL	1,388 ^e	2,823	7,193	0	9	0	0	258	234	466	448	916	229	631	559	139	0	0
GRAND TOTAL	1,575 ^e	3,279	7,809	0	9	0	0	443	234	466	448	916	238	1,029	559	139	22	177

^a Northwest Alaska (Area X): Kotzebue area including drainages of Selawik, Kobuk, Noatak, Wulik, and Kivalina Rivers. All saltwater in the northern half of Kotzebue Sound to and including Point Hope.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Dolly Varden and Arctic char 20 inches and under.

^d Dolly Varden and Arctic char over 20 inches.

^e Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A105. Northwest Alaska Area^a sport fish catch and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KS	SS	RS	PS	CS	LT	DV ^c	DV ^d	GR	WF	SF	NP	BB	SM	OTHER
										AC	AC							
SALTWATER:																		
Boat	76	109	118	0	0	0	0	0	0	9	9	0	0	232	0	0	0	0
Shoreline	303	347	498	0	0	0	0	185	0	0	88	0	9	647	0	0	22	177
SALTWATER TOTAL	329^e	456	616	0	0	0	0	185	0	9	97	0	9	879	0	0	22	177
FRESHWATER:																		
Kobuk River	335	880	2,015	0	0	0	0	324	0	458	35	1,717	33	1,074	500	0	0	0
Noatak River	607	614	2,046	0	43	0	10	253	102	502	854	1,718	252	0	1,105	150	0	10
Other Streams	641	1,012	2,548	26	0	0	10	9	0	1,959	2,921	3,151	8	111	412	0	0	0
Lakes	350	317	584	0	0	0	0	0	491	240	115	642	0	209	192	0	0	0
FRESHWATER TOTAL	1,388^e	2,823	7,193	26	43	0	20	586	593	3,159	3,925	7,228	293	1,394	2,209	150	0	10
GRAND TOTAL	1,575^e	3,279	7,809	26	43	0	20	771	593	3,168	4,022	7,228	302	2,273	2,209	150	22	187

^a Northwest Alaska (Area X): Kotzebue area including drainages of Selawik, Kobuk, Noatak, Wulik, and Kivalina Rivers. All saltwater in the northern half of Kotzebue Sound to and including Point Hope.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Dolly Varden and Arctic char 20 inches and under.

^d Dolly Varden and Arctic char over 20 inches.

^e Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A106. Yukon River Drainage Area^a sport fish harvest and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KS	SS	RS	PS	CS	LT	DV AC	GR	WF	SF	NP	BB	SM	HA	OTHER
SALTWATER:																		
Boat	26	71	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Shoreline	22	12	22	9	0	0	0	0	0	0	0	0	0	0	0	0	0	
SALTWATER TOTAL	48^c	83	81	9	0													
FRESHWATER:																		
Yukon River Drainages																		
(Downstream from Koyukuk River)																		
Koyukuk River Drainage	568	1,293	3,211	19	619	0	0	73	0	469	558	25	63	346	0	0	0	
Nowitna River	905	1,239	2,378	0	0	0	0	0	31	49	716	0	19	191	0	0	0	
Dall River	250	188	446	0	0	0	0	0	0	0	0	0	0	61	63	0	0	
328	332	845	0	0	0	0	0	0	0	0	0	0	28	352	118	0	0	
Yukon River Drainages (Koyukuk River to Fort Yukon)																		
900	2,269	2,885	85	0	0	0	0	0	0	0	789	8	175	671	129	0	0	
Yukon River Drainages (Fort Yukon to Canadian Border)																		
Other Lakes	233	311	580	0	0	0	0	0	0	0	183	0	17	121	0	0	0	
Other Streams	162	290	470	0	0	0	0	0	20	0	19	0	0	68	11	0	0	
FRESHWATER TOTAL	1,255	1,906	3,115	9	0	0	0	120	50	10	1,065	140	73	535	21	0	0	
GRAND TOTAL	3,778 ^c	7,828	13,930	113	619	0	0	193	101	528	3,330	173	436	2,347	279	0	0	

^a Yukon River Drainage (Area Y): All Yukon River drainages (including the Alaska portion of the White River drainage but excluding the Tanana River drainage), from the south side of the Brooks Range to the Bering Sea; and from the Canadian border to the Bering Sea; and all drainages of the Koyukuk River and Alatna Rivers.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A107. Yukon River Drainage Area^a sport fish catch and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KS	SS	RS	PS	CS	LT	DV AC	GR	WF	SF	NP	BB	SM	HA	OTHER
SALTWATER:																		
Boat	26	71	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Shoreline	22	12	22	9	0	0	0	0	0	0	0	0	0	0	0	0	0	
SALTWATER TOTAL	48^c	83	81	9	0	0	0	0	0	0	0	0	0	0	0	0	0	
FRESHWATER:																		
Yukon River Drainages																		
(Downstream from Koyukuk River)																		
Koyukuk River	568	1,293	3,211	235	1,023	9	0	624	0	3,716	4,491	175	522	3,257	0	0	0	
Koyukuk River Drainage	905	1,239	2,378	0	0	0	0	18	95	59	6,290	0	19	605	0	0	0	
Nowitna River	250	188	446	0	0	0	0	0	0	0	0	0	573	1,362	0	0	0	
Dall River	328	332	845	0	0	0	0	0	0	0	607	0	93	2,645	139	0	0	
Yukon River Drainages																		
(Koyukuk River to Fort Yukon)																		
Fort Yukon	900	2,269	2,885	302	0	0	0	185	0	88	5,845	8	210	2,716	171	0	0	
Yukon River Drainages																		
(Fort Yukon to Canadian Border)																		
Canadian Border	233	311	580	0	0	0	0	0	0	19	418	0	17	172	0	0	0	
Other Lakes	162	290	470	0	0	0	0	0	20	18	192	0	0	405	11	0	0	
Other Streams	1,255	1,906	3,115	94	0	0	0	397	81	349	3,577	201	693	2,340	21	0	0	
FRESHWATER TOTAL	3,778^c	7,828	13,930	631	1,023	9	0	1,224	196	4,249	21,420	384	2,127	13,502	342	0	0	
GRAND TOTAL	3,800^c	7,911	14,011	640	1,023	9	0	1,224	196	4,249	21,420	384	2,127	13,502	342	0	0	

^a Yukon River Drainage (Area Y): All Yukon River drainages (including the Alaska portion of the White River drainage but excluding the Tanana River drainage), from the south side of the Brooks Range to the Bering Sea; and from the Canadian border to the Bering Sea; and all drainages of the Koyukuk River and Alatna Rivers.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A108. North Slope Brooks Range Area^a sport fish harvest and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KS	PS	CS	LT	DV AC	GR	WF	NP	BB	SM	OTHER
SALTWATER:														
Boat	37	83	70	0	0	0	0	58	0	0	0	0	0	0
Shoreline	52	270	261	0	0	0	0	49	19	0	0	0	0	0
SALTWATER TOTAL	89^c	353	331	0	0	0	0	107	19	0	0	0	0	0
FRESHWATER:														
Sagavanirktoq River	370	1,503	2,118	0	0	0	0	448	463	0	0	0	0	0
Other Haul Road Streams	222	469	1,085	0	0	0	10	179	226	0	0	21	0	0
Other Streams	465	678	1,303	0	0	17	9	320	700	0	0	0	0	0
Haul Road Lakes	135	204	218	0	0	0	47	10	28	0	0	0	0	0
Other Lakes	251	188	545	0	0	0	40	28	196	0	85	0	0	0
FRESHWATER TOTAL	1,325^c	3,042	5,269	0	0	17	106	985	1,613	0	85	21	0	0
GRAND TOTAL	1,362^c	3,395	5,600	0	0	17	106	1,092	1,632	0	85	21	0	0

^a North Slope Brooks Range (Area Z): All Alaskan waters, including drainages, north of the Brooks Range and flowing into the Beaufort and Chukchi Seas to the north and east of Point Hope. Does not include Point Hope.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A109. North Slope Brooks Range Area^a sport fish catch and effort by fisheries and species^b, 1993.

	Anglers	Trips	Days Fished	KS	PS	CS	LT	DV AC	GR	WF	NP	BB	SM	OTHER
SALTWATER:														
Boat	37	83	70	0	0	0	0	105	0	0	0	0	0	0
Shoreline	52	270	261	0	0	0	0	88	467	0	0	0	0	0
SALTWATER TOTAL	89c	353	331	0	0	0	0	193	467	0	0	0	0	0
FRESHWATER:														
Sagavanirktok River	370	1,503	2,118	0	10	0	0	1,275	2,038	105	0	0	0	0
Other Haul Road Streams	222	469	1,085	0	0	0	51	1,032	2,935	87	0	21	0	0
Other Streams	465	678	1,303	0	0	17	18	1,371	2,461	0	0	0	0	0
Haul Road Lakes	135	204	218	0	0	0	129	29	725	0	0	0	0	0
Other Lakes	251	188	545	0	0	0	68	46	719	0	135	0	0	0
FRESHWATER TOTAL	1,325c	3,042	5,269	0	10	17	266	3,753	8,878	192	135	21	0	0
GRAND TOTAL	1,362c	3,395	5,600	0	10	17	266	3,946	9,345	192	135	21	0	0

^a North Slope Brooks Range (Area Z): All Alaskan waters, including drainages, north of the Brooks Range and flowing into the Beaufort and Chukchi Seas to the north and east of Point Hope. Does not include Point Hope.

^b Refer to Appendix A3 for common names and species abbreviations.

^c Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Appendix A110. Comparison of 1993 Alaska statewide survey and onsite survey estimates and confidence intervals (CI).

Fishery	Harvest					Catch				
	Onsite Survey	95% CI	Statewide Survey	95% CI	Onsite Survey	95% CI	Statewide Survey	95% CI		
<u>Ketchikan Marine Boat^a</u>										
Chinook salmon over 28"	5,274	4,339 - 6,209	5,202	4,231 - 6,285	5,908	4,636 - 7,180	6,580	5,280 - 7,980		
Chinook salmon under 28"	3	0 - 0	0	0 - 0	6,470	4,796 - 8,144	5,548	4,121 - 7,135		
Coho salmon	18,703	13,350 - 24,056	16,865	13,817 - 20,583	23,332	16,827 - 29,837	19,049	15,659 - 23,222		
Sockeye salmon	160	48 - 272	391	190 - 617	182	66 - 298	705	279 - 1,306		
Pink salmon	34,352	23,782 - 44,922	14,659	11,614 - 17,839	44,959	32,497 - 57,421	24,275	19,364 - 29,848		
Chum salmon	1,967	1,265 - 2,669	1,514	1,041 - 2,078	2,462	1,562 - 3,362	2,324	1,585 - 3,191		
Halibut	12,783	10,711 - 14,855	11,272	9,516 - 13,051	17,226	14,231 - 20,221	15,976	13,267 - 19,045		
Rockfish	10,573	8,317 - 12,829	6,071	4,850 - 7,313	25,765	22,000 - 29,530	21,599	16,072 - 28,327		
Lingcod	1,275	918 - 1,632	1,898	1,362 - 2,525	1,376	1,009 - 1,743	2,974	2,134 - 4,103		
<u>Sitka Marine Boat^a</u>										
Chinook salmon over 28"	13,779	11,705 - 15,853	10,849	9,265 - 12,632	15,704	13,299 - 18,109	15,532	13,064 - 18,159		
Chinook salmon under 28"	0	0 - 0	0	0 - 0	1,265	879 - 1,651	6,173	4,560 - 8,093		
Coho salmon	14,166	12,081 - 16,251	9,710	7,398 - 12,520	14,613	12,500 - 16,726	12,241	9,139 - 15,785		
Sockeye salmon	60	5 - 115	394	68 - 923	60	5 - 115	945	129 - 2,156		
Pink salmon	1,069	761 - 1,377	1,260	667 - 1,913	1,856	1,370 - 2,342	2,354	1,310 - 3,391		
Chum salmon	3,462	2,376 - 4,548	1,591	979 - 2,219	4,546	3,280 - 5,812	3,003	1,763 - 4,306		
Halibut	12,720	11,130 - 14,310	13,019	11,438 - 14,858	17,009	14,892 - 19,126	20,050	17,147 - 23,150		
Rockfish	3,666	2,866 - 4,466	4,486	3,095 - 6,053	12,857	10,415 - 15,299	13,092	6,515 - 23,867		
Lingcod	1,963	1,577 - 2,349	2,871	2,282 - 3,452	2,411	1,937 - 2,885	3,604	2,887 - 4,314		
<u>Juneau Marine Boat^a</u>										
Chinook salmon over 28"	8,332	6,770 - 9,894	8,530	7,026 - 9,983	8,498	6,905 - 10,091	9,865	8,241 - 11,474		
Chinook salmon under 28"	5	0 - 13	0	0 - 0	4,868	3,353 - 6,383	9,406	6,274 - 12,808		
Coho salmon	15,921	13,024 - 18,818	18,788	15,265 - 22,372	16,688	13,762 - 19,614	21,624	17,088 - 25,835		
Sockeye salmon	67	30 - 104	530	212 - 969	93	46 - 140	587	244 - 1,030		
Pink salmon	2,911	2,313 - 3,509	3,316	2,149 - 4,601	5,137	4,000 - 6,274	13,457	9,422 - 17,820		
Chum salmon	943	702 - 1,184	1,325	874 - 1,884	1,019	776 - 1,262	3,024	1,888 - 4,379		
Halibut	6,928	5,654 - 8,202	7,527	5,957 - 9,138	9,580	7,763 - 11,397	10,302	8,008 - 12,604		
Rockfish	945	606 - 1,284	1,976	1,226 - 2,762	985	646 - 1,324	3,702	2,593 - 4,917		
Lingcod	4	0 - 12	284	135 - 460	8	0 - 18	1,269	608 - 2,017		

-continued-

Appendix A110. (Page 2 of 3).

Fishery	Harvest					Catch				
	Onsite Survey	95% CI	Statewide Survey	95% CI	Onsite Survey	95% CI	Statewide Survey	95% CI		
<u>Kenai River - Cook Inlet to Soldotna Bridge</u>										
Chinook salmon, nonguided ^b	10,197	9,164 - 11,230	11,759	10,581 - 13,111	14,698	13,295 - 16,101	16,183	14,603 - 17,861		
Chinook salmon, guided ^b	11,928	10,942 - 12,914	13,562	12,381 - 14,813	14,868	13,659 - 16,077	15,326	13,219 - 16,781		
Coho salmon, nonguided ^c	16,713	12,993 - 20,433	15,633	12,485 - 18,680	16,846	13,110 - 20,582	18,557	14,043 - 20,904		
Coho salmon, guided ^c	12,359	9,117 - 15,601	13,502	9,165 - 18,079	12,486	9,238 - 15,734	18,382	10,961 - 21,848		
<u>Russian River^{de}</u>										
Sockeye salmon	64,417	53,453 - 75,381	55,085	49,930 - 60,622					91,851	57,969 - 157,051
<u>Ninilchik River^f</u>										
Chinook salmon	5,610	4,616 - 6,604	4,235	3,588 - 5,000	15,054	11,577 - 18,531	9,491	7,526 - 11,676		
<u>Chatanika River^g</u>										
Whitefish	719	592 - 846	558	251 - 1,310	719	592 - 846	558	251 - 1,310		

^a On-site survey estimates from: Hubartt, D., Bingham, A. and P. Suchanek. *In prep.* Harvest estimates for selected marine sport fisheries in Southeast Alaska during 1993. Alaska Department of Fish and Game, Fishery Data Series.

^b On-site survey estimates from: Hammarstrom, S. 1994. Angler effort and harvest of chinook salmon by the recreational fisheries in the Lower Kenai River, 1993. Alaska Department of Fish and Game, Fishery Data Series No. 94-7.

^c On-site survey estimates from: Schwager-King, M. 1994. Angler effort and harvest of coho salmon during the recreational fisheries in the Lower Kenai River, 1993. Alaska Department of Fish and Game, Fishery Data Series No. 94-9.

^d On-site survey estimates from: Marsh, L. 1994. Catch and effort statistics for the sockeye salmon sport fishery during the early run to the Russian River with estimates of escapement, 1993. Alaska Department of Fish and Game, Fishery Data Series No. 94-16.

Appendix A110. (Page 3 of 3).

- e On-site survey estimates from: Marsh, L. 1994. Catch and effort statistics for the sockeye salmon sport fishery during the late run to the Russian River with estimates of escapement, 1993. Alaska Department of Fish and Game, Fishery Data Series No. 94-15.
- f On-site survey estimates from: Balland T., Sonnichsen, S. and L. Timmons. 1994. Contribution of stocked chinook salmon to the Ninilchik River sport fishery, 1993. Alaska Department of Fish and Game, Fishery Data Series No. 94-25.
- g On-site survey estimates from: Hallberg, J. and A. Bingham. 1994. Creel surveys conducted in Interior Alaska during 1993. Alaska Department of Fish and Game, Fishery Data Series No. 94-27.

Appendix A111. Number of households responding to the 1993 standard and supplementary sport fish surveys by fishery.

	Number of Respondents		Number of Respondents Used in Estimates			
	Standard	Supplementary	Standard	Supplementary		
Area A. Ketchikan Area						
SALTWATER:						
Boat - East, West Behm Canals	213	115	210	113		
Boat - Clarence Strait	204	111	203	108		
Boat - Revilla Channel	251	121	245	119		
Boat - Tongass Narrows	64	37	60	35		
Boat - Yes Bay	37	9	37	8		
Boat - Bell Island	29	14	29	14		
Boat - Other	30	40	30	40		
Shoreline - Mountain Point	14	6	14	6		
Shoreline - Other	31	14	30	13		
FRESHWATER:						
Naha River	23	10	23	10		
Ward Cove Creek	17	7	16	7		
Ketchikan Creek	16	6	11	6		
Other Streams	43	12	42	12		
Ward Lake	26	4	26	4		
McDonald Lake Drainage	10	3	10	3		
Other Lakes	47	23	42	22		
Area B. Prince of Wales Island Area						
SALTWATER:						
Boat - Waterfall Bay	101	45	98	44		
Boat - Thorne Bay	1	12	1	12		
Boat - Cape Chacon	6	11	6	11		
Boat - Eastside Prince of Wales Island	156	77	155	77		
Boat - Westside Prince of Wales Island	253	127	244	124		
Shoreline	11	10	11	10		
FRESHWATER:						
Sweetwater System (Stream, Lake)	12	8	12	8		
Thorne System (Stream, Lake)	41	8	40	8		
Sarkar System (Stream, Lake)	16	6	16	6		
Other Systems	1	2	1	2		
Karta River	10	3	10	3		
Klawock River	33	2	32	2		
Staney Creek	15	4	15	4		
Eagle Creek	12	3	12	3		
Harris River	9	3	9	3		
Other Streams	24	16	23	16		
Other Lakes	13	1	12	1		

-continued-

Appendix A111. (Page 2 of 15).

	Number of Respondents		Number of Respondents Used in Estimates	
	Standard Supplementary		Standard Supplementary	
Area C. Kake, Petersburg, Wrangell, Stikine Area				
SALTWATER:				
Boat - Blind Slough Wrangell Narrows	62	31	62	31
Boat - Frederick Sound	94	47	94	47
Boat - Rest of Petersburg Area	88	17	87	17
Boat - Wrangell Area	96	32	96	31
Boat - Kake Area	16	11	16	11
Boat - Other	14	64	14	64
Shoreline - Blind Slough Wrangell Narrows	39	8	38	8
Shoreline - Rest of Petersburg Road System	16	6	16	6
Shoreline - Wrangell Road System	14	3	13	3
Shoreline - Other	11	14	11	14
FRESHWATER:				
Anan Creek	8	4	8	4
Petersburg Creek	17	9	16	9
Castle River	12	1	12	1
Other Streams	28	20	27	18
Lakes	26	11	26	11
Systems	6	4	5	3
Area D. Sitka Area				
SALTWATER:				
Boat - Crescent Bay (Sheldon Jackson Hatchery Area)	59	16	59	16
Boat - Starrigavan Bay	48	9	48	9
Boat - Silver Bay	49	11	49	11
Boat - Other Sitka Sound, including Vitskari Island	390	183	383	180
Boat - Biorka Island	10	6	10	5
Boat - Salisbury Sound	131	56	131	55
Boat - Tenakee Inlet	15	14	15	14
Boat - Hoonah Area	9	5	8	5
Boat - Chatham Strait	9	13	9	13
Boat - Cross Sound	8	5	8	5
Boat - Elfin Cove	16	9	16	9
Boat - Kruzof Island	2	12	2	12
Boat - Other	91	113	90	110
Shoreline - Crescent Bay (Sheldon Jackson Hatchery Area)	16	1	16	1
Shoreline - Starrigavan Bay	22	6	22	6
Shoreline - Other Sitka Sound	49	8	45	8
Shoreline - Other	26	17	26	15

-continued-

Appendix A111. (Page 3 of 15).

	Number of Respondents		Number of Respondents Used in Estimates	
	Standard Supplementary		Standard Supplementary	
Area D. Sitka Area (continued)				
FRESHWATER:				
Eva Lake System (Lake, Stream)	12	4	12	3
Sitkoh System (Lake, Stream)	17	6	17	5
Baranof System (Lake, Stream)	11	5	11	5
Other Systems	5	0	4	0
Other Streams	33	24	33	23
Blue Lake	10	4	8	4
Other Lakes	31	9	30	9
Area E. Juneau Area				
SALTWATER:				
Boat - Doty Cove to Berners Bay and west to Point Retreat	545	268	538	266
Boat - Angoon Area	69	19	68	19
Boat - Stephens Passage	32	49	32	49
Boat - Lynn Canal	7	27	7	27
Boat - Admiralty Island	7	9	7	9
Boat - Funter Bay	10	23	10	23
Boat - Outer Point	1	17	1	17
Boat - Other	80	95	79	93
Shoreline - Sheep Creek Area	68	9	67	9
Shoreline - Auke Creek Mouth	50	22	50	22
Shoreline - Other Juneau Road System	148	73	143	72
Shoreline - Other	41	17	39	17
FRESHWATER:				
Fish Creek (Douglas Island)	44	10	44	9
Peterson Creek and Salt Chuck	28	7	28	6
Twin Lakes	45	5	44	5
Other Juneau Road System	60	27	56	25
Other Streams	33	22	32	18
Hasselborg Lake	14	2	14	2
Other Lakes	29	15	28	14

-continued-

Appendix A111. (Page 4 of 15).

	Number of Respondents		Number of Respondents Used in Estimates	
	Standard	Supplementary	Standard	Supplementary
Area F. Haines-Skagway Area				
SKAGWAY SUB-AREA				
SALTWATER:				
Boat	75	53	75	53
Shoreline	25	0	25	0
FRESHWATER:				
Streams	8	7	8	7
Lakes	7	6	7	6
HAINES SUB-AREA				
SALTWATER:				
Boat - Lynn Canal	30	48	30	48
Boat - Other	85	62	85	60
Shoreline	35	8	35	8
FRESHWATER:				
Chilkoot River	87	38	86	38
Chilkat River	59	36	56	35
Other Streams	1	5	1	5
Chilkoot Lake	59	39	58	38
Chilkat Lake	20	7	19	7
Other Lakes	4	5	4	5
Area G. Glacier Bay Area				
SALTWATER:				
Boat - Icy Straits	54	24	53	24
Boat - Glacier Bay	55	40	55	40
Boat - Excursion Inlet	15	8	15	8
Boat - Gustavus Area	39	8	39	7
Boat - Other	6	10	6	10
Shoreline	15	2	15	2
FRESHWATER:				
Salmon River	12	3	12	3
Other Streams	12	6	12	6

-continued-

Appendix A111. (Page 5 of 15).

	Number of Respondents		Number of Respondents			
	Used in Estimates		Standard	Supplementary		
	Standard	Supplementary				
Area H. Yakutat Area						
SALTWATER:						
Boat - Yakutat Bay	63	37	61	33		
Boat - Other	3	10	3	10		
Shoreline - Yakutat Bay	11	2	11	2		
Shoreline - Other	1	0	1	0		
FRESHWATER:						
Situk River	108	56	104	54		
Lost River	7	7	7	7		
Other Streams	20	17	20	17		
Ankau System (River, Lagoons, Outlet)	19	7	19	7		
Lakes	5	1	5	1		
Area I. Glennallen Area						
Gulkana River Float Fishing (Paxson to Sourdough)	106	20	103	19		
Gulkana River Float Fishing (Sourdough to Highway)	140	42	138	42		
Gulkana River Other Fishing	254	126	254	126		
Klutina River	169	62	168	62		
Mendeltna Creek	32	10	32	9		
Tonsina River	35	11	34	11		
Tyone Creek	16	5	15	5		
Other Streams	84	61	78	60		
Tolsona Lake	13	4	13	4		
Lake Louise	125	45	123	42		
Susitna Lake	31	12	31	11		
Tyone Lake	16	3	16	3		
Van (Silver) Lake	58	16	55	16		
Paxson Lake	78	24	77	24		
Summit Lake (near Paxson)	44	20	42	19		
Crosswind Lake	24	4	21	4		
Other Lakes	109	56	103	56		

-continued-

Appendix A111. (Page 6 of 15).

	Number of Respondents		Number of Respondents Used in Estimates	
	Standard Supplementary		Standard Supplementary	
Area J. Prince William Sound Area				
SALTWATER:				
Boat - Valdez Bay	472	232	462	219
Boat - Passage Canal (Whittier)	71	23	71	22
Boat - Orca Inlet	49	30	49	30
Boat - Esther Island	49	17	49	17
Boat - Montague Island	23	14	22	14
Boat - Hinchinbrook Island Area	25	12	25	12
Boat - Other	116	159	115	154
Shoreline - Valdez Road System	270	17	255	15
Shoreline - Orca Inlet	31	6	31	6
Shoreline - Remainder of Valdez Arm	68	46	66	43
Shoreline - Other	37	29	37	29
FRESHWATER:				
Eyak River	30	19	24	16
Eshamy Lake, Creek and Lagoon	14	6	14	5
Robe River Drainage	11	3	11	3
Alaganik Slough	31	9	31	8
Clear Creek	22	10	22	9
Other Streams	47	22	47	21
Lakes	29	19	28	19
Area K. Knik Arm Drainage Area				
SALTWATER:				
Boat - Fish Creek Area	13	13	13	12
Boat - Other	7	1	7	1
Shoreline	2	2	2	2
FRESHWATER:				
Little Susitna River	678	284	670	282
Knik River and Tributaries,				
including Jim Creek	126	26	126	25
Wasilla Creek (Rabbit Slough)	40	10	39	10
Cottonwood Creek	39	8	39	8
Meadow Creek (Big Lake Drainage)	13	0	13	0
Fish Creek (Big Lake Drainage)	52	12	46	11
Eklutna Power Plant Raceway	86	12	85	12
Other Streams	11	7	10	5
Wasilla Lake	24	8	23	8
Finger Lake	101	32	100	31
Kepler Lake Complex	131	49	130	48
Lucille Lake	17	2	17	2
Big Lake	154	39	146	39
Memory Lake	14	1	14	1
Walby Lake	11	4	11	4

-continued-

Appendix A111. (Page 7 of 15).

	Number of Respondents		Number of Respondents Used in Estimates	
	Standard Supplementary		Standard Supplementary	
Area K. Knik Arm Drainage Area (continued)				
FRESHWATER:				
Seymour Lake	12	5	11	5
Bonnie Lake	11	8	11	8
Flat Horn Lake	10	4	10	4
Nancy Lake	66	26	66	22
South Rolly Lake	28	7	28	7
Nancy Lake Recreation Area, Other Fishing Sites	94	38	94	37
Other Lakes	165	63	158	59
PERSONAL USE:				
Fish Creek (Big Lake Drainage)	215	89	214	89
Area L. Anchorage Area				
SALTWATER:				
Boat	10	0	10	0
Shoreline - Sixmile Creek Mouth	29	23	29	23
Shoreline - Other	27	9	27	9
FRESHWATER:				
Jewel Lake	103	21	103	19
Campbell Point Lake	24	9	24	9
Sand Lake	46	10	45	9
Lower Fire Lake	47	12	47	11
Mirror Lake	70	14	67	14
Otter Lake	125	30	124	30
Clunie Lake	65	24	65	24
Gwen Lake	49	17	49	17
Sixmile Lake	94	17	93	17
Green Lake	49	7	49	7
Hillberg Lake	34	5	34	5
Triangle Lake	27	5	27	5
C Street Lake	29	3	28	3
Fish Lake	48	6	48	6
Cheney Lake	66	20	65	20
Beach Lake	50	15	50	14
Delong Lake	62	13	62	13
Other Lakes	44	25	42	23
Ship Creek	571	165	569	165
Bird Creek	205	99	200	98
Campbell Creek	141	41	137	40
Twentymile River	74	26	74	26
Eagle River	81	25	81	25
Ingram Creek	19	3	19	3
Placer River	9	5	9	5
Other Streams	30	21	30	19

-continued-

Appendix A111. (Page 8 of 15).

	Number of Respondents		Number of Respondents Used in Estimates	
	Standard Supplementary		Standard Supplementary	
Area M. East Susitna River Drainage				
Willow Creek	729	278	725	274
Caswell Creek	113	36	113	36
Montana Creek	482	148	481	145
Sunshine Creek	108	32	107	31
Talkeetna River and Tributaries, including Clear Creek	353	179	352	179
Sheep Creek	251	98	249	97
Little Willow Creek	163	35	162	35
Goose Creek	80	16	79	16
Birch Creek	16	7	15	7
Kashwitna River	27	8	27	8
Troublesome Creek	41	9	41	9
196 Mile Creek	11	3	11	3
Indian River	9	5	9	5
Other Streams	47	30	42	27
Lakes	49	24	48	23
Area N. West Cook Inlet-				
West Susitna River Drainages				
SALTWATER:				
Boat - Kamishak Bay	11	5	11	5
Boat - Other	65	18	63	15
Razor Clams: Polly Creek Beach/ Crescent River Bar	34	8	34	8
Shoreline	14	6	14	6
FRESHWATER:				
Deshka River (Kroto Creek)	393	172	392	172
Lake Creek	238	125	237	122
Fish Lake Creek and Fish Lakes (Yentna Drainage)	102	15	101	15
Alexander Creek/Lake	264	143	261	142
Talachulitna River	71	34	70	33
Chuitna River	62	25	61	25
Theodore River	51	19	51	19
Lewis River	12	3	12	3
Kustatan River	76	32	76	32
Peters Creek	16	12	15	12
Silver Salmon Creek	14	6	14	6
Yentna River	5	29	5	29
Susitna River	6	15	6	15
Other Sites - Susitna River Drainages	107	62	105	61
Other Sites - Susitna to West Forelands	43	27	42	27
Other Sites - South of North Forelands	37	9	36	9
Other Streams	7	16	7	9
Big River Lakes	7	16	7	16
Trapper Lake	30	7	30	7
Other Lakes	4	17	4	17

-continued-

Appendix A111. (Page 9 of 15).

	Number of Respondents		Number of Respondents Used in Estimates	
	Standard	Supplementary	Standard	Supplementary
Area P. Kenai Peninsula Area				
KENAI RIVER FRESHWATER NONGUIDED:				
Kenai River - (Cook Inlet to Soldotna Bridge)	1,077	605	1,067	597
Kenai River - (Soldotna Bridge to Moose River)	653	271	646	266
Kenai River - (Moose River to Skilak Outlet)	358	143	355	139
Kenai River - (Skilak Inlet to Kenai Lake)	562	282	543	278
KENAI RIVER FRESHWATER GUIDED:				
Kenai River - (Cook Inlet to Soldotna Bridge)	836	320	825	317
Kenai River - (Soldotna Bridge to Moose River)	340	40	335	40
Kenai River - (Moose River to Skilak Outlet)	113	22	110	22
Kenai River - (Skilak Inlet to Kenai Lake)	164	49	152	41
FRESHWATER:				
Anchor River	369	116	363	113
Ninilchik River	422	148	419	144
Deep Creek	340	80	338	77
Stariski Creek	23	4	21	4
Resurrection Creek	56	17	56	17
Quartz Creek	137	63	134	60
Sixmile Creek Drainage	29	12	29	12
Russian River	1,071	429	1,064	426
Kasilof River -				
Nonguided Bank Fishing	691	212	671	211
Nonguided Boat Fishing	94	44	93	44
Guided Bank Fishing	93	4	92	4
Guided Boat Fishing	222	67	221	67
Ptarmigan Creek	30	12	30	12
Crooked Creek	33	43	33	41
Trail Creek/River	10	6	10	6
Other Streams	48	32	42	27
Swanson River	98	25	98	25
Swanson River Canoe Route Lakes	42	12	42	11
Swan Lake Canoe System	31	15	31	15
Hidden Lake	103	23	103	23
Crescent Lake	51	18	48	15
Skilak Lake	79	25	77	24
Tustumena Lake	28	6	28	6

-continued-

Appendix A111. (Page 10 of 15).

	Number of Respondents		Number of Respondents Used in Estimates	
	Standard Supplementary		Standard Supplementary	
Area P. Kenai Peninsula Area (continued)				
FRESHWATER:				
Engineer Lake	8	5	8	5
Rainbow Lake	9	8	9	8
Kenai Lake	21	24	21	24
Johnson Lake	28	24	20	22
Carter Lake	16	3	9	3
Other Lakes	175	122	170	117
PERSONAL USE DIPNET:				
China Poot	35	10	32	9
Kenai River	277	78	255	70
Fox Creek	2	2	2	2
SALTWATER FINFISH CHARTER BOAT:				
Halibut Cove (Kachemak Bay)	49	8	47	8
Kachemak Bay (Homer)	164	96	153	87
Resurrection Bay (Seward)	516	216	495	205
Anchor River, Whiskey Gulch, and Deep Creek Areas	685	285	681	285
Other Upper Cook Inlet	33	56	33	53
Other Lower Cook Inlet/ Outer Gulf Coast	1,212	578	1,207	576
SALTWATER FINFISH PRIVATE BOAT:				
Halibut Cove (Kachemak Bay)	80	31	78	31
Tutka Bay (Kachemak Bay, Homer Area)	27	7	27	6
Homer Spit (Kachemak Bay)	187	52	183	52
Kachemak Bay (Homer)	156	100	154	93
Resurrection Bay (Seward)	399	231	384	225
Anchor River, Whiskey Gulch, and Deep Creek Areas	571	307	569	307
Other Upper Cook Inlet	6	37	6	37
Other Lower Cook Inlet/ Outer Gulf Coast	466	152	464	152

-continued-

Appendix A111. (Page 11 of 15).

	Number of Respondents		Number of Respondents Used in Estimates	
	Standard Supplementary		Standard Supplementary	
Area P. Kenai Peninsula Area (continued)				
SALTWATER FINFISH SHORELINE:				
Homer Spit (Kachemak Bay)	450	159	446	158
Resurrection Bay (Seward)	343	115	341	114
Shoreline - Other	57	33	54	32
SALTWATER SHELLFISH:				
CLAMS BETWEEN KASILOF AND ANCHOR POINT:				
Anchor River to Deep Creek	169	82	163	72
Deep Creek to Set Net Access	363	191	333	174
Clam Gulch Beach (Set Net Access to Kasilof River)	292	199	277	178
OTHER:				
Kachemak Bay (Homer)	183	101	178	96
Other Sites	17	13	17	13
Area Q. Kodiak Area				
SALTWATER:				
Boat - Chiniak Bay Area	147	54	145	49
Boat - Afognak Island Area	71	24	69	23
Boat - Barren Islands	70	28	69	28
Boat - Shuyak Harbor	11	2	11	2
Boat - Other	53	62	53	60
Shoreline - Chiniak Bay Area	73	19	73	19
Shoreline - Afognak Island Area	28	6	26	6
Shoreline - Other	37	25	36	24
FRESHWATER:				
Buskin River	155	46	151	45
Pasagshak River	92	21	91	19
Karluk River and Lagoon	89	29	88	29
American River	66	21	66	21
Olds River (or Creek)	87	21	87	21
Red River (Ayakulik)	31	17	30	17
Saltery Creek	11	2	11	2
Other Streams	53	33	52	32
Roadside Lakes	18	8	18	8
Other Lakes	17	9	17	8

- continued -

Appendix A111. (Page 12 of 15).

	Number of Respondents		Number of Respondents Used in Estimates	
	Standard Supplementary		Standard Supplementary	
Area R. Naknek River Drainage-Alaska Peninsula Area				
SALTWATER:				
Boat - Adak Island Area	19	20	19	19
Boat - Other	35	34	35	34
Shoreline	31	16	30	16
FRESHWATER:				
Cold Bay Area (including				
Russel Creek)	12	1	11	1
Adak Island Area	18	6	15	6
Naknek River & Tributaries	115	69	114	69
Brooks River	85	35	83	35
American Creek	25	3	23	3
Other Streams	40	27	40	27
Ugashik System	17	15	17	15
Becharof System	15	5	14	5
Naknek Lake - Bay of Islands	20	6	19	6
Naknek Lake - Other	13	6	12	6
Brooks Lake	15	6	14	6
Other Lakes	9	7	9	7
Area S. Kvichak River Drainage Area				
SALTWATER:				
Boat	6	2	6	2
Shoreline	7	1	7	1
FRESHWATER:				
Kvichak River	67	32	66	32
Newhalen River	122	55	113	53
Alagnak (Branch) River	127	60	125	60
Copper River (Lake Iliamna Area)	51	16	51	16
Lower Talarik Creek	16	4	15	4
Iliamna River	16	2	16	2
Kulik River	13	9	13	9
Tazimina River	11	4	10	4
Moraine Creek	16	8	16	8
Other Streams	43	22	42	22
Lake Iliamna	43	15	41	13
Lake Clark	46	9	45	9
Gibralter Lake	18	6	18	6
Other Lakes	23	19	23	18

-continued-

Appendix A111. (Page 13 of 15).

	Number of Respondents		Number of Respondents Used in Estimates	
	Standard Supplementary		Standard Supplementary	
Area T. Nushagak Area				
SALTWATER:				
Boat	9	4	9	4
Shoreline	6	0	6	0
FRESHWATER:				
Nushagak River System	125	64	125	64
Wood River Lakes System	68	33	67	33
Tikchik-Nuyakuk Lake System	21	14	21	14
Togiak River System	26	14	26	14
Mulchatna River	41	6	40	6
Other Streams	14	14	12	14
Other Lakes	3	1	3	1
Area U. Tanana River Drainage Area				
Upper Chena River	119	40	108	32
Lower Chena River	169	73	166	72
Piledriver Slough	157	57	157	57
Nenana River Drainage	15	7	15	7
Chatanika River	124	74	123	74
Salcha River	119	49	118	49
Delta Clearwater River	57	23	49	22
Goodpaster River	17	7	17	7
Brushkana Creek	35	9	35	8
Lower Tanana River	9	5	9	5
Middle Tanana River	43	24	42	23
Upper Tanana River	19	9	19	9
Shaw Creek	14	3	14	3
Richardson Clearwater River	12	3	12	3
Delta River (below Tangle Lakes)	17	3	16	3
Other Streams	67	69	65	69
Birch Lake	141	68	138	66
Quartz Lake	242	115	239	114
Fielding Lake	33	10	31	10
Minto Flats	59	28	58	27
Tangle Lakes and Tangle River	116	75	113	72
Chena Lake (Lake only)	78	48	78	47
Harding Lake	99	38	95	38
Dune Lake	15	6	15	6
East Twin Lake	14	7	14	7
George Lake	17	5	17	5
Grayling Lake	6	6	6	6
Jan Lake	13	4	13	4
Sansing Lake	8	7	8	7
Steese Ponds	34	16	33	16
Chena Hot Springs Road Ponds	29	12	29	12
Meadow Road Lakes	24	16	23	16
Coal Mine Road Lakes	10	4	10	4
Other Lakes	163	97	161	96

-continued-

Appendix A111. (Page 14 of 15).

	Number of Respondents		Number of Respondents Used in Estimates	
	Standard Supplementary		Standard Supplementary	
Area V. Kuskokwim River Drainage Area				
SALTWATER:				
Boat	1	2	1	2
Shoreline	1	2	1	2
FRESHWATER:				
Kanektok River	43	21	43	21
Aniak River	26	13	23	13
Goodnews River	14	7	14	7
Kwethluk River	9	4	8	4
Other Streams	44	33	44	33
Lakes	11	2	11	2
Area W. Seward Peninsula-Norton Sound Area				
SALTWATER:				
Boat	10	7	10	7
Shoreline	14	1	14	1
FRESHWATER:				
Nome River	41	16	37	15
Pilgrim River	26	3	24	2
Unalakleet River	20	13	20	13
Fish-Niukluk River System	20	11	18	9
Sinuk River	20	4	19	4
Snake River	26	5	25	5
Solomon River	16	2	14	2
Kuzitrin River	12	2	12	2
Other Streams	31	10	29	9
Lakes	2	0	2	0
Area X. Northwest Alaska Area				
SALTWATER:				
Boat	2	1	2	1
Shoreline	11	4	11	4
FRESHWATER:				
Kobuk River	12	5	11	5
Noatak River	24	7	24	7
Other Streams	23	9	22	9
Lakes	14	7	14	7

- continued -

Appendix A111. (Page 15 of 15).

	Number of Respondents		Number of Respondents Used in Estimates	
	Standard Supplementary		Standard Supplementary	
Area Y. Yukon River Drainage Area				
SALTWATER:				
Boat	1	0	1	0
Shoreline	1	0	1	0
FRESHWATER:				
Yukon River Drainages (Downstream from Koyukuk River)	22	7	22	7
Koyukuk River Drainage	40	14	40	13
Nowitna River	11	2	11	2
Dall River	10	6	10	5
Yukon River Drainages (Koyukuk River to Fort Yukon)	30	18	29	18
Yukon River Drainages (Fort Yukon to Canadian Border)	7	8	7	8
Other Lakes	7	3	7	3
Other Streams	32	28	32	28
Area Z. North Slope Brooks Range Area				
SALTWATER:				
Boat	1	2	1	2
Shoreline	4	0	4	0
FRESHWATER:				
Sagavanirktoq River	19	6	19	6
Other Haul Road Streams	11	4	11	4
Other Streams	20	7	20	7
Haul Road Lakes	8	1	8	1
Other Lakes	10	1	10	1

APPENDIX B
QUESTIONNAIRES AND REMINDERS

