


Bristol Bay Sockeye Salmon Fishery

Port Moller Sockeye Salmon Stock Composition Summary June 30–July 1, 2011 – All Stations

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for June 30–July 1, 2011. A total of 376 fish were sampled and 376 were analyzed (373 had adequate data to include in the analysis).

Reporting Group	Stock	90%	
	Composition Estimate	Lower	Upper
Kuskokwim Bay	0.1%	0.0%	0.8%
Togiak River	0.0%	0.0%	0.0%
Igushik River	8.4%	5.1%	12.0%
Wood River	8.4%	5.3%	11.9%
Nushagak River	0.3%	0.0%	1.6%
Kvichak River	22.0%	17.6%	26.6%
Alagnak River	6.9%	4.7%	9.5%
Naknek River	14.6%	11.0%	18.4%
Egegik River	15.4%	10.1%	21.2%
Ugashik River	21.6%	15.9%	27.5%
North Peninsula	2.3%	0.9%	4.1%


Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, June 30–July 1, 2011 (All Stations).




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.

Historical Comparison of Stock Composition Estimates


2011



2010




2009




Date

Historical Comparison of Stock Composition Estimates


2008



2007



2006



Date