

# Bristol Bay Sockeye Salmon Fishery


## Port Moller Sockeye Salmon Stock Composition Summary

July 2–4, 2011 – All Stations

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for July 2–4, 2011. A total of 387 fish were sampled and 190 were analyzed (181 had adequate data to include in the analysis).

Reporting Group	Stock	90%	
	Composition Estimate	Lower	Upper
Kuskokwim Bay	1.5%	0.0%	7.5%
Togiak River	3.8%	0.0%	7.6%
Igushik River	4.5%	0.4%	9.1%
Wood River	6.9%	2.8%	11.8%
Nushagak River	2.0%	0.0%	4.8%
Kvichak River	23.1%	16.7%	29.9%
Alagnak River	5.1%	2.4%	8.5%
Naknek River	16.4%	10.9%	22.3%
Egegik River	15.9%	9.8%	22.9%
Ugashik River	18.7%	12.0%	25.9%
North Peninsula	2.2%	0.1%	5.0%


**Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, July 2–4, 2011 (All Stations).**




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.

# Historical Comparison of Stock Composition Estimates


2011



2010




2009




Date

# Historical Comparison of Stock Composition Estimates


2008



2007



2006



Date