

# Bristol Bay Sockeye Salmon Fishery


## Port Moller Sockeye Salmon Stock Composition Summary

July 5–7, 2011 – All Stations

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for July 5–7, 2011. A total of 196 fish were sampled and 190 were analyzed (188 had adequate data to include in the analysis).

Reporting Group	Stock	90%	
	Composition Estimate	Lower	Upper
Kuskokwim Bay	0.9%	0.0%	3.5%
Togiak River	1.1%	0.0%	3.3%
Igushik River	1.3%	0.0%	6.5%
Wood River	11.5%	5.7%	16.8%
Nushagak River	0.0%	0.0%	0.1%
Kvichak River	26.4%	20.0%	33.0%
Alagnak River	7.6%	4.2%	11.5%
Naknek River	18.3%	12.7%	24.6%
Egegik River	15.6%	7.9%	23.7%
Ugashik River	11.8%	4.4%	20.1%
North Peninsula	5.7%	2.8%	9.1%


**Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, July 5–7, 2011 (All Stations).**




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.

# Historical Comparison of Stock Composition Estimates


2011



2010




2009




Date

# Historical Comparison of Stock Composition Estimates


2008



2007



2006



Date