


# Bristol Bay Sockeye Salmon Fishery

## Port Moller Sockeye Salmon Stock Composition Summary June 10–17, 2012 – All Stations

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for June 10–17, 2012. A total of 213 fish were sampled and 190 were analyzed (187 had adequate data to include in the analysis).

Reporting Group	Stock	90%	
	Composition Estimate	Lower	Upper
North Peninsula	2.3%	0.0%	5.1%
Ugashik	10.1%	4.1%	17.2%
Egegik	26.8%	19.2%	34.8%
Naknek	13.3%	8.4%	18.9%
Alagnak	0.0%	0.0%	0.3%
Kvichak	19.2%	13.1%	25.9%
Nushagak	5.2%	2.5%	8.7%
Wood	20.0%	12.4%	27.0%
Igushik	2.4%	0.0%	8.9%
Togiak	0.0%	0.0%	0.1%
Kuskokwim	0.6%	0.0%	1.7%


**Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, June 10–17, 2012 (All Stations).**




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.

# Historical Comparison of Stock Composition Estimates


2012



2011




2010




# Historical Comparison of Stock Composition Estimates


2009



2008



2007



Date