


# Bristol Bay Sockeye Salmon Fishery

## Port Moller Sockeye Salmon Stock Composition Summary June 18–20, 2012 – All Stations

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for June 18–20, 2012. A total of 227 fish were sampled and 216 were analyzed (216 had adequate data to include in the analysis).

Reporting Group	Stock	90%	
	Composition Estimate	Lower	Upper
North Peninsula	3.7%	1.4%	6.6%
Ugashik	4.8%	0.0%	13.8%
Egegik	29.5%	19.7%	38.3%
Naknek	5.3%	2.1%	9.2%
Alagnak	3.0%	1.1%	5.3%
Kvichak	31.7%	25.8%	38.0%
Nushagak	3.4%	1.3%	6.5%
Wood	17.5%	12.2%	22.8%
Igushik	1.0%	0.0%	5.0%
Togiak	0.1%	0.0%	0.7%
Kuskokwim	0.1%	0.0%	0.8%


**Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, June 18–20, 2012 (All Stations).**




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.

# Historical Comparison of Stock Composition Estimates


2012



2011




2010




Date

# Historical Comparison of Stock Composition Estimates


2009



2008



2007



Date