


# Bristol Bay Sockeye Salmon Fishery

## Port Moller Sockeye Salmon Stock Composition Summary June 26–27, 2012 – All Stations

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for June 26–27, 2012. A total of 260 fish were sampled and 190 were analyzed (189 had adequate data to include in the analysis).

Reporting Group	Stock	90%	
	Composition Estimate	Lower	Upper
North Peninsula	1.1%	0.0%	3.8%
Ugashik	13.1%	5.9%	20.6%
Egegik	15.7%	9.1%	23.2%
Naknek	6.7%	3.6%	10.3%
Alagnak	4.6%	2.2%	7.6%
Kvichak	39.8%	33.1%	46.7%
Nushagak	0.3%	0.0%	2.3%
Wood	14.5%	8.3%	20.5%
Igushik	2.1%	0.0%	8.2%
Togiak	0.3%	0.0%	1.8%
Kuskokwim	1.8%	0.0%	5.3%


**Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, June 26–27, 2012 (All Stations).**




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.

# Historical Comparison of Stock Composition Estimates


2012



2011




2010




Date

# Historical Comparison of Stock Composition Estimates


2009



2008



2007



Date