


# Bristol Bay Sockeye Salmon Fishery

## Port Moller Sockeye Salmon Stock Composition Summary June 30–July 1, 2012 – All Stations

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for June 30–July 1, 2012. A total of 437 fish were sampled and 190 were analyzed (190 had adequate data to include in the analysis).

Reporting Group	Stock	90%	
	Composition Estimate	Lower	Upper
North Peninsula	2.3%	0.6%	4.8%
Ugashik	7.0%	1.4%	14.3%
Egegik	18.2%	10.1%	26.2%
Naknek	14.7%	9.4%	20.4%
Alagnak	11.3%	7.2%	15.9%
Kvichak	37.0%	30.5%	43.6%
Nushagak	0.2%	0.0%	1.4%
Wood	5.1%	2.4%	8.4%
Igushik	0.7%	0.0%	3.1%
Togiak	1.2%	0.1%	3.2%
Kuskokwim	2.3%	0.0%	5.3%


### Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, June 30–July 1, 2012 (All Stations).




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.

# Historical Comparison of Stock Composition Estimates


2012



2011




2010




Date

# Historical Comparison of Stock Composition Estimates


2009



2008



2007



Date