


# Bristol Bay Sockeye Salmon Fishery

## Port Moller Sockeye Salmon Stock Composition Summary June 18–19, 2013 – All Stations

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for June 18–19, 2013. A total of 327 fish were sampled and 190 were analyzed (185 had adequate data to include in the analysis).

| Reporting Group | Stock                | 90%   |       |
|-----------------|----------------------|-------|-------|
|                 | Composition Estimate | Lower | Upper |
| North Peninsula | 2.5%                 | 0.0%  | 7.7%  |
| Ugashik         | 13.9%                | 4.9%  | 24.1% |
| Egegik          | 30.4%                | 21.9% | 39.8% |
| Naknek          | 7.9%                 | 3.3%  | 13.9% |
| Alagnak         | 0.1%                 | 0.0%  | 0.3%  |
| Kvichak         | 20.5%                | 12.1% | 29.7% |
| Nushagak        | 19.1%                | 8.5%  | 28.2% |
| Wood            | 4.2%                 | 0.0%  | 11.9% |
| Igushik         | 1.1%                 | 0.0%  | 6.0%  |
| Togiak          | 0.1%                 | 0.0%  | 0.1%  |
| Kuskokwim       | 0.1%                 | 0.0%  | 0.0%  |


### Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, June 18–19, 2013 (All Stations).




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.

# Historical Comparison of Stock Composition Estimates


2013



2012




2011




Date

# Historical Comparison of Stock Composition Estimates


2010



2009



2008



Date