


# Bristol Bay Sockeye Salmon Fishery

## Port Moller Sockeye Salmon Stock Composition Summary June 27–28, 2013 – All Stations

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for June 27–28, 2013. A total of 368 fish were sampled and 190 were analyzed (187 had adequate data to include in the analysis).

Reporting Group	Stock	90%	
	Composition Estimate	Lower	Upper
North Peninsula	0.0%	0.0%	0.0%
Ugashik	7.4%	0.0%	20.0%
Egegik	29.6%	16.7%	41.7%
Naknek	14.0%	8.2%	20.5%
Alagnak	1.2%	0.0%	6.9%
Kvichak	28.6%	19.8%	37.8%
Nushagak	9.0%	3.7%	14.4%
Wood	10.1%	5.9%	15.1%
Igushik	0.0%	0.0%	0.0%
Togiak	0.0%	0.0%	0.0%
Kuskokwim	0.1%	0.0%	0.0%


**Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, June 27–28, 2013 (All Stations).**




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.

# Historical Comparison of Stock Composition Estimates


2013



2012




2011




Date

# Historical Comparison of Stock Composition Estimates


2010



2009



2008



Date