

# Bristol Bay Sockeye Salmon Fishery


## Port Moller Sockeye Salmon Stock Composition Summary

June 10–15, 2014 – All Stations

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for June 10–15, 2014. A total of 258 fish were sampled and 190 were analyzed (187 had adequate data to include in the analysis).

Reporting Group	Stock	90%	
	Composition Estimate	Lower	Upper
North Peninsula	9.5%	0.3%	17.0%
Ugashik	2.3%	0.0%	11.4%
Egegik	34.4%	23.8%	44.9%
Naknek	5.3%	0.1%	11.2%
Alagnak	3.5%	0.0%	9.3%
Kvichak	9.8%	2.3%	18.6%
Nushagak	4.8%	0.0%	10.1%
Wood	27.8%	21.4%	34.4%
Igushik	0.3%	0.0%	2.0%
Togiak	1.1%	0.0%	8.0%
Kuskokwim	1.3%	0.0%	8.4%


Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, June 10–15, 2014 (All Stations).




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.

# Historical Comparison of Stock Composition Estimates


2014



2013




2012




Date

# Historical Comparison of Stock Composition Estimates


2011



2010




2009




Date

# Historical Comparison of Stock Composition Estimates


2008



2007



2006



Date