
Bristol Bay Sockeye Salmon Fishery

Port Moller Sockeye Salmon Stock Composition Summary June 10–25, 2014 – Stations 2 and 4

Genetic stock composition estimates for sockeye salmon captured at stations 2 and 4 of the Port Moller Test Fishery from June 10–15 and 20–25, 2014. A total of 397 fish were sampled and 226 were analyzed (225 had adequate data to include in the analysis).

Reporting Group	Stock Composition Estimate	90% Confidence Intervals	
		North Peninsula	7.2%
Ugashik	9.2%	0.0%	17.7%
Egegik	27.2%	16.8%	38.1%
Naknek	6.8%	1.1%	13.6%
Alagnak	3.3%	0.0%	7.5%
Kvichak	26.6%	17.7%	36.2%
Nushagak	0.1%	0.0%	0.6%
Wood	19.3%	14.3%	24.6%
Igushik	0.2%	0.0%	1.2%
Togiak	0.1%	0.0%	0.2%
Kuskokwim	0.0%	0.0%	0.0%

Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, June 10–25, 2014 (Stations 2 and 4).



The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.


Bristol Bay Sockeye Salmon Fishery

Port Moller Sockeye Salmon Stock Composition Summary June 10–25, 2014 – Station 6

Genetic stock composition estimates for sockeye salmon captured at station 6 of the Port Moller Test Fishery from June 10–15 and 20–25, 2014. A total of 370 fish were sampled and 203 were analyzed (202 had adequate data to include in the analysis).

Reporting Group	Stock Composition Estimate	90% Confidence Intervals	
		North Peninsula	0.1%
Ugashik	0.8%	0.0%	5.0%
Egegik	27.5%	18.9%	36.3%
Naknek	7.2%	1.8%	13.3%
Alagnak	8.0%	3.2%	13.6%
Kvichak	29.9%	21.5%	38.9%
Nushagak	1.1%	0.0%	5.9%
Wood	23.2%	13.9%	31.1%
Igushik	2.2%	0.0%	10.4%
Togiak	0.0%	0.0%	0.1%
Kuskokwim	0.1%	0.0%	0.1%

Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, June 10–25, 2014 (Station 6).



The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.


Bristol Bay Sockeye Salmon Fishery

Port Moller Sockeye Salmon Stock Composition Summary June 10–25, 2014 – Stations 8 and 10

Genetic stock composition estimates for sockeye salmon captured at stations 8 and 10 of the Port Moller Test Fishery from June 10–15 and 20–25, 2014. A total of 546 fish were sampled and 331 were analyzed (329 had adequate data to include in the analysis).

Reporting Group	Stock Composition Estimate	90% Confidence Intervals	
		North Peninsula	0.1%
Ugashik	0.2%	0.0%	1.0%
Egegik	17.2%	11.0%	23.9%
Naknek	8.7%	4.3%	13.9%
Alagnak	5.8%	2.0%	10.4%
Kvichak	41.1%	33.2%	48.8%
Nushagak	3.0%	0.9%	5.9%
Wood	23.7%	19.0%	28.6%
Igushik	0.2%	0.0%	1.3%
Togiak	0.1%	0.0%	0.4%
Kuskokwim	0.0%	0.0%	0.1%

Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, June 10–25, 2014 (Stations 8 and 10).



The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.