


# Bristol Bay Sockeye Salmon Fishery

## Port Moller Sockeye Salmon Stock Composition Summary June 20–21, 2014 – All Stations

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for June 20–21, 2014. A total of 330 fish were sampled and 190 were analyzed (190 had adequate data to include in the analysis).

Reporting Group	Stock	90%	
	Composition Estimate	Lower	Upper
North Peninsula	1.3%	0.0%	5.4%
Ugashik	0.4%	0.0%	2.6%
Egegik	27.7%	18.3%	37.3%
Naknek	3.5%	0.0%	11.0%
Alagnak	9.1%	0.9%	16.5%
Kvichak	33.0%	23.4%	43.2%
Nushagak	0.8%	0.0%	5.8%
Wood	23.8%	16.9%	30.6%
Igushik	0.4%	0.0%	3.9%
Togiak	0.0%	0.0%	0.0%
Kuskokwim	0.1%	0.0%	0.0%


**Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, June 20–21, 2014 (All Stations).**




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.

# Historical Comparison of Stock Composition Estimates


2014



2013




2012




Date

# Historical Comparison of Stock Composition Estimates


2011



2010




2009




Date

# Historical Comparison of Stock Composition Estimates


2008



2007



2006



Date