


# Bristol Bay Sockeye Salmon Fishery

## Port Moller Sockeye Salmon Stock Composition Summary June 22–23, 2015 – All Stations

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for June 22–23, 2015. A total of 296 fish were sampled and 190 were analyzed (186 had adequate data to include in the analysis).

| Reporting Group | Stock                | 90%   |       |
|-----------------|----------------------|-------|-------|
|                 | Composition Estimate | Lower | Upper |
| North Peninsula | 5.4%                 | 0.4%  | 11.2% |
| Ugashik         | 1.1%                 | 0.0%  | 6.3%  |
| Egegik          | 30.0%                | 20.8% | 39.4% |
| Naknek          | 3.7%                 | 0.0%  | 11.7% |
| Alagnak         | 1.9%                 | 0.0%  | 8.9%  |
| Kvichak         | 30.8%                | 21.5% | 40.7% |
| Nushagak        | 5.0%                 | 1.4%  | 9.9%  |
| Wood            | 21.8%                | 16.0% | 27.9% |
| Igushik         | 0.1%                 | 0.0%  | 0.5%  |
| Togiak          | 0.0%                 | 0.0%  | 0.0%  |
| Kuskokwim       | 0.2%                 | 0.0%  | 0.5%  |


### Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, June 22–23, 2015 (All Stations).




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.

# Historical Comparison of Stock Composition Estimates


2015



2014




2013




Date

# Historical Comparison of Stock Composition Estimates


2012



2011




2010




Date

# Historical Comparison of Stock Composition Estimates


2009



2008



2007



Date