

Bristol Bay Sockeye Salmon Fishery


Port Moller Sockeye Salmon Stock Composition Summary

July 2–4, 2015 – All Stations

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for July 2–4, 2015. A total of 389 fish were sampled and 379 were analyzed (335 had adequate data to include in the analysis).

Reporting Group	Stock	90%	
	Composition Estimate	Lower	Upper
North Peninsula	0.0%	0.0%	0.0%
Ugashik	9.5%	3.5%	16.0%
Egegik	15.2%	9.2%	21.4%
Naknek	12.3%	7.3%	17.7%
Alagnak	4.0%	0.0%	8.8%
Kvichak	45.8%	38.4%	53.3%
Nushagak	3.8%	0.0%	9.7%
Wood	6.2%	2.0%	11.7%
Igushik	3.2%	0.0%	7.7%
Togiak	0.0%	0.0%	0.0%
Kuskokwim	0.0%	0.0%	0.0%


Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, July 2–4, 2015 (All Stations).




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.

Historical Comparison of Stock Composition Estimates


2015



2014




2013




Date

Historical Comparison of Stock Composition Estimates


2012



2011




2010




Date

Historical Comparison of Stock Composition Estimates


2009



2008



2007



Date