


Bristol Bay Sockeye Salmon Fishery

Port Moller Sockeye Salmon Stock Composition Summary June 10–17, 2015 – All Stations

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for June 10–17, 2015. A total of 329 fish were sampled and 190 were analyzed (187 had adequate data to include in the analysis).

Reporting Group	Stock	90%	
	Composition Estimate	Lower	Upper
North Peninsula	8.3%	2.0%	14.8%
Ugashik	0.5%	0.0%	3.0%
Egegik	46.6%	37.2%	55.6%
Naknek	0.8%	0.0%	4.2%
Alagnak	0.2%	0.0%	0.7%
Kvichak	12.3%	5.7%	20.3%
Nushagak	12.1%	4.7%	22.4%
Wood	15.2%	6.2%	24.8%
Igushik	4.0%	0.0%	12.5%
Togiak	0.0%	0.0%	0.0%
Kuskokwim	0.1%	0.0%	0.1%


Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, June 10–17, 2015 (All Stations).




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.

Historical Comparison of Stock Composition Estimates


2015



2014




2013




Date

Historical Comparison of Stock Composition Estimates


2012



2011




2010




Date

Historical Comparison of Stock Composition Estimates


2009



2008



2007



Date