
Bristol Bay Sockeye Salmon Fishery

Port Moller Sockeye Salmon Stock Composition Summary **June 20–21, 2015 – All Stations**

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for June 20-21, 2015. A total of 229 fish were sampled and 190 were analyzed (189 had adequate data to include in the analysis).


| Reporting Group | Stock Composition Estimate | 90% Confidence Intervals | |
|-----------------|----------------------------------|-----------------------------|-------|
| | | | |
| | | North Peninsula | 4.3% |
| Ugashik | 9.8% | 0.0% | 24.7% |
| Egegik | 38.3% | 24.9% | 51.0% |
| Naknek | 0.5% | 0.0% | 3.0% |
| Alagnak | 0.3% | 0.0% | 2.7% |
| Kvichak | 17.6% | 10.3% | 26.0% |
| Nushagak | 14.6% | 4.3% | 22.6% |
| Wood | 14.0% | 7.8% | 21.6% |
| Igushik | 0.5% | 0.0% | 4.2% |
| Togiak | 0.0% | 0.0% | 0.0% |
| Kuskokwim | 0.1% | 0.0% | 0.0% |

Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, June 20–21, 2015 (All Stations).




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.

Historical Comparison of Stock Composition Estimates



Historical Comparison of Stock Composition Estimates



Historical Comparison of Stock Composition Estimates

