


Bristol Bay Sockeye Salmon Fishery

Port Moller Sockeye Salmon Stock Composition Summary June 29–30, 2016 – All Stations

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for June 29–30, 2016. A total of 320 fish were sampled and 190 were analyzed (177 had adequate data to include in the analysis).


Reporting Group	Stock Composition Estimate	90% Confidence Intervals	
		Lower	Upper
North Peninsula	4.6%	0.0%	14.1%
Ugashik	18.2%	5.6%	31.3%
Egegik	29.9%	18.9%	44.0%
Naknek	1.5%	0.0%	7.8%
Alagnak	10.6%	4.9%	17.0%
Kvichak	16.2%	8.8%	24.5%
Nushagak	0.5%	0.0%	2.9%
Wood	13.1%	5.0%	22.1%
Igushik	5.3%	0.0%	14.1%
Togiak	0.0%	0.0%	0.0%
Kuskokwim	0.0%	0.0%	0.0%

Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, June 29–30, 2016 (All Stations).




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.

Historical Comparison of Stock Composition Estimates




Historical Comparison of Stock Composition Estimates


2013



2012




2011




Date

Historical Comparison of Stock Composition Estimates


2010



2009



2008



Date