
Bristol Bay Sockeye Salmon Fishery

Port Moller Sockeye Salmon Stock Composition Summary July 5, 2016 – All Stations

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for July 5, 2016. A total of 175 fish were sampled and analyzed (170 had adequate data to include in the analysis).


| Reporting Group | Stock Composition Estimate | 90% Confidence Intervals | |
|-----------------|----------------------------------|-----------------------------|-------|
| | | | |
| | | North Peninsula | 6.5% |
| Ugashik | 11.8% | 0.0% | 29.4% |
| Egegik | 32.3% | 16.9% | 47.9% |
| Naknek | 20.5% | 12.6% | 29.2% |
| Alagnak | 7.7% | 0.0% | 15.9% |
| Kvichak | 7.2% | 0.0% | 16.8% |
| Nushagak | 2.0% | 0.0% | 10.2% |
| Wood | 8.8% | 0.0% | 17.7% |
| Igushik | 3.3% | 0.0% | 11.5% |
| Togiak | 0.0% | 0.0% | 0.0% |
| Kuskokwim | 0.0% | 0.0% | 0.0% |

Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, July 5, 2016 (All Stations).




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.

Historical Comparison of Stock Composition Estimates



Historical Comparison of Stock Composition Estimates



Historical Comparison of Stock Composition Estimates

