

# Bristol Bay Sockeye Salmon Fishery


## Port Moller Sockeye Salmon Stock Composition Summary

June 14–17, 2017 – All Stations

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for June 14–17, 2017. A total of 182 fish were sampled and 181 were analyzed (176 had adequate data to include in the analysis).

Reporting Group	Stock	90%	
	Composition Estimate	Lower	Upper
North Peninsula	15.6%	8.2%	23.5%
Ugashik	4.5%	0.0%	15.4%
Egegik	38.3%	26.6%	49.0%
Naknek	4.3%	0.0%	12.2%
Alagnak	2.1%	0.0%	9.8%
Kvichak	1.7%	0.0%	6.1%
Nushagak	17.3%	6.2%	27.0%
Wood	15.6%	8.4%	23.2%
Igushik	0.2%	0.0%	0.7%
Togiak	0.0%	0.0%	0.0%
Kuskokwim	0.5%	0.0%	4.7%


**Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, June 14–17, 2017 (All Stations).**




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.

# Historical Comparison of Stock Composition Estimates


2017



2016




2015




Date

# Historical Comparison of Stock Composition Estimates


2014



2013




2012




Date

# Historical Comparison of Stock Composition Estimates


2011



2010




2009




Date

# Historical Comparison of Stock Composition Estimates


2008



2007



2006



Date