


# Bristol Bay Sockeye Salmon Fishery

## Port Moller Sockeye Salmon Stock Composition Summary June 26–27, 2017 – All Stations

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for June 26–27, 2017. A total of 273 fish were sampled and 190 were analyzed (189 had adequate data to include in the analysis).

Reporting Group	Stock	90%	
	Composition Estimate	Lower	Upper
North Peninsula	4.3%	0.7%	9.1%
Ugashik	20.1%	8.4%	34.6%
Egegik	31.0%	19.3%	44.3%
Naknek	5.6%	0.0%	14.7%
Alagnak	1.9%	0.0%	11.4%
Kvichak	5.9%	0.0%	15.2%
Nushagak	21.4%	12.3%	30.0%
Wood	9.6%	4.8%	15.1%
Igushik	0.0%	0.0%	0.0%
Togiak	0.1%	0.0%	0.0%
Kuskokwim	0.1%	0.0%	0.0%


**Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, June 26–27, 2017 (All Stations).**




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.

# Historical Comparison of Stock Composition Estimates


2017



2016




2015




Date

# Historical Comparison of Stock Composition Estimates


2014



2013




2012




Date

# Historical Comparison of Stock Composition Estimates


2011



2010




2009




Date

# Historical Comparison of Stock Composition Estimates


2008



2007



2006



Date