

Bristol Bay Sockeye Salmon Fishery


Port Moller Sockeye Salmon Stock Composition Summary

June 30 – July 1, 2017 – All Stations

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for June 30 – July 1, 2017. A total of 283 fish were sampled and 190 were analyzed (188 had adequate data to include in the analysis).

Reporting Group	Stock	90%	
	Composition Estimate	Lower	Upper
North Peninsula	8.2%	3.3%	15.5%
Ugashik	22.3%	9.7%	37.3%
Egegik	34.7%	18.4%	49.7%
Naknek	0.7%	0.0%	4.5%
Alagnak	3.5%	0.0%	11.9%
Kvichak	5.9%	0.0%	15.6%
Nushagak	8.8%	2.1%	16.1%
Wood	10.1%	4.9%	15.9%
Igushik	0.1%	0.0%	0.1%
Togiak	5.6%	0.0%	12.0%
Kuskokwim	0.1%	0.0%	0.1%


Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, June 30 – July 1, 2017 (All Stations).




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.

Historical Comparison of Stock Composition Estimates


2017



2016




2015




Date

Historical Comparison of Stock Composition Estimates


2014



2013




2012




Date

Historical Comparison of Stock Composition Estimates


2011



2010




2009




Date

Historical Comparison of Stock Composition Estimates


2008



2007



2006



Date