

# Bristol Bay Sockeye Salmon Fishery


## Port Moller Sockeye Salmon Stock Composition Summary

July 4–5, 2017 – All Stations

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for July 4–5, 2017. A total of 225 fish were sampled and 190 were analyzed (190 had adequate data to include in the analysis).

Reporting Group	Stock	90%	
	Composition Estimate	Lower	Upper
North Peninsula	9.5%	3.7%	15.9%
Ugashik	23.3%	13.1%	34.0%
Egegik	18.6%	8.7%	31.3%
Naknek	13.8%	8.6%	19.7%
Alagnak	0.3%	0.0%	2.1%
Kvichak	13.1%	7.5%	19.5%
Nushagak	12.2%	6.5%	18.9%
Wood	8.1%	3.6%	13.4%
Igushik	0.2%	0.0%	0.4%
Togiak	0.5%	0.0%	3.5%
Kuskokwim	0.3%	0.0%	2.9%


**Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, July 4–5, 2017 (All Stations).**




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.

# Historical Comparison of Stock Composition Estimates


2017



2016




2015




Date

# Historical Comparison of Stock Composition Estimates


2014



2013




2012




Date

# Historical Comparison of Stock Composition Estimates


2011



2010




2009




Date

# Historical Comparison of Stock Composition Estimates


2008



2007



2006



Date