

Bristol Bay Sockeye Salmon Fishery


Port Moller Sockeye Salmon Stock Composition Summary

July 7–8, 2017 – All Stations

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for July 7–8, 2017. A total of 242 fish were sampled and 190 were analyzed (184 had adequate data to include in the analysis).

Reporting Group	Stock	90%	
	Composition Estimate	Lower	Upper
North Peninsula	5.3%	0.2%	11.0%
Ugashik	17.6%	8.1%	28.1%
Egegik	18.9%	11.1%	27.9%
Naknek	15.9%	8.3%	24.3%
Alagnak	1.7%	0.0%	8.6%
Kvichak	13.2%	5.2%	22.0%
Nushagak	17.3%	8.5%	26.1%
Wood	7.1%	1.4%	13.1%
Igushik	0.4%	0.0%	3.7%
Togiak	1.3%	0.0%	5.2%
Kuskokwim	1.3%	0.0%	8.1%


Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, July 7–8, 2017 (All Stations).




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.

Historical Comparison of Stock Composition Estimates


2017



2016




2015




Date

Historical Comparison of Stock Composition Estimates


2014



2013




2012




Date

Historical Comparison of Stock Composition Estimates


2011



2010




2009




Date

Historical Comparison of Stock Composition Estimates


2008



2007



2006



Date