

# Bristol Bay Sockeye Salmon Fishery


## Port Moller Sockeye Salmon Stock Composition Summary

July 9–11, 2017 – All Stations

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for July 9–11, 2017. A total of 251 fish were sampled and 190 were analyzed (176 had adequate data to include in the analysis).

Reporting Group	Stock	90%	
	Composition Estimate	Lower	Upper
North Peninsula	13.8%	6.8%	21.7%
Ugashik	45.1%	32.2%	57.7%
Egegik	18.1%	10.3%	26.8%
Naknek	10.0%	4.1%	16.8%
Alagnak	2.3%	0.0%	7.9%
Kvichak	5.2%	0.2%	13.2%
Nushagak	3.5%	0.0%	9.3%
Wood	0.3%	0.0%	1.9%
Igushik	1.7%	0.0%	5.4%
Togiak	0.0%	0.0%	0.0%
Kuskokwim	0.0%	0.0%	0.0%


**Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, July 9–11, 2017 (All Stations).**




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.

# Historical Comparison of Stock Composition Estimates


2017



2016




2015




Date

# Historical Comparison of Stock Composition Estimates


2014



2013




2012




Date

# Historical Comparison of Stock Composition Estimates


2011



2010




2009




Date

# Historical Comparison of Stock Composition Estimates


2008



2007



2006



Date