


Bristol Bay Sockeye Salmon Fishery

Port Moller Sockeye Salmon Stock Composition Summary June 28–29, 2018 – All Stations

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for June 28–29, 2018. A total of 224 fish were sampled and 190 were analyzed (186 had adequate data to include in the analysis).

Reporting Group	Stock	90%	
	Composition Estimate	Lower	Upper
North Peninsula	1.0%	0.0%	6.7%
Ugashik	15.9%	0.0%	29.2%
Egegik	8.3%	0.0%	20.9%
Naknek	12.6%	6.7%	19.4%
Alagnak	0.3%	0.0%	2.2%
Kvichak	5.7%	0.0%	13.3%
Nushagak	23.4%	15.1%	32.0%
Wood	32.3%	24.7%	40.2%
Igushik	0.1%	0.0%	0.0%
Togiak	0.3%	0.0%	2.4%
Kuskokwim	0.1%	0.0%	0.2%


Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, June 28–29, 2018 (All Stations).




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.

Historical Comparison of Stock Composition Estimates


2018



2017




2016




Date

Historical Comparison of Stock Composition Estimates

2015




2014



- North Peninsula
- Ugashik
- Egegik
- Naknek
- Alagnak
- Kvichak
- Nushagak
- Wood
- Igushik
- Togiak
- Kuskokwim


2013




Date

Historical Comparison of Stock Composition Estimates


2012



2011




2010




Date

Historical Comparison of Stock Composition Estimates


2009



2008



2007



Date