

Bristol Bay Sockeye Salmon Fishery


Port Moller Sockeye Salmon Stock Composition Summary

July 4–6, 2019 – All Stations

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for July 4–6, 2019. A total of 373 fish were sampled and 190 were analyzed (184 had adequate data to include in the analysis).

Reporting Group	Stock	90%	
	Composition Estimate	Lower	Upper
North Peninsula	1.0%	0.0%	4.1%
Ugashik	0.1%	0.0%	0.1%
Egegik	29.2%	21.1%	37.7%
Naknek	13.4%	6.2%	21.5%
Alagnak	0.2%	0.0%	0.5%
Kvichak	20.6%	12.5%	29.4%
Nushagak	9.7%	0.1%	17.2%
Wood	20.7%	13.7%	28.3%
Igushik	0.7%	0.0%	5.5%
Togiak	2.5%	0.0%	7.6%
Kuskokwim	1.9%	0.0%	7.9%


Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, July 4–6, 2019 (All Stations).




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.

Historical Comparison of Stock Composition Estimates


2019



2018




2017




Date

Historical Comparison of Stock Composition Estimates


2016



2015




2014




Date

Historical Comparison of Stock Composition Estimates


2013



2012




2011




Date

Historical Comparison of Stock Composition Estimates


2010



2009



2008



Date