


# Bristol Bay Sockeye Salmon Fishery

## Port Moller Sockeye Salmon Stock Composition Summary June 19–20, 2020 – All Stations

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for June 19–20, 2020. A total of 167 fish were sampled and 167 were analyzed (164 had adequate data to include in the analysis).


Reporting Group	Stock	90%	
	Composition Estimate	Lower	Upper
North Peninsula	6.1%	0.8%	12.2%
Ugashik	7.2%	0.0%	15.9%
Egegik	17.2%	11.1%	24.3%
Naknek	15.5%	9.7%	22.0%
Alagnak	0.9%	0.0%	6.2%
Kvichak	6.9%	2.0%	12.6%
Nushagak	17.6%	9.4%	25.9%
Wood	21.6%	13.5%	30.8%
Igushik	6.7%	0.0%	12.5%
Togiak	0.1%	0.0%	0.5%
Kuskokwim	0.2%	0.0%	1.1%

**Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, June 19–20, 2020 (All Stations).**




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.

### Number of Genetic Samples Analyzed by Date, Station, and Estimate Release Number Port Moller Test Fishery 2020




# Historical Comparison of Stock Composition Estimates


2020



2019




2018




Date

# Historical Comparison of Stock Composition Estimates


2017



2016




2015




Date

# Historical Comparison of Stock Composition Estimates


2014



2013




2012




Date

# Historical Comparison of Stock Composition Estimates


2011



2010




2009




Date

# Historical Comparison of Stock Composition Estimates


2008



2007



2006



Date