

Bristol Bay Sockeye Salmon Fishery


Port Moller Sockeye Salmon Stock Composition Summary

July 7–9, 2020 – All Stations

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for July 7–9, 2020. A total of 654 fish were sampled and 190 were analyzed (188 had adequate data to include in the analysis).


Reporting Group	Stock	90%	
	Composition Estimate	Lower	Upper
North Peninsula	1.1%	0.0%	4.2%
Ugashik	9.9%	0.0%	19.8%
Egegik	27.9%	18.7%	37.2%
Naknek	12.1%	6.6%	18.7%
Alagnak	13.8%	3.9%	22.5%
Kvichak	19.4%	11.2%	27.8%
Nushagak	8.8%	2.9%	16.7%
Wood	4.8%	0.0%	10.4%
Igushik	1.8%	0.0%	7.0%
Togiak	0.1%	0.0%	0.9%
Kuskokwim	0.2%	0.0%	1.2%

Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, July 7–9, 2020 (All Stations).




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.

Number of Genetic Samples Analyzed by Date, Station, and Estimate Release Number Port Moller Test Fishery 2020




Historical Comparison of Stock Composition Estimates


2020



2019




2018




Date

Historical Comparison of Stock Composition Estimates


2017



2016




2015




Date

Historical Comparison of Stock Composition Estimates


2014



2013




2012




Date

Historical Comparison of Stock Composition Estimates


2011



2010




2009




Date

Historical Comparison of Stock Composition Estimates


2008



2007



2006



Date