


# Bristol Bay Sockeye Salmon Fishery

## Port Moller Sockeye Salmon Stock Composition Summary June 30–July 1, 2022 – All Stations

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for June 30–July 1, 2022. A total of 369 fish were sampled and 190 were analyzed (189 had adequate data to include in the analysis).


Reporting Group	Stock	90%	
	Composition Estimate	Lower	Upper
North Peninsula	0.4%	0.0%	2.0%
Ugashik	8.0%	3.4%	13.2%
Egegik	9.8%	4.1%	16.5%
Naknek	1.0%	0.0%	5.1%
Alagnak	2.9%	0.0%	9.1%
Kvichak	25.8%	18.5%	33.3%
Nushagak	28.1%	18.3%	38.7%
Wood	23.4%	14.7%	32.4%
Igushik	0.3%	0.0%	1.7%
Togiak	0.1%	0.0%	0.6%
Kuskokwim	0.3%	0.0%	1.6%

### Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, June 30–July 1, 2022 (All Stations).




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.

**Port Moller Test Fishery 2022  
Catch Per Unit of Effort by Date and Station**




**Number of Genetic Samples Analyzed by Date, Station, and Estimate Release Number**




# Historical Comparison of Stock Composition Estimates


2022



2021




2020




Date

# Historical Comparison of Stock Composition Estimates


2019



2018




2017




Date

# Historical Comparison of Stock Composition Estimates


2016



2015




2014




Date

# Historical Comparison of Stock Composition Estimates


2013



2012




2011




Date

# Historical Comparison of Stock Composition Estimates


2010



2009



2008



Date