


# Bristol Bay Sockeye Salmon Fishery

## Port Moller Sockeye Salmon Stock Composition Summary June 21–22, 2023 – All Stations

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for June 21–22, 2023. A total of 282 fish were sampled and 190 were analyzed (189 had adequate data to include in the analysis).


Reporting Group	Stock	90%	
	Composition Estimate	Lower	Upper
North Peninsula	0.7%	0.0%	3.3%
Ugashik	0.3%	0.0%	1.9%
Egegik	40.7%	32.2%	48.9%
Naknek	6.9%	2.8%	12.2%
Alagnak	0.5%	0.0%	3.5%
Kvichak	8.3%	2.2%	14.8%
Nushagak	21.6%	14.3%	29.3%
Wood	19.9%	13.0%	27.3%
Igushik	0.3%	0.0%	2.2%
Togiak	0.1%	0.0%	0.5%
Kuskokwim	0.6%	0.0%	2.8%

**Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, June 21–22, 2023 (All Stations).**




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.

### Port Moller Test Fishery 2023 Catch Per Unit of Effort by Date and Station




### Number of Genetic Samples Analyzed by Date, Station, and Estimate Release Number




# Historical Comparison of Stock Composition Estimates


2023



2022




2021




Date

# Historical Comparison of Stock Composition Estimates


2020



2019




2018




Date

# Historical Comparison of Stock Composition Estimates


2017



2016




2015




Date

# Historical Comparison of Stock Composition Estimates


2014



2013




2012




Date

# Historical Comparison of Stock Composition Estimates


2011



2010




2009




Date

# Historical Comparison of Stock Composition Estimates


2008



2007



2006



Date