


# Bristol Bay Sockeye Salmon Fishery

## Port Moller Sockeye Salmon Stock Composition Summary June 27–28, 2023 – All Stations

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for June 27–28, 2023. A total of 553 fish were sampled and 190 were analyzed (188 had adequate data to include in the analysis).


Reporting Group	Stock	90%	
	Composition Estimate	Lower	Upper
North Peninsula	0.4%	0.0%	2.0%
Ugashik	0.5%	0.0%	3.2%
Egegik	23.4%	16.5%	30.3%
Naknek	16.2%	9.8%	23.1%
Alagnak	0.9%	0.0%	5.0%
Kvichak	19.5%	12.4%	27.8%
Nushagak	17.7%	10.1%	25.5%
Wood	20.0%	13.6%	26.9%
Igushik	0.2%	0.0%	1.1%
Togiak	0.9%	0.0%	2.9%
Kuskokwim	0.3%	0.0%	1.8%

**Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, June 27–28, 2023 (All Stations).**




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.

### Port Moller Test Fishery 2023 Catch Per Unit of Effort by Date and Station




### Number of Genetic Samples Analyzed by Date, Station, and Estimate Release Number




# Historical Comparison of Stock Composition Estimates


2023



2022




2021




Date

# Historical Comparison of Stock Composition Estimates


2020



2019




2018




Date

# Historical Comparison of Stock Composition Estimates


2017



2016




2015




Date

# Historical Comparison of Stock Composition Estimates


2014



2013




2012




Date

# Historical Comparison of Stock Composition Estimates


2011



2010




2009




Date

# Historical Comparison of Stock Composition Estimates


2008



2007



2006



Date