

# Bristol Bay Sockeye Salmon Fishery


## Port Moller Sockeye Salmon Stock Composition Summary

July 3–5, 2023 – All Stations

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for July 3–5, 2023. A total of 593 fish were sampled and 190 were analyzed (190 had adequate data to include in the analysis).


Reporting Group	Stock	90%	
	Composition Estimate	Lower	Upper
North Peninsula	0.9%	0.0%	4.3%
Ugashik	6.9%	0.0%	15.6%
Egegik	25.7%	16.4%	36.7%
Naknek	13.9%	7.8%	21.2%
Alagnak	2.4%	0.0%	9.2%
Kvichak	18.1%	11.0%	25.7%
Nushagak	15.8%	8.1%	23.6%
Wood	13.0%	6.7%	19.9%
Igushik	2.9%	0.0%	10.4%
Togiak	0.1%	0.0%	0.6%
Kuskokwim	0.2%	0.0%	1.3%

**Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, July 3–5, 2023 (All Stations).**




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.

### Port Moller Test Fishery 2023 Catch Per Unit of Effort by Date and Station




### Number of Genetic Samples Analyzed by Date, Station, and Estimate Release Number




# Historical Comparison of Stock Composition Estimates


2023



2022




2021




Date

# Historical Comparison of Stock Composition Estimates


2020



2019




2018




Date

# Historical Comparison of Stock Composition Estimates


2017



2016




2015




Date

# Historical Comparison of Stock Composition Estimates


2014



2013




2012




Date

# Historical Comparison of Stock Composition Estimates


2011



2010




2009




Date

# Historical Comparison of Stock Composition Estimates


2008



2007



2006



Date