

# Bristol Bay Sockeye Salmon Fishery


## Port Moller Sockeye Salmon Stock Composition Summary

July 10–11, 2023 – All Stations

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for July 10–11, 2023. A total of 202 fish were sampled and 190 were analyzed (188 had adequate data to include in the analysis).


Reporting Group	Stock	90%	
	Composition Estimate	Lower	Upper
North Peninsula	2.6%	0.0%	8.8%
Ugashik	1.7%	0.0%	9.2%
Egegik	29.4%	18.7%	38.4%
Naknek	14.0%	8.0%	20.6%
Alagnak	8.3%	0.0%	17.7%
Kvichak	24.3%	16.4%	32.8%
Nushagak	4.5%	0.0%	12.3%
Wood	2.0%	0.0%	6.4%
Igushik	10.4%	4.9%	16.5%
Togiak	1.0%	0.0%	3.6%
Kuskokwim	1.7%	0.0%	6.2%

**Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, July 10–11, 2023 (All Stations).**




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.

### Port Moller Test Fishery 2023 Catch Per Unit of Effort by Date and Station




### Number of Genetic Samples Analyzed by Date, Station, and Estimate Release Number




# Historical Comparison of Stock Composition Estimates


2023



2022




2021




Date

# Historical Comparison of Stock Composition Estimates


2020



2019




2018




Date

# Historical Comparison of Stock Composition Estimates


2017



2016




2015




Date

# Historical Comparison of Stock Composition Estimates


2014



2013




2012




Date

# Historical Comparison of Stock Composition Estimates


2011



2010




2009




Date

# Historical Comparison of Stock Composition Estimates


2008



2007



2006



Date