Hunter-assisted study on ringed and bearded seal movements, habitat use, and TEK

Mark A. Nelson¹, Lori Quakenbush¹, John Goodwin², Merlin Henry³, Alex Whiting⁴, Kathy Frost⁵, and Justin Crawford¹





¹ Alaska Department of Fish and Game, Fairbanks, Alaska, Mark.Nelson@alaska.gov, ² Seal hunter and resident of Kotzebue, Alaska; ² Seal hunter and resident of Koyuk, Alaska; 4Native Village of Kotzebue, Alaska, 5School of Fish and Ocean Science, Fairbanks, Alaska



Introduction

Ringed (*Pusa hispida*) and bearded (*Erignathus barbatus*) seals are called "ice seals" because they use sea ice for pupping, nursing, molting, and resting. In Alaska, these seals are found in the Bering, Chukchi, and Beaufort seas. They are important subsistence species used by Alaska Natives for food, oil, clothing, and handicrafts. Changes in the timing and extent of sea ice not only effect ice seal habitat, but also have increased access to the Arctic, increasing the need to plan shipping lanes, oil and gas lease sales, and to develop mitigation measures to minimize these effects on seals. Cooperative hunter-biologist satellite-tagging studies are increasing our understanding of important seal habitats, seasonal movements, use of sea ice including haul out behavior, and seasonal site fidelity. This project will build on past studies by tagging seals at several widely-spaced locations from Hooper Bay to Barrow (including Norton Sound and Kotzebue Sound) and by incorporating traditional knowledge.

Objectives

Work with seal hunters to:

- capture and tag ringed and bearded seals,
- document habitat use, movement patterns, and movement timing, and
- gather and document local and traditional knowledge of ringed and bearded seals.

2014 Activities

- Seal hunters were trained to tag seals with satellite-linked transmitters in Norton Sound and Hooper Bay.
- Hunter-taggers determined when and where to capture seals using local knowledge.
- Four ringed and one bearded seal were tagged near Kotzebue in June (Fig. 1).
- Three bearded seals were tagged near Koyuk in September (Fig. 1).

Future plans

- Continue to work with trained hunter-taggers and with new hunters and communities.
- Conduct workshops to document local and traditional knowledge to better understand seals movements in response to changing sea ice.

Acknowledgements

This project is funded by the Bureau of Ocean Energy Management. We appreciate the assistance of all the hunter-tagger crews; Albert Simon, Alexander Niksik Jr., Denali Whiting, Edward Ahyakak, Edwin Kotangan Jr., Frank Garfield, Gordon Eakon, Henry "Boyuk" Goodwin, and Pearl Goodwin. Research on ice seals was conducted under permit #15324 issued to the Alaska Department of Fish and Game by the National Marine Fisheries Service and under an approved ADF&G Animal Care and Use Committee Protocol #2014-03.

Movements of tagged seals during 2014



Figure 1. Movements of seals tagged in June and September during 2014. Seals tagged in Kotzebue Sound (KS) and Norton Sound (NS).

Norton Sound hunter-tagger training

Hunters from Elim, Koyuk, Unalakleet, and St. Michael learned how to tag seals with satellite transmitters in March.



Gordon Eakon practices attaching a transmitter to a seal flipper while Edwin Kotangan and Merlin Henry look on.



Alexander Niksik practices gluing a transmitter while Gordon Eakon and Merlin Henry look on.



Gordon Eakon shows a transmitter he attach to a subsistence harvested seal flipper.

Kotzebue Sound tagging - June

Four ringed and one bearded seal were tagged in Kotzebue Sound during June.



Pearl Goodwin keeps track of the data.



dward Ahyakak applying epoxy to the back of a young bearded seal.



John and Pearl Goodwin searching



Frank Garfield, Edward Ahyakak, and Mark Nelson weighing a seal.



A young bearded seal is tagged and ready for release.



Frank Garfield, Boyuk Goodwin, Edward Ahyakak, and Kathy Frost tagging a ringed sea

Norton Sound tagging - September

Three young bearded seals were tagged near Koyuk in September.



Merlin Henry prepares to tag a young bearded so 15 miles up the Koyuk River.



Merlin Henry with a young bearded sea prior to release into the Koyuk River.